

# 免費下載MCD-Level-1題庫最新資訊和資格考試中的領先供應商和值得信賴的MCD-Level-1考題套裝



Testpdf是個為很多參加IT相關認證考試的考生提供方便的網站。很多選擇使用Testpdf的產品的考生一次性通過了IT相關認證考試，經過他們回饋證明了我們的Testpdf提供的幫助是有很有效的。Testpdf的專家團隊是由資深的IT人員組成的一個龐大的團隊，他們利用自己的專業知識和豐富的行業經驗研究出來的MCD-Level-1認證考試的培訓資料對你們通過MCD-Level-1認證考試很有幫助的。Testpdf提供的MCD-Level-1認證考試的類比測試軟體和相關試題是對MCD-Level-1的考試大綱做了針對性的分析而研究出來的，是絕對可以幫你通過你的第一次參加的MCD-Level-1認證考試。

你已經看到Testpdf MuleSoft的MCD-Level-1考試認證培訓資料，是時候做出選擇了，你甚至可以選擇其他的產品，不過你要知道我們Testpdf帶給你的無限大的利益，也只有Testpdf能給你100%保證成功，Testpdf能讓你有一個美好的前程，讓你以後在IT行業有更寬廣的道路可以走，高效率的工作在資訊技術領域。

>> MCD-Level-1題庫最新資訊 <<

## 免費PDF MCD-Level-1題庫最新資訊以及資格考試的領先材料供應者和授權的MCD-Level-1考題套裝

為什麼大多數人選擇Testpdf，是因為Testpdf的普及帶來極大的方便和適用。是通過實踐檢驗了的，Testpdf提供MuleSoft的MCD-Level-1考試認證資料是眾所周知的，許多考生沒有信心贏得 MuleSoft的MCD-Level-1考試認證，擔心考不過，所以你得執行Testpdf MuleSoft的MCD-Level-1的考試培訓資料，有了它，你會信心百倍，真正的作了考試準備。

## 最新的 MuleSoft Certified Developer MCD-Level-1 免費考試真題 (Q95-Q100):

### 問題 #95

Refer to the exhibits.

In the requestFlow an HTTP Request operation is configured to send an HTTP request with an XML payload. The request is sent to the HTTP Listener in the transform Flow.

That flow transforms the incoming payload into JSON format and returns the response to the HTTP request. The response of the request is stored in a target variable named the Result.

What is the payload at the Logger component after the HTTP Request?

- A. null
- B. A non-empty Java object
- C. The returned JSON response
- **D. The original XML payload**

答案： D

**問題 #96**

Refer to the exhibits.

The input array of strings is processed by the batch job that processes, filters, and aggregates the values. What is the last message logged by the Logger component after the batch job completes processing?

- A)
- B)
- C)
- D)

- A. Option B
- B. Option C
- C. Option D
- D. Option A

答案： C

**問題 #97**

By default, what happens to a file after it is read using an FTP connector Read operation?

- A. The file is moved to a different folder
- B. The file is renamed in the same folder
- C. The file is deleted from the folder
- D. The file stays in the same folder unchanged

答案： D

**問題 #98**

Refer to the exhibit.

How many private flows does APIKIT generate from the RAML specification?

- A. 0
- B. 1
- C. 2
- D. 3

答案： B

**問題 #99**

Refer to the exhibits.

In the requestFlow an HTTP Request operation is configured to send an HTTP request with an XML payload.

The request is sent to the HTTP Listener in the transform Flow.

That flow transforms the incoming payload into JSON format and returns the response to the HTTP request.

The response of the request is stored in a target variable named the Result.

What is the payload at the Logger component after the HTTP Request?

- A. null
- B. A non-empty Java object
- C. The returned JSON response
- D. The original XML payload

答案： D

**問題 #100**

.....

