


Nutanix NCM-MCI Labs, NCM-MCI Reliable Study Plan



What's more, part of that PDFBraindumps NCM-MCI dumps now are free: <https://drive.google.com/open?id=1YjWYf4wcBjkTSnN2-ksPny3eh5HFj9Ky>

Our society is in the jumping constantly changes and development. So we need to face the more live pressure to handle much different things and face more intense competition. The essential method to solve these problems is to have the faster growing speed than society developing. In a field, you can try to get the NCM-MCI Certification to improve yourself, for better you and the better future. With it, you are acknowledged in your profession.

What is the salary of the Nutanix NCM-MCI Exam

The Average salary of different countries of Nutanix Certified Expert

- UK - Pounds 45,280 per year
- India - INR 776,970 per year
- United States - USD 116,178 per year

>> Nutanix NCM-MCI Labs <<

Nutanix NCM-MCI Reliable Study Plan - NCM-MCI Reliable Exam Practice

There are some main features of our products and we believe you will be satisfied with our NCM-MCI test questions. Our study materials have enough confidence to provide the best NCM-MCI exam torrent for your study to pass it. With many years work experience, we have fast reaction speed to market change and need. In this way, we have the latest NCM-MCI Guide Torrent. You don't worry about that how to keep up with the market trend, just follow us.

Nutanix NCM-MCI Exam Practice Test Helps You Ace Your Nutanix Certified Expert

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam is a challenging exam that needs you to perform with excellent knowledge. We recommend you to be prepared for the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam as it is crucial for your professional career.

Nutanix offers you a really easy way to prepare for your Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam by providing the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) practice test software. This practice test software has everything that an individual requires to pass their certification exam in the first attempt. The questions offered in the practice test software are similar to those you can expect in the real Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam scenario. The practice test software is also equipped with learning tools and features that will help you learn about your weak areas.

If you want to buy the high quality **Nutanix NCM-MCI exam dumps** for NCM-MCI exam, then PDFBraindumps is your first choice. Do not hesitate to choose us as your loyal partner because we are the only one can help you pass Nutanix Certified Master

(NCM) - Multicloud Infrastructure (NCM-MCI) test successfully. At the same time, you can get 100% guaranteed NCM-MCI exam questions and answers with high accuracy and hit rate. NCM-MCI Practice Test is the best source to prepare for your Nutanix Certified Master (NCM) - Multicloud Infrastructure (NCM-MCI) Certification Exam for 100 percent results.

Nutanix NCM-MCI Exam Study Guide: What You Need To Know

Which Are The Best Study Guides To Help Pass Nutanix NCM-MCI Exam?

Nutanix NCM-MCI Exam: Pass with Ease! a guide about Nutanix certification and tips to pass the exams

If you are eager to pass your Nutanix NCM-MCI Exam, then you've landed to the right place. We've got some of the best study guides with tips that have been proven and tested working by a number of individuals who have passed their exams using these study guides.

While the exams of different certification providers may differ, there are general things that can be done to ensure a passing grade. In this guide, we will look at some important tips, the best resources, and fantastic advice on how to pass an exam. Prepare yourself for the exam and learn how to overcome stress. **Nutanix NCM-MCI exam dumps** is an amazing guide that can help you pass the exam with ease.

Nutanix NCM-MCI Exam is a new and innovative platform for creating, deploying, and monitoring applications. In this article I will explain what Nutanix NCM-MCI Exam is and why you should be using it.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q15-Q20):

NEW QUESTION # 15

Task 10

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:

- * vCPUs: 2
- * Memory: 8Gb
- * Disk Size: 50Gb
- * Cluster: Cluster A
- * Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM.text

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/>

acli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{  
{  
"spec": {  
"name": "Test_Deploy",  
"resources": {  
"power_state": "OFF",  
"num_vcpus_per_socket": ,  
"memory_gb": 8,  
"disk_gb": 50,  
"cluster": "Cluster A",  
"network": "default- net",  
"vcpus": 2  
}  
}  
}
```

```

"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
{
"disk_size_mib": 51200,
"device_properties": {
"device_type": "DISK"
}
},
{
"device_properties": {
"device_type": "CDROM"
}
}
],
"nic_list": [
{
"nic_type": "NORMAL_NIC",
"is_connected": true,
"ip_endpoint_list": [
{
"ip_type": "DHCP"
}
],
"subnet_reference": {
"kind": "subnet",
"name": "default_net",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
{
"cluster_reference": {
"kind": "cluster",
"name": "NTNXDemo",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
{
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
}
}
]
},

```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

NEW QUESTION # 16

Task 5

An administrator has been informed that a new workload requires a logically segmented network to meet security requirements.

Network configuration:

VLAN: 667

Network: 192.168.0.0

Subnet Mask: 255.255.255.0

DNS server: 34.82.231.220

Default Gateway: 192.168.0.1

Domain: cyberdyne.net

IP Pool: 192.168.9.100-200

DHCP Server IP: 192.168.0.2

Configure the cluster to meet the requirements for the new workload if new objects are required, start the name with 667.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements for the new workload, you need to do the following steps:

Create a new VLAN with ID 667 on the cluster. You can do this by logging in to Prism Element and going to Network Configuration > VLANs > Create VLAN. Enter 667 as the VLAN ID and a name for the VLAN, such as 667_VLAN.

Create a new network segment with the network details provided. You can do this by logging in to Prism Central and going to Network > Network Segments > Create Network Segment. Enter a name for the network segment, such as

667_Network_Segment, and select 667_VLAN as the VLAN. Enter 192.168.0.0 as the Network Address and 255.255.255.0 as the Subnet Mask. Enter 192.168.0.1 as the Default Gateway and 34.82.231.220 as the DNS Server. Enter cyberdyne.net as the Domain Name.

Create a new IP pool with the IP range provided. You can do this by logging in to Prism Central and going to Network > IP Pools > Create IP Pool. Enter a name for the IP pool, such as 667_IP_Pool, and select 667_Network_Segment as the Network Segment. Enter 192.168.9.100 as the Starting IP Address and 192.168.9.200 as the Ending IP Address.

Configure the DHCP server with the IP address provided. You can do this by logging in to Prism Central and going to Network > DHCP Servers > Create DHCP Server. Enter a name for the DHCP server, such as 667_DHCP_Server, and select 667_Network_Segment as the Network Segment. Enter 192.168.0.2 as the IP Address and select 667_IP_Pool as the IP Pool.

⋮

NEW QUESTION # 17

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 18

Refer to the exhibit.

⋮

Task1

A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container.

The cluster is in a healthy state.

Create a new session named Monitor SQL02 with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop.

Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to perf_group@ACME.org. Reports should not be retained. If any new objects need to be created, use monitorvm2 in the name.

Finally, correct the issue within "SQL02"

Notes:

Do not power on the VMs.

While you will be creating a session, you will need to examine the VM configurations to determine the issue.

Do not delete the VM to resolve the issue, any other destructive change is acceptable

Answer:

Explanation:

See the Explanation

Explanation:

This is a classic Nutanix performance troubleshooting scenario. The issue is almost certainly that the VM was created using the wrong Disk Bus Type (IDE or SATA instead of SCSI).

Here is the step-by-step solution to complete Task 1.

Part 1: Analysis and Reporting

Create the Session

Log in to Prism Central (or Prism Element, depending on the exam environment, but Analysis is usually a PC feature).

Navigate to Operations -> Analysis.

Click New Session.

Name: Monitor SQL02

Entity: Search for and select the VM named SQL02.

Metrics: Since the issue is storage performance, search for and add these specific metrics:

Hypervisor IOPS (or Controller IOPS)

Hypervisor IO Latency (or Controller IO Latency)

Hypervisor IO Bandwidth

Click Save.

Save Session Data (Task 1.txt)

Open the "Monitor SQL02" session you just created.

(Per instructions): Right-click anywhere on the chart/data area -> Click Select All.

Copy the selected text (Ctrl+C).

Open Notepad on the provided desktop.

Paste the data.

Save the file as Task 1.txt on the Desktop.

Create and Schedule the Report

While still in the Analysis session, click the Create Report (or "Add to Report") button.

Report Name: MonitorSQL02

Report Settings:

Format: PDF

Frequency: Daily

Email Recipient: perf_group@ACME.org

Retention: 0 (or "Do not retain", as requested).

Note: If the system forces you to create a new Report object and MonitorSQL02 is rejected, use monitorvm2 as the name per the instructions.

Save/Schedule the report.

Part 2: Diagnose and Fix the Issue

The Issue:

VM SQL02 was likely created with its data disks set to IDE or SATA.

Why this causes poor performance: IDE/SATA are emulated hardware with high CPU overhead and low queue depths (single-threaded).

The Standard: SQL01 (the healthy VM) is using SCSI, which is multithreaded and optimized for virtualization.

The Fix (Steps):

Navigate to the VM list in Prism

Select SQL02 and click Update (or Edit).

Scroll down to the Disks section.

Identify the data disk(s). You will see the Bus Type listed as IDE or SATA.

Do not delete the VM. instead, perform a disk conversion (destructive change to the disk is allowed, but we want to keep the data).

Method to Convert (Clone to SCSI):

Hover over the IDE/SATA disk to see the path/filename of the vDisk (or write it down).

Click Add New Disk.

Operation: select Clone from ADSF file.

Path: Browse to the storage container and select the file associated with the current IDE disk.

Bus Type: Select SCSI (This is the critical fix).

Index: Ensure it doesn't conflict with existing disks (usually index 1 or higher for data).

Click Add.

Once the new SCSI disk is added, find the original IDE/SATA disk and click the X to remove it.

Click Save.

Note: You do not need to power on the VM to verify. The change from IDE to SCSI allows the VM to use the Nutanix VirtIO drivers for maximum storage performance.

NEW QUESTION # 19

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

9. Click on the Add button to add this custom selection to your report

10. Next click on the Save and Run Now button on the bottom right of the screen

11. Provide the relevant details on this screen for your custom report:

12. You can leave the Time Period For Report variable at the default of Last 24 Hours

13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The report can also simply be downloaded after this creation and initial run if required

14. Below is an example of this report in a CSV format:

NEW QUESTION # 20

• • • • •

NCM-MCI Reliable Study Plan: https://www.pdfbraindumps.com/NCM-MCI_valid-braindumps.html

What's more, part of that PDFBraindumps NCM-MCI dumps now are free: <https://drive.google.com/open?id=1YjWYf4wcBjkTSnN2-ksPny3eh5HFj9Ky>