


NSE6_SDW_AD-7.6対応資料 & NSE6_SDW_AD-7.6模擬問題



FortinetのNSE6_SDW_AD-7.6認定試験は人気があるIT認証に属するもので、野心家としてのIT専門家の念願です。このような受験生はNSE6_SDW_AD-7.6認定試験で高い点数を取得して、自分の構成ファイルは市場の需要と互換性があるように十分な準備をするのは必要です。

NSE6_SDW_AD-7.6試験はFortinetのひとつの認証試験でIT業界でとても歓迎があって、ますます多くの人がNSE6_SDW_AD-7.6「Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator」認証試験に申し込んですがその認証試験が簡単に合格できません。準備することが時間と労力がかかります。でも、Tech4Examは君の多くの貴重な時間とエネルギーを節約することを助けることができます。

>> NSE6_SDW_AD-7.6対応資料 <<

Fortinet NSE6_SDW_AD-7.6模擬問題 & NSE6_SDW_AD-7.6勉強資料

Tech4Examは最高な品質で最速なスピードでFortinetのNSE6_SDW_AD-7.6認定試験の資料を更新するサイトでございます。もしかすると君はほかのサイトもFortinetのNSE6_SDW_AD-7.6認定試験に関する資料があるのを見つけた、比較したらTech4Examが提供したのがいちばん全面的で品質が最高なことがわかりました。

Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator 認定 NSE6_SDW_AD-7.6 試験問題 (Q41-Q46):

質問 # 41

Exhibit.

Two hub-and-spoke groups are connected through redundant site-to-site IPsec VPNs between Hub 1 and Hub 2

Which two configuration settings are required for the spoke A1 to establish an ADVPN shortcut with the spoke B2? (Choose two.)

- A. On hubs, auto-discovery-sender must be enabled on the IPsec VPNs to spokes
- B. On hubs, auto-discovery-receiver must be enabled on the IPsec VPNs to spokes.
- C. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to hubs.
- D. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to spokes.

正解: A、C

解説:

To allow spokes in different hub-and-spoke groups to establish ADVPN shortcuts, the hubs must be configured to forward and

send ADVPN shortcut offers. The key required settings on the hub are auto- discovery-forwarder (for VPNs to hubs) and auto-discovery-sender (for VPNs to spokes). This ensures the hub can facilitate and advertise ADVPN shortcut offers between spokes. References:

[FCSS_SDW_AR-7.4 1-0.docx Q1]

Fortinet SD-WAN 7.4 ADVPN Guide (Auto-discovery settings for hub-and-spoke topologies)

質問 # 42

Refer to the exhibit.

The exhibit shows the health-check configuration on a FortiGate device used as a spoke. You notice that the hub FortiGate doesn't prioritize the traffic as expected.

Which two configuration elements should you check on the hub? (Choose two.)

- A. The performance SLA uses the same criteria.
- B. This performance SLA uses the same members.
- C. The performance SLA is configured with set embedded-measure accept.
- D. The performance SLA has the parameter priority-out-sla configured.

正解: A、C

解説:

The hub must use a performance SLA with the same criteria as the spoke's health check. The spoke's health check is using ping (protocol ping) and measuring latency (link-cost-factor latency). For the hub to use the data sent by the spoke, its performance SLA must be configured to measure the same metrics. If the hub is looking for jitter or packet loss, it will not use the latency data sent by the spoke.

When a spoke sends embedded health data, the hub FortiGate must be configured to receive and use it. This is done by setting set embedded-measure accept within the performance SLA configuration on the hub. This setting explicitly tells the hub to trust and use the performance metrics received from the remote FortiGate (the spoke). Without this setting, the hub will likely ignore the embedded health data and rely on its own health checks, which could lead to incorrect traffic prioritization.

質問 # 43

Within the context of SD-WAN, what does SIA correspond to?

- A. Software Internet Access
- B. Local Breakout
- C. Secure Internet Authorization
- D. Remote Breakout

正解: B

質問 # 44

Refer to the exhibit.

You want to configure SD-WAN on a network as shown in the exhibit.

The network contains many FortiGate devices. Some are used as NGFW, and some are installed with extensions such as FortiSwitch, FortiAP, or Forti Extender.

What should you consider when planning your deployment?

- A. You must use FortiManager to manage your SD-WAN topology.
- B. You can build an SD-WAN topology that includes all devices. The hubs must be devices without extensions.
- C. You must build multiple SD-WAN topologies. Each topology must contain only one type of extension.
- D. You can build an SD-WAN topology that includes all devices. The hubs can be FortiGate devices with Forti Extender.

正解: B

解説:

In Fortinet SD-WAN, hubs should not have extensions like FortiSwitch, FortiAP, or FortiExtender installed, as these can affect hub functionality and scalability. While all device types can be included in the topology, the hubs must be "clean" FortiGate devices without such extensions to ensure proper ADVPN and overlay management.

References:

[FCSS_SDW_AR-7.4 1-0.docx Q3]

Fortinet SD-WAN Reference Architecture Guide 7.4 - Hub requirements

質問 # 45

(Refer to the exhibit.

The event log on a FortiGate device is shown.

Based on the output shown in the exhibit, what can you conclude about the tunnels on this device? (Choose one answer))

- A. The master tunnel HUB2-VPN3 cannot accept Auto-Discovery VPN (ADVPN) shortcuts.
- B. There is one shortcut tunnel built from the master tunnel VPN4.
- C. The voice traffic is steered through the VPN tunnel HUB1-VPN3.
- D. The VPN tunnel HUB1-VPN1_0 is a shortcut tunnel.

正解: D

解説:

* In the exhibit, the IPsec tunnel statistics event log entries include the field advpnsc.

* Fortinet documents that advpnsc identifies whether the VPN event is based on an ADVPN shortcut:

* advpnsc=1 # the tunnel is an ADVPN shortcut

* advpnsc=0 # not an ADVPN shortcut (Fortinet Documentation Library)

* In the shown logs, the tunnel vntunnel="HUB1-VPN1_0" has advpnsc=1, which means HUB1-VPN1_0 is an ADVPN shortcut tunnel. (Fortinet Documentation Library)

* The other tunnels shown (for example VPN4_0 and HUB2-VPN3) have advpnsc=0, which only indicates no shortcut is identified for those log entries-it does not prove they "cannot accept" shortcuts, only that the specific event is not a shortcut. (Fortinet Documentation Library)

質問 # 46

.....

NSE6_SDW_AD-7.6試験に向けて勉強しているときは、家族のためなど、仕事に行くのに忙しいかもしれません。誰もが効率的な仕事をするための時間は貴重です。優れたNSE6_SDW_AD-7.6準備ガイドを取得したい場合、合格するまでの時間を短縮する必要があります。キーポイントと最新情報を選択して、NSE6_SDW_AD-7.6ガイドトレントを完成させています。練習するのに20時間から30時間しかかかりません。効果的な練習の後、NSE6_SDW_AD-7.6試験トレントから試験ポイントを習得できます。その後、NSE6_SDW_AD-7.6試験に合格するのに十分な自信があります。

NSE6_SDW_AD-7.6模擬問題: https://www.tech4exam.com/NSE6_SDW_AD-7.6-pass-shiken.html

Fortinet NSE6_SDW_AD-7.6対応資料 それで、あなたはテストにうまくパスします、私たちはあなたがNSE6_SDW_AD-7.6試験に合格することを保障します、Tech4ExamNSE6_SDW_AD-7.6模擬問題は、助けにならなかったら、全額で返金することを保証いたします、NSE6_SDW_AD-7.6模擬問題 - Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator問題集を利用したほかの受験者が試験に合格しましたので、ご安心にご利用ください、Fortinet NSE6_SDW_AD-7.6対応資料 PDF、ソフトウェアとオンライン版です、Fortinet NSE6_SDW_AD-7.6試験を通るのはかなり優れた専門知識が必要です、Tech4ExamNSE6_SDW_AD-7.6 模擬問題試験質問と回答は、公認の専門家によってテストされます。

竜りゅう興きょうはその数かずに恐怖きょうふし、もはやかなわぬとみて城しろを脱だっけ出だした、水を飲んでも喉の渇きはおさまらなかった、それで、あなたはテストにうまくパスします、私たちはあなたがNSE6_SDW_AD-7.6試験に合格することを保障します。

真実的なNSE6_SDW_AD-7.6対応資料試験-試験の準備方法-最高のNSE6_SDW_AD-7.6模擬問題

Tech4Examは、助けにならなかったら、全額で返金することを保証いNSE6_SDW_AD-7.6たします、Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator問題集を利用したほかの受験者が試験に合格しましたので、ご安心にご利用ください、PDF、ソフトウェアとオンライン版です。

- NSE6_SDW_AD-7.6試験の準備方法 | 効率的なNSE6_SDW_AD-7.6対応資料試験 | 認定するFortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator模擬問題 □ { www.japancert.com } サイトで □ NSE6_SDW_AD-7.6 □ の最新問題が使えるNSE6_SDW_AD-7.6日本語資格取得
- NSE6_SDW_AD-7.6試験の準備方法 | 効率的なNSE6_SDW_AD-7.6対応資料試験 | 認定するFortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator模擬問題 □ ➡ www.goshiken.com □ で《NSE6_SDW_AD-7.6》を検索し、無料でダウンロードしてくださいNSE6_SDW_AD-7.6テキスト
- 高品質-権威のあるNSE6_SDW_AD-7.6対応資料試験-試験の準備方法NSE6_SDW_AD-7.6模擬問題 □ 「www.goshiken.com」に移動し、☀ NSE6_SDW_AD-7.6 □☀□を検索して、無料でダウンロード可能な試験資料を探しますNSE6_SDW_AD-7.6関連問題資料
- NSE6_SDW_AD-7.6復習問題集 □ NSE6_SDW_AD-7.6無料試験 □ NSE6_SDW_AD-7.6出題範囲 □ 今すぐ ➡ www.goshiken.com □□□で[NSE6_SDW_AD-7.6]を検索して、無料でダウンロードしてくださいNSE6_SDW_AD-7.6資格受験料
- NSE6_SDW_AD-7.6日本語資格取得 □ NSE6_SDW_AD-7.6全真模擬試験 □ NSE6_SDW_AD-7.6問題数 □ □ □ www.passtest.jp □ サイトで ➡ NSE6_SDW_AD-7.6 □□□の最新問題が使えるNSE6_SDW_AD-7.6全真模擬試験
- NSE6_SDW_AD-7.6英語版 ☆ NSE6_SDW_AD-7.6最新試験情報 ↘ NSE6_SDW_AD-7.6認証試験 □ ⇒ www.goshiken.com ⇐ サイトにて ➡ NSE6_SDW_AD-7.6 □ 問題集を無料で使おうNSE6_SDW_AD-7.6資料勉強
- NSE6_SDW_AD-7.6試験の準備方法 | 効率的なNSE6_SDW_AD-7.6対応資料試験 | 認定するFortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator模擬問題 □ ➡ www.mogixam.com □□□で▷ NSE6_SDW_AD-7.6 ◁を検索して、無料で簡単にダウンロードできますNSE6_SDW_AD-7.6トレーニング資料
- NSE6_SDW_AD-7.6テキスト □ NSE6_SDW_AD-7.6関連問題資料 □ NSE6_SDW_AD-7.6復習問題集 □ 《www.goshiken.com》で ➡ NSE6_SDW_AD-7.6 □を検索し、無料でダウンロードしてくださいNSE6_SDW_AD-7.6無料試験
- NSE6_SDW_AD-7.6問題数 □ NSE6_SDW_AD-7.6復習問題集 □ NSE6_SDW_AD-7.6復習資料 □ ➡ www.jpexam.com □ サイトで ✓ NSE6_SDW_AD-7.6 □✓□の最新問題が使えるNSE6_SDW_AD-7.6テキスト
- NSE6_SDW_AD-7.6テスト問題集 ⇐ NSE6_SDW_AD-7.6最新試験情報 □ NSE6_SDW_AD-7.6テスト問題集 □ ▷ NSE6_SDW_AD-7.6 ◁の試験問題は“www.goshiken.com”で無料配信中NSE6_SDW_AD-7.6認証試験
- ハイパスレートNSE6_SDW_AD-7.6対応資料 | 最初の試行で簡単に勉強して試験に合格する - 優秀なNSE6_SDW_AD-7.6: Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator □ URL □ www.jpctestking.com □ をコピーして開き、⇒ NSE6_SDW_AD-7.6 ⇐を検索して無料でダウンロードしてくださいNSE6_SDW_AD-7.6トレーニング資料
- www.stes.tyc.edu.tw, camp-fire.jp, www.stes.tyc.edu.tw, www.kickstarter.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes