

100%合格率DP-600熱門考題以及資格考試領先提供平臺和優質的DP-600: Implementing Analytics Solutions Using Microsoft Fabric



順便提一下，可以從雲存儲中下載VCESoft DP-600考試題庫的完整版：<https://drive.google.com/open?id=16Cn4JFTB6W9AexO9RLj6RIbwLo3hmDS4>

如果你要通過IT行業重要的Microsoft的DP-600考試認證，選擇VCESoft Microsoft的DP-600考試培訓資料庫是必要的，通過了Microsoft的DP-600考試認證，你的工作將得到更好的保證，在你以後的事業中，至少在IT行業裏，你技能與知識將得到國際的認可與接受，這也是很多人選擇Microsoft的DP-600考試認證的原因之一，所以這項考試也越來越被得到重視，我們VCESoft Microsoft的DP-600考試培訓資料可以幫助你達成以上願望，我們VCESoft Microsoft的DP-600考試培訓資料是由經驗豐富的IT專家實際出來的，是問題和答案的結合，沒有其他的培訓資料可以與之比較，也不要參加昂貴的培訓類，只要將VCESoft Microsoft的DP-600考試培訓資料加入購物車，我們VCESoft足以幫助你輕鬆的通過考試。

VCESoft的DP-600資料不僅能讓你通過考試，還可以讓你學到關於DP-600考試的很多知識。VCESoft的考古題把你應該要掌握的技能全都包含在試題中，這樣你就可以很好地提高自己的能力，並且在工作中更好地應用它們。VCESoft的DP-600考古題絕對是你準備考試並提高自己技能的最好的選擇。你要相信VCESoft可以給你一個美好的未來。

>> DP-600熱門考題 <<

DP-600權威認證，DP-600參考資料

您可以先在網上下載VCESoft為你免費提供的關於Microsoft DP-600認證考試的練習題及答案作為嘗試，之後你會覺得VCESoft給你通過考試提供了一顆定心丸。選擇VCESoft為你提供的針對性培訓，你可以很輕鬆通過Microsoft DP-600 認證考試。

Microsoft DP-600 考試大綱：

主題	簡介
主題 1	<ul style="list-style-type: none">Maintain a data analytics solution: This section of the exam measures the skills of administrators and covers tasks related to enforcing security and managing the Power BI environment. It involves setting up access controls at both workspace and item levels, ensuring appropriate permissions for users and groups. Row-level, column-level, object-level, and file-level access controls are also included, alongside the application of sensitivity labels to classify data securely. This section also tests the ability to endorse Power BI items for organizational use and oversee the complete development lifecycle of analytics assets by configuring version control, managing Power BI Desktop projects, setting up deployment pipelines, assessing downstream impacts from various data assets, and handling semantic model deployments using XMLA endpoint. Reusable asset management is also a part of this domain.

主題 2	<ul style="list-style-type: none"> Implement and manage semantic models: This section of the exam measures the skills of architects and focuses on designing and optimizing semantic models to support enterprise-scale analytics. It evaluates understanding of storage modes and implementing star schemas and complex relationships, such as bridge tables and many-to-many joins. Architects must write DAX-based calculations using variables, iterators, and filtering techniques. The use of calculation groups, dynamic format strings, and field parameters is included. The section also includes configuring large semantic models and designing composite models. For optimization, candidates are expected to improve report visual and DAX performance, configure Direct Lake behaviors, and implement incremental refresh strategies effectively.
主題 3	<ul style="list-style-type: none"> Prepare data: This section of the exam measures the skills of engineers and covers essential data preparation tasks. It includes establishing data connections and discovering sources through tools like the OneLake data hub and the real-time hub. Candidates must demonstrate knowledge of selecting the appropriate storage type—lakehouse, warehouse, or eventhouse—depending on the use case. It also includes implementing OneLake integrations with Eventhouse and semantic models. The transformation part involves creating views, stored procedures, and functions, as well as enriching, merging, denormalizing, and aggregating data. Engineers are also expected to handle data quality issues like duplicates, missing values, and nulls, along with converting data types and filtering. Furthermore, querying and analyzing data using tools like SQL, KQL, and the Visual Query Editor is tested in this domain.

最新的 Microsoft Certified DP-600 免費考試真題 (Q153-Q158):

問題 #153

You have a Fabric workspace that contains a warehouse named Warehouse!. Warehouse! contains the following data.

You need to create a T-SQL statement that will denormalize the tables and include the ContractType and StartDate attributes in the results. The solution must meet the following requirements:

- * Include attributes from matching rows in the Contract table.
- * Ensure that all the rows from the Employee table are preserved.
- * Return the total number of employees per contract type for all the contract types that have more than two employees.

How should you complete the statement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

答案:

解題說明:

Explanation:

問題 #154

You have a Fabric tenant that contains a semantic model. The model uses Direct Lake mode.

You suspect that some DAX queries load unnecessary columns into memory.

You need to identify the frequently used columns that are loaded into memory.

What are two ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct answer is worth one point.

- A. Query the discover_hehory6Rant dynamic management view (DMV).
- B. Query the \$system.discovered_STORAGE_TABLE_COLUMN-IN_SEGMENTS dynamic management view (DMV).
- C. Use the Vertipaq Analyzer tool.
- D. Use the Analyze in Excel feature.

答案: B,C

解題說明:

The Vertipaq Analyzer tool (B) and querying the \$system.discovered_STORAGE_TABLE_COLUMNS_IN_SEGMENTS dynamic management view (DMV) (C) can help identify which columns are frequently loaded into memory. Both methods provide insights into the storage and retrieval aspects of the semantic model. References = The Power BI documentation on Vertipaq Analyzer and DMV queries offers detailed guidance on how to use these tools for performance analysis.

問題 #155

You have a Fabric tenant

You are creating a Fabric Data Factory pipeline.

You have a stored procedure that returns the number of active customers and their average sales for the current month.

You need to add an activity that will execute the stored procedure in a warehouse. The returned values must be available to the downstream activities of the pipeline.

Which type of activity should you add?

- A. Append variable
- B. Switch
- C. KQL
- D. Lookup

答案: D

解題說明:

Topic 2, Litware, Inc. Case Study

Overview

Litware, Inc. is a manufacturing company that has offices throughout North America. The analytics team at Litware contains data engineers, analytics engineers, data analysts, and data scientists.

Existing Environment

Litware has been using a Microsoft Power BI tenant for three years. Litware has NOT enabled any Fabric capacities and features.

Fabric Environment

Litware has data that must be analyzed as shown in the following table.

The Product data contains a single table and the following columns.

The customer satisfaction data contains the following tables:

* Survey

* Question

* Response

For each survey submitted, the following occurs:

* One row is added to the Survey table.

* One row is added to the Response table for each question in the survey.

The Question table contains the text of each survey question. The third question in each survey response is an overall satisfaction score. Customers can submit a survey after each purchase.

User Problems

The analytics team has large volumes of data, some of which is semi-structured. The team wants to use Fabric to create a new data store.

Product data is often classified into three pricing groups: high, medium, and low. This logic is implemented in several databases and semantic models, but the logic does NOT always match across implementations.

Planned Changes

Litware plans to enable Fabric features in the existing tenant. The analytics team will create a new data store as a proof of concept (PoC). The remaining Litware users will only get access to the Fabric features once the PoC is complete. The PoC will be completed by using a Fabric trial capacity.

The following three workspaces will be created:

* AnalyticsPOC: Will contain the data store, semantic models, reports, pipelines, dataflows, and notebooks used to populate the data store

* DataEngPOC: Will contain all the pipelines, dataflows, and notebooks used to populate OneLake

* DataSciPOC: Will contain all the notebooks and reports created by the data scientists. The following will be created in the AnalyticsPOC workspace:

* A data store (type to be decided)

* A custom semantic model

* A default semantic model

* Interactive reports

The data engineers will create data pipelines to load data to OneLake either hourly or daily depending on the data source. The analytics engineers will create processes to ingest, transform, and load the data to the data store in the AnalyticsPOC workspace daily. Whenever possible, the data engineers will use low-code tools for data ingestion. The choice of which data cleansing and transformation tools to use will be at the data engineers' discretion.

All the semantic models and reports in the Analytics POC workspace will use the data store as the sole data source.

Technical Requirements

The data store must support the following:

- * Read access by using T-SQL or Python
- * Semi-structured and unstructured data
- * Row-level security (RLS) for users executing T-SQL queries

Files loaded by the data engineers to OneLake will be stored in the Parquet format and will meet Delta Lake specifications.

Data will be loaded without transformation in one area of the AnalyticsPOC data store. The data will then be cleansed, merged, and transformed into a dimensional model.

The data load process must ensure that the raw and cleansed data is updated completely before populating the dimensional model.

The dimensional model must contain a date dimension. There is no existing data source for the date dimension. The Litware fiscal year matches the calendar year. The date dimension must always contain dates from 2010 through the end of the current year.

The product pricing group logic must be maintained by the analytics engineers in a single location. The pricing group data must be made available in the data store for T-SQL queries and in the default semantic model. The following logic must be used:

- * List prices that are less than or equal to 50 are in the low pricing group.
- * List prices that are greater than 50 and less than or equal to 1,000 are in the medium pricing group.
- * List prices that are greater than 1,000 are in the high pricing group.

Security Requirements

Only Fabric administrators and the analytics team must be able to see the Fabric items created as part of the PoC. Litware identifies the following security requirements for the Fabric items in the AnalyticsPOC workspace:

- * Fabric administrators will be the workspace administrators.
- * The data engineers must be able to read from and write to the data store. No access must be granted to datasets or reports.
- * The analytics engineers must be able to read from, write to, and create schemas in the data store. They also must be able to create and share semantic models with the data analysts and view and modify all reports in the workspace.
- * The data scientists must be able to read from the data store, but not write to it. They will access the data by using a Spark notebook.
- * The data analysts must have read access to only the dimensional model objects in the data store. They also must have access to create Power BI reports by using the semantic models created by the analytics engineers.
- * The date dimension must be available to all users of the data store.
- * The principle of least privilege must be followed.

Both the default and custom semantic models must include only tables or views from the dimensional model in the data store. Litware already has the following Microsoft Entra security groups:

- * FabricAdmins: Fabric administrators
- * AnalyticsTeam: All the members of the analytics team
- * DataAnalysts: The data analysts on the analytics team
- * DataScientists: The data scientists on the analytics team
- * Data Engineers: The data engineers on the analytics team
- * Analytics Engineers: The analytics engineers on the analytics team

Report Requirements

The data analysis must create a customer satisfaction report that meets the following requirements:

- * Enables a user to select a product to filter customer survey responses to only those who have purchased that product
- * Displays the average overall satisfaction score of all the surveys submitted during the last 12 months up to a selected date
- * Shows data as soon as the data is updated in the data store
- * Ensures that the report and the semantic model only contain data from the current and previous year
- * Ensures that the report respects any table-level security specified in the source data store
- * Minimizes the execution time of report queries

問題 #156

Hotspot Question

You have a Fabric tenant that contains a lakehouse named LHI.

You need to deploy a new semantic model. The solution must meet the following requirements:

- Support complex calculated columns that include aggregate functions, calculated tables, and Multidimensional Expressions (MDX) user hierarchies.
- Minimize page rendering times.

How should you configure the model? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

答案:

解題說明:

Explanation:

Mode: Import

Provides the necessary support for calculated columns, calculated tables, and MDX hierarchies while optimizing performance.

Query Caching: On

Ensures minimal page rendering times by enabling caching.

問題 #157

You have a Microsoft Power BI project that contains a file named `definition.pbir`. `definition.pbir` contains the following JSON.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

答案：

解題說明：

Explanation:

問題 #158

10

當你嘗試了我們提供的關於Microsoft DP-600認證考試的部分考題及答案,你可以對我們VCESoft做出選擇了,我們會100%為你提供方便以及保障。請記住能讓你100%通過Microsoft DP-600認證考試的就是我們的VCESoft。

DP-600權威認證: <https://www.vcesoft.com/DP-600-pdf.html>

順便提一下，可以從雲存儲中下載VCESoft DP-600考試題庫的完整版：<https://drive.google.com/open?id=16Cn4JFTB6W9AexO9RLj6RJbwLo3hmDS4>