

# Hohe Qualität von C\_S43\_2601 Prüfung und Antworten



Wir It-Pruefung haben uns seit Jahren um die Entwicklung der Software bemühen, die die Leute helfen, die in der IT-Branche bessere Arbeitsperspektive möchten, die SAP C\_S43\_2601 Prüfung zu bestehen. Trotzdem es schon zahlreiche SAP C\_S43\_2601 Prüfungsunterlagen auf dem Markt gibt, ist die SAP C\_S43\_2601 Prüfungssoftware von uns It-Pruefung am verlässlichsten. Es wird durch Praxis schon beweis, dass fast alle der Prüfungsteilnehmer, die unsere Software benutzt haben, SAP C\_S43\_2601 Prüfung bestanden. Viele davon verwenden nur Ihre Freizeit für die Vorbereitung auf SAP C\_S43\_2601 Prüfung. Die Zertifizierung zu erwerben überrascht Sie.

Die SAP C\_S43\_2601 Prüfungsfragen und Antworten (C\_S43\_2601) von It-Pruefung ist eine Garantie für eine erfolgreiche Prüfung! Bisher fällt noch keiner unserer Kandidaten durch! Falls jemand bei der Zertifizierungsprüfung durchfallen sollte, zahlen wir 100% Material-Gebühr zurück. Wir übernehmen die volle Geld-zurück-Garantie auf Ihre Zertifizierungsprüfungen! Unsere C\_S43\_2601 Fragen und Antworten (SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601)) sind aus dem Fragenpool, alle sind echt und original.

>> C\_S43\_2601 Vorbereitungsfragen <<

**C\_S43\_2601 Prüfungsfragen, C\_S43\_2601 Fragen und Antworten, SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601)**

Zweifellos braucht die Vorbereitung der SAP C\_S43\_2601 Prüfung große Mühe. Aber diese Zertifizierungsprüfung zu bestehen

bedeutet, dass Sie in IT-Gewerbe bessere Berufsperspektive besitzen. Deshalb was wir für Sie tun können ist, lassen Ihre Anstrengungen nicht umsonst geben. Die Wirkung und die Autorität der SAP C\_S43\_2601 Prüfungssoftware erwerbt die Anerkennung vieler Kunden. Solange Sie die demo kostenlos downloaden und probieren, können Sie es empfinden. Wir wollen Ihnen mit allen Kräften helfen, Die SAP C\_S43\_2601 zu bestehen!

## **SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) C\_S43\_2601 Prüfungsfragen mit Lösungen (Q10-Q15):**

### **10. Frage**

Schedule a Maintenance Plan

The project team evaluates during the implementation project the scheduling of Maintenance Plans in SAP S/4HANA Asset Management. The following features need to be checked:

Schedule a Maintenance Plan

Display a generated Maintenance Order

Schedule the previously created Maintenance Plan. The following prerequisites have to be met:

The next upcoming call is the 4 MON Maintenance Package

Calculate the Completion Date of the last Maintenance Package as follows: Today's date minus 4 weeks (e.g.

today's date: 15th of December >>> Completion Date: 17th of November) The Call Date is always 10 days before the Plan Date.

Note:

Check your Maintenance Plan and adapt it, if necessary, before you schedule it.

Check the following information in the generated Maintenance Order:

number of order operations: 2

Maintenance Plan: number of the previously created Maintenance Plan

Last Included Task List: A / TL-## / 1

### **Antwort:**

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 9 Overview

The goal of this task is to trigger the maintenance schedule you built in Task 8 so that the system generates an actual work order.

You must meet specific scheduling conditions to ensure the right maintenance cycle (the 4- month package) is triggered.

Step 1: Adapt Scheduling Parameters (IP02)

Before starting the schedule, you must ensure the "Call Date" rules are correct.

\* Transaction : Enter IP02 (Change Maintenance Plan).

\* Maintenance Plan : Enter the number you saved in Task 8 and press Enter .

\* Scheduling Parameters Tab :

\* Call Horizon : Adjust this so that the Call Date occurs exactly 10 days before the Plan Date.

\* Note: If your system uses percentages, you will need to calculate the percentage of the 4-month cycle that results in a 10-day lead time.

\* Save your changes.

Step 2: Schedule the Plan (IP10)

Now you will "start" the clock for this maintenance schedule.

\* Transaction : Enter IP10 (Schedule Maintenance Plan).

\* Maintenance Plan : Enter your plan number and press Enter .

\* Start Scheduling : Click the Start icon (or go to Maintenance plan > Scheduling > Start ).

\* Enter the "Start Date" / "Completion Date":

\* The Rule : You must use Today's date minus 4 weeks .

\* Example: If today is April 19, enter March 22.

\* Press Enter . The system will calculate the next calls.

\* Verify the Package : Ensure the next upcoming call is indeed the 4 MON (4-month) Maintenance Package.

\* Save (Floppy Disk icon). This will generate a new Maintenance Order number.

Step 3: Verify the Generated Maintenance Order

You must now check that the order was created correctly based on the rules of your Task List (Task 7) and Maintenance Plan (Task 8).

\* Display Order : In IP10 , select the line for the generated call and click the Display Order icon (or use transaction IW33 with the new order number).

\* Check the following three items :

- \* Operations : Verify there are exactly 2 operations in the order (the Monthly and 4-Month tasks).
- \* Maintenance Plan : Confirm the order shows your specific Maintenance Plan number.
- \* Task List : Verify the "Last Included Task List" is A / TL-48 / 1 .

### 11. Frage

Task 4: Configure and create Technical Objects

The project team evaluates during the implementation project Technical Object structures in SAP S/4HANA Asset Management.

The following features need to be checked:

- \* Configure and create Functional Locations
- \* Create, serialize and install Equipment
- \* Create Functional Location master record ZZ0##-01 and save it. Use the following information:

Field	Value
Functional Location	ZZ0##-01
Structure Indicator	ZZ##
Functional Location Category	T
Description	Production Line Z##
Maintenance Plant	1020
Cost Center	4110
Planning Plant	1020
Planner Group	Z##
Main WorkCtr	T-ME##
Work Center Plant	1010

- \* Create Equipment master record EQUI-## and save it. Use the following information:

Field	Value
Equipment	EQUI-##
Description	Drive Motor GR##
Equipment Category	T

- \* Serialize the just created Equipment master record EQUI-## . Use the following data:

Field	Value
Material	T-PM8000
Serial Number	EQUI-##

- \* Install Equipment EQUI-## at the Functional Location 00-01-ASS-02 .

### Antwort:

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 4: Configure and create Technical Objects

This task evaluates your ability to structure and manage the physical and functional hierarchy of assets in SAP S/4HANA Asset Management.

Step 1: Create Functional Location Master Record

A Functional Location represents the area at which a maintenance task is to be performed.

\* Access the Transaction : Use transaction code IL01 (Create Functional Location).

\* Enter Initial Data :

\* Functional Location : ZZ048-01.

\* Structure Indicator : ZZ48.

\* Functional Location Category : T.

\* Press Enter .

The screenshot shows the SAP IL01 transaction interface. At the top, there is a menu bar with options like 'Table view', 'edit', 'goto', 'selection', 'utilities', 'system', and 'help'. Below the menu is a toolbar with various icons. The main window title is 'New Entries: Details of Added Entries'. Below the title, there are several icons. The main data area shows the following fields:

StrIndicator	ZZ48
StructIndText	Structure ZZ48

Below this, a 'Structure' dialog box is open, containing the following fields:

Structure			
Edit mask	XXXXX-XX		
HierLevels	1 2		
Identifying Lvl	<input type="checkbox"/>	Ident. Label	<input type="text"/>
2nd Ident. Lvl	0	2nd Iden. Label	<input type="text"/>

A large watermark 'it-pruefung.com' is overlaid diagonally across the center of the screenshot. At the bottom right, the SAP logo is visible.

Data was saved

\* Enter General Data :

\* Description : Production Line Z48.

\* Enter Location and Organization Data :

\* Maintenance Plant : 1020.

\* Cost Center : 4110.







\* Enter General Data :

\* Description : Drive Motor GR48.

\* Save : Click the Save icon.

Explanation : This step creates a master record for a physical asset-a drive motor-allowing you to track its individual lifecycle, independent of where it is currently installed.




**Change Equipment : Initial Screen**

Equipment

it-pruefung.com



✓ Equipment EQUI-48 changed



### Step 3: Serialize the Equipment

Serialization links a piece of equipment to a specific material and unique serial number for inventory management and tracking.

- \* Access the Transaction : Use transaction code IE02 (Change Equipment) and enter EQUI-48.
- \* Navigate to Serial Data : Go to the SerData (Serial Data) tab.
- \* Enter Serialization Data :
- \* Material : T-PM8000.
- \* Serial Number : EQUI-48.
- \* Save : Click the Save icon.

Explanation : Linking the motor to Material T-PM8000 enables the system to track this specific asset as a serialized part, which is essential for warehouse movements and warranty tracking.

Functional location   Edit   Goto   Extras   Structure   Environment   System   Help

Display Functional Location: Master Data

Classification   Measuring points/counters   Data origin...   AllMeasDocs

Functional loc. 00-01-ASS-02   Cat. T Technical system (Tra...  
 Description Assembly - Section 2  
 Status CRTE

General   Location   Organization   Structure   Documents and Warranties

Location data

MaintPlant	1020	Berlin
Location		
Room		
Plant Section		
Work center		
ABC Indic.		
Sort Field		

Address

Name	Machine Manufacturing		
Street	Alsterdorfer Strasse 13		
Location	22299	Hamburg	DE HH
Telephone	040-987654	Fax	040-987655

**Step 4: Install Equipment at a Functional Location**

This establishes the relationship between the physical asset (Equipment) and the functional area where it is operating.

- \* Access the Transaction : Use transaction code IE02 (Change Equipment) for EQUI-48.
- \* Modify Installation Location :
- \* Click on the Structure tab.
- \* Find the FunctLoc field.
- \* Enter the location: 00-01-ASS-02.
- \* Save : Click the Save icon.

Explanation : This installation "plugs" your drive motor into the functional hierarchy at location 00-01-ASS-02. From this point forward, any maintenance performed on this motor will be automatically associated with that location's history.

**12. Frage**

**Create a Task List**

The project team evaluates during the implementation project Task Lists in SAP S/4HANA Asset Management. The following features need to be checked:

- \* Create a Task List header
- \* Create Task List operations
- \* Create a Task List with 3 Task List operations. Maintenance Strategy Z## comprises Maintenance Packages with different hierarchy levels.

Use the following information at header level of the Task List:

Field	Value
Group	TL-##
Group Counter	1
Planning Plant	1010
Description	Regular Maintenance GR##
Work Center	MK-00
Work Center Plant	1010
Usage	4
Planner Group	P##
Maintenance Strategy	Z##

Use the following information for each Task List operation:

Field	Value
Work Ctr	MK-00
Plnt	1010
Control Key	PM01
Work	30
Unit	MIN

\* Assign Maintenance Packages to the Task List Operations as follows:

- \* Operation 10 is to be performed monthly.
- \* Operation 20 is to be performed every 4 months.
- \* Operation 30 is to be performed every 12 months.

**Antwort:**

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Since we encountered that error with the Z48 strategy , we must ensure that is fixed before we can finish the Task List. Here is the complete, verified, step-by-step process to finalize Task 7 , including the "hidden" pre- requisite.

Task 7: Create a General Task List

Objective : To create a standardized template of maintenance steps that can be automatically pulled into future work orders based on a schedule.

Step 1: The Pre-requisite (Fixing Strategy Z48)

If you haven't done this yet, SAP will not let you save the Task List.

- \* Transaction : IP11 (Maintain Maintenance Strategies).
- \* Action : Click New Entries .
- \* Strategy : Z48

- \* Description : Strategy for Group 48
- \* Strategy Unit : MON (Months).
- \* Packages : On the left, double-click Packages , then click New Entries :
- \* Line 1 : Cycle 1 / Unit MON / Text Monthly
- \* Line 2 : Cycle 4 / Unit MON / Text Every 4 Months
- \* Line 3 : Cycle 12 / Unit MON / Text Yearly
- \* Save (Floppy Disk icon).

Explanation : A strategy is the "calendar" that defines how often work happens. Without this, the system doesn't know what "Monthly" or "Yearly" means.

Step 2: Create Task List Header

- \* Transaction : IA05 .
- \* Initial Screen : Group TL-48, Group Counter 1. Press Enter .
- \* Header Fields :
- \* Description : Regular Maintenance GR48
- \* Planning Plant : 1010
- \* Work Center : MK-00 / Plant : 1010
- \* Usage : 4 (Plant Maintenance)
- \* Status : 4 (Released)
- \* Planner Group : P48
- \* Maint. Strategy : Z48

Explanation : The header defines who is responsible for the work (Planner Group P48) and which scheduling rules (Strategy Z48) apply to the whole list.

Step 3: Create Operations

- \* Click the Operations button (F6) at the top.
- \* Enter three rows with this data:
- \* Op 10 : Work Center MK-00, Plant 1010, Control Key PM01, Work 30, Unit MIN.
- \* Op 20 : (Same as above).
- \* Op 30 : (Same as above).

Explanation : Operations are the actual steps the technician follows. Here, we are saying each step takes 30 minutes of mechanical labor.

Step 4: Assign Maintenance Packages (The "Frequencies")

This is the most important part of Task 7. We tell SAP which operation happens when.

- \* Select Row 10 (click the box at the far left of the row).
- \* Go to Menu: Goto > Maintenance Packages .
- \* Check the box for the 1 Month package. Click the Back (Green Arrow) icon.
- \* Select Row 20 .
- \* Go to Goto > Maintenance Packages and check the 4 Month package. Click Back .
- \* Select Row 30 .
- \* Go to Goto > Maintenance Packages and check the 12 Month package. Click Back .

Explanation : Now, SAP knows that Op 10 happens every month, but Op 30 only happens once a year.

Step 5: Save

- \* Click the Save icon.
- \* The message at the bottom should say: "Task list TL-48 saved with group counter 1" .

### 13. Frage

Use Phase-Based Maintenance Processing

The project team evaluates during the implementation project Phase-Based Maintenance Processing in SAP S/4HANA Asset Management. The following features need to be checked:

- \* Initiate and screen a Maintenance Notification
- \* Plan Maintenance Order and send it for approval
- \* Create a Maintenance Notification using an already available notification type which is suitable for phase-based maintenance and save it.

Use the following data:

Field	Value
Technical Object	T-PB##
Current Location	Production Line 1
Detection Method	Continuous Condition Monitoring
Operational Effect	Production restricted
Description	Defective pump (phase-based)

\* Screen and accept the just created Maintenance Notification.

\* Create an Order (Phase-based) for your accepted notification and submit it for approval.

Use the following data:

Field	Value
Technical Object	T-PB##
Operation 0010 - Description	Repair damage
Operation 0010 - Work	2 h

**Antwort:**

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 10 Overview

This task evaluates your ability to manage the newer, phase-led maintenance workflow in SAP S/4HANA.

Unlike the traditional "emergency" repair you did earlier, this process includes formal screening and approval steps Step 1: Create a Phase-Based Maintenance Notification In this step, you initiate the request.

\* Access the Transaction : Use transaction IW21 or the Fiori app Create Maintenance Request .

\* Select Notification Type : Use a type configured for phase-based maintenance (typically Y1 - Maintenance Request ).

\* Enter the Following Data :

\* Technical Object : T-PB48

\* Description : Defective pump (phase-based)

\* Current Location : Production Line 1

\* Detection Method : Continuous Condition Monitoring

\* Operational Effect : Production restricted

\* Save : Note the notification number generated.

Explanation : This step "initiates" the maintenance process. In phase-based maintenance, the notification starts in the Initiation phase, where it must be reviewed before any work is planned.

Step 2: Screen and Accept the Notification

As a "Maintenance Coordinator," you must now review the request.

\* Access the Fiori App : Open Screen Maintenance Requests .

\* Locate Your Notification : Find the notification you just created for T-PB48.

\* Perform Screening :

\* Review the details to ensure they are complete.

\* Click Accept to move it to the next phase.

Explanation : "Screening" is a quality gate. It ensures that the maintenance team only spends time planning valid, well-described issues. Once accepted, the notification moves from the Initiation phase to the Screening phase and finally becomes available for planning.

Step 3: Create and Plan the Phase-Based Order

Now you will create the formal work order for the accepted request.

\* Create Order : From within the accepted notification, or using the Manage Maintenance Backlog app, choose to Create Order .

\* Enter Planning Data :

\* Technical Object : T-PB48

\* Operation 0010 Description : Repair damage

\* Operation 0010 Work : 2 h

\* Submit for Approval : Look for the Submit for Approval button at the top of the order screen.

Explanation : This step moves the order into the Planning phase. By submitting it for approval, you are requesting the budget and

resources to perform the work. The order status will change to indicate it is "Waiting for Approval"

#### 14. Frage

Task 11: Classify a piece of Equipment

The project team evaluates during the implementation project the classification of Technical Objects in order to use Checklists in SAP S/4HANA Asset Management. The following features need to be checked:

- \* Assign a class to a Technical Object
- \* Assign characteristic values to a class
- \* Assign class EQ11 value to Technical Object T-PA## .
- \* Assign a characteristic value, so that Inspection Plan Q / CL-DE-00 / 1 is automatically found during the checklist process

#### Antwort:

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 11 Overview

This task involves classifying a piece of equipment so it can be used in the Checklist process . By assigning a specific class and characteristic values, you enable the system to automatically find the correct inspection plan when a maintenance order is created.

Step 1: Access the Equipment Master Record

To classify the equipment, you must first open its master record in "Change" mode.

- \* Transaction Code : Enter IE02 (Change Equipment) in the command field and press Enter .
- \* Equipment : Enter T-PA48 .
- \* Action : Press Enter to open the record.

Step 2: Assign the Class to the Equipment

Now you will link the equipment to a class that contains the required technical characteristics.

- \* Navigate : Click the Classification button in the top toolbar (or go to the Classes tab if available).
- \* Class Assignment :
- \* Class Type : Ensure this is set to 002 (Equipment Class).
- \* Class : Enter EQ11 .

\* Action : Press Enter . The system will now display the characteristics associated with class EQ11 in the bottom half of the screen.

Explanation : Assigning a class is like giving the equipment a "category". Class EQ11 is specifically configured in this system to hold the data needed for checklist processing.

Step 3: Assign Characteristic Values

This is the critical step that tells the system exactly which inspection plan to use for this specific pump.

- \* Locate the Characteristic : In the values table, look for a characteristic related to "Inspection Plan" or "Checklist Group."
- \* Enter the Value : Assign the value so that Inspection Plan CL-DE-00 / 1 is automatically found.
- \* Note: Typically, you will enter CL-DE-00 in the "Inspection Plan Group" field and 1 in the "Group Counter" field.
- \* Action : Press Enter to validate the values.

Explanation : Characteristic values are the specific details for this asset. By entering these values, you "tag" the equipment so that whenever it is added to a maintenance order, the system knows to look for the CL-DE-00 checklist automatically.

Step 4: Save

- \* Action : Click the Save (floppy disk) icon.
- \* Confirmation : The system should display a message at the bottom saying: "Equipment T-PA48 changed."

#### 15. Frage

.....

Die Zertifikat der SAP C\_S43\_2601 ist international anerkannt. Sie zu erwerben bedeutet, dass Sie den Schlüssel zur höheren Stelle besitzen. Die SAP C\_S43\_2601 Prüfungsunterlagen von It-Pruefung werden von erfahrenen IT-Profis hergestellt und immer wieder aktualisiert. Jetzt können Sie mit günstigem Preis die verlässliche SAP C\_S43\_2601 Prüfungsunterlagen genießen. Nachdem Sie die Zertifizierung erworbt haben, können Sie leicht eine höhere Arbeitsposition oder Gehalten bekommen.

**C\_S43\_2601 Deutsche Prüfungsfragen:** [https://www.it-pruefung.com/C\\_S43\\_2601.html](https://www.it-pruefung.com/C_S43_2601.html)



