


正確的-有効的なFCP_FGT_AD-7.6 PDF試験-試験の準備方法FCP_FGT_AD-7.6日本語復習赤本



P.S. JPNTTestがGoogle Driveで共有している無料かつ新しいFCP_FGT_AD-7.6ダンプ: https://drive.google.com/open?id=1ecM-urbzP24hd4DDwF3XrdvSGgFM_56

クライアントがFCP_FGT_AD-7.6学習実践ガイドを購入する前に、無料の試用版を無料で入手できます。クライアントは、当社のウェブサイトログインして、製品のページにアクセスできます。製品のページには、FCP_FGT_AD-7.6試験資料に関する多くの重要な情報がリストされており、製品の価格、バージョン、更新時間、試験名とコード、質問と回答の合計額、FCP_FGT_AD-7.6便利なテストガイドと割引。この情報を見た後、FCP_FGT_AD-7.6有用なテストガイドを包括的に理解できます。

現在、多くの事務員は自分自身の能力をアップすることに専念しています。彼らは暇を利用して私たちのFCP_FGT_AD-7.6学習教材を勉強しています。FCP_FGT_AD-7.6学習教材は定期的に更新されます。また、私たちはいいサービスを提供します。私たちのFCP_FGT_AD-7.6学習教材はすごく人気があります。そして、利用した人は全部FCP_FGT_AD-7.6試験に合格しました。

>> FCP_FGT_AD-7.6 PDF <<

FCP_FGT_AD-7.6日本語復習赤本 & FCP_FGT_AD-7.6技術試験

成功することが大変難しいと思っていますか。IT認定試験に合格するのは難しいと思いますか。今FortinetのFCP_FGT_AD-7.6認定試験のためにため息をつくのでしょうか。実際にはそれは全く不要です。IT認定試験はあなたの思い通りに神秘的なものではありません。我々は適当なツールを使用して成功することができます。適切なツールを選択する限り、成功することは正に朝飯前のことです。どんなツールが最高なのかを知りたいですか。いま教えてあげます。JPNTTestのFCP_FGT_AD-7.6問題集が最高のツールです。この問題集には試験の優秀な過去問が集められ、しかも最新のシラバスに従って出題される可能性がある新しい問題も追加しました。これはあなたが一回で試験に合格することを保証できる問題集です。

Fortinet FCP - FortiGate 7.6 Administrator 認定 FCP_FGT_AD-7.6 試験問題 (Q58-Q63):

質問 # 58

Refer to the exhibit. Which two statements about the FortiGuard connection are true? (Choose two.)

```

FortiGate # diagnose debug rating
Locale      : English

Service     : Web-filter
Status:     : Enable
License     : Contract
\
Num. of servers : 1
Protocol    : https
Port       : 8888
Anycast    : Disable
Default servers : Not included

--- Server List (Wed Sep 20 09:22:42 2023) ---
IP          Weight RTT  Flags  RTT  FortiGuard-requestsCurr  Lost  Total  Lost  Updated Time
10.0.1.241  -244  2    I      0    122                      0     0     0    Wed Sep 20 09:21:55 2023

```

- A. FortiGate identified the FortiGuard Server using DNS lookup.
- B. FortiGate is using the default port for FortiGuard communication.
- C. The weight increases as the number of failed packets rises.
- D. You can configure unreliable protocols to communicate with FortiGuard Server.

正解: B、C

解説:

FortiGuard web filtering, DNS filtering, and antispam service.fortiguard.net uses a proprietary protocol over UDP port 53 or 8888 securewf.fortiguard.net uses HTTPS over ports 443, 53, or 8888.

The weight value reflects server reliability. It decreases with good performance and increases as packet loss or failures rise, meaning higher weight indicates more failures.

質問 # 59

Refer to the exhibits. An administrator configured the Web Filter Profile to block access to all social networking sites except Facebook. However, when users try to access Facebook.com, they are redirected to a FortiGuard web filtering block page. Based on the exhibits, which configuration change must the administrator make to allow Facebook while blocking all other social networking sites?

web filter configuration

Edit Web Filter Profile

Feature set Flow-based Proxy-based

FortiGuard Category Based Filter

Allow Monitor Block Warning Authenticate

Name	Action
Web-based Applications	<input checked="" type="radio"/> Allow
Entertainment	<input checked="" type="radio"/> Allow
Arts and Culture	<input checked="" type="radio"/> Allow
Education	<input checked="" type="radio"/> Allow
Health and Wellness	<input checked="" type="radio"/> Allow
Job Search	<input checked="" type="radio"/> Allow
Medicine	<input checked="" type="radio"/> Allow
News and Media	<input checked="" type="radio"/> Allow
Social Networking	<input type="radio"/> Block

53% 95

Allow users to override blocked categories

Search Engines

Enforce 'Safe Search' on Google, Yahoo!, Bing, Yandex


Static URL Filter

Block invalid URLs

URL Filter

URL	Type	Action	Status
www.facebook.com	Wildcard	<input type="radio"/> Monitor	<input checked="" type="radio"/> Enable

Block page



FortiGuard Intrusion Prevention - Access Blocked

Web Page Blocked

You have tried to access a web page that is in violation of your Internet usage policy.

Category Social Networking

FORTINET <http://www.facebook.com/>

To have the rating of this web page re-evaluated [please click here](#).

- A. Set the Action as Exempt for www.facebook.com in the Static URL Filter.
- B. Change the type as Simple in the Static URL Filter section.
- C. Change the Feature set of Web Filter Profile as Proxy-based.
- D. Set the Social Networking action as warning in the FortiGuard Category Based Filter.

正解: A

解説:

The FortiGuard category filter is blocking Social Networking, which includes Facebook. Although a static URL filter entry for www.facebook.com exists, its action is set to Monitor, so it does not override the category block. To allow Facebook while blocking other social networking sites, the action for www.facebook.com in the Static URL Filter must be set to Exempt. This explicitly bypasses category filtering for that URL.

質問 # 60

Refer to the exhibit.

Priority	Details	Type	Action
	ABC.Com	Application	Allow
2	Excessive-Bandwidth	Filter	Block

An administrator has configured an Application Overrides for the ABC.Com application signature and set the Action to Allow. This application control profile is then applied to a firewall policy that is scanning all outbound traffic. Logging is enabled in the firewall policy. To test the configuration, the administrator accessed the ABC.Com web site several times. Why are there no logs generated under security logs for ABC.Com?

- A. The ABC.Com is configured under application profile, which must be configured as a web filter profile.
- **B. The ABC.Com Action is set to Allow.**
- C. The ABC.Com Type is set as Application instead of Filter.
- D. The ABC.Com is hitting the category Excessive-Bandwidth.

正解: B

解説:

When the action is set to Allow in an application override, traffic matching this override is allowed without generating security logs because it bypasses deeper inspection and blocking.

質問 # 61

A FortiGate administrator is required to reduce the attack surface on the SSL VPN portal. Which SSL timer can you use to mitigate a denial of service (DoS) attack?

- A. SSL VPN dtls-hello-timeout
- B. SSL VPN idle-timeout
- **C. SSL VPN http-request-header-timeout**
- D. SSL VPN login-timeout

正解: C

解説:

```
config vpn ssl settings
set http-request-header-timeout <1-60>
end
```

Timers can also help to mitigate DoS attacks with SSL VPN caused by partial HTTP requests.

質問 # 62

Refer to the exhibit. A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 status is up, but phase 2 fails to come up.



Phase 2 selectors

Name	Local Address	Remote Address	Comments
ToBR1	10.0.11.0/255.255.255.0	172.20.1.0/255.255.255.0	

Edit Phase 2 Selector

Name: ToBR1

Comments: 0/255

Encapsulation: Tunnel Mode (selected), Transport Mode

IP version: IPv4 (selected), IPv6

Named address:

Local address: IP Address Subnet Address IP Range
10.0.11.0 255.255.255.0

Remote address: IP Address Subnet Address IP Range
172.20.1.0 255.255.255.0

Advanced

Encryption - authentication: AES128 - SHA1

Replay detection: Enable Disable

Perfect forward secrecy (PFS): Enable Disable

Diffie-Hellman groups: 1 2 5 14 15 16 17 18 19 20 21 27 28 29 30 31 32

Local port: All Specify

Remote port: All Specify

Protocol: All Specify

Auto-negotiate: Enable Disable

Autokey keep alive: Enable Disable

Key lifetime: Seconds Kilobytes Both
43200 second(s)

Phase 2 selectors

Name	Local Address	Remote Address	Comments
ToHQ	172.20.1.0/255.255.255.0	10.11.0.0/255.255.255.0	

Edit Phase 2 Selector

Name: ToHQ

Comments: 0/255

Encapsulation: Tunnel Mode (selected), Transport Mode

IP version: IPv4 (selected), IPv6

Named address:

Local address: IP Address Subnet Address IP Range
172.20.1.0 255.255.255.0

Remote address: IP Address Subnet Address IP Range
10.11.0.0 255.255.255.0

Advanced

Encryption - authentication: AES256 - SHA1

Replay detection: Enable Disable

Perfect forward secrecy (PFS): Enable Disable

Diffie-Hellman groups: 1 2 5 14 15 16 17 18 19 20 21 27 28 29 30 31 32

Local port: All Specify

Remote port: All Specify

Protocol: All Specify

Auto-negotiate: Enable Disable

Autokey keep alive: Enable Disable

Key lifetime: Seconds Kilobytes Both
14400 second(s)

Based on the phase 2 configuration shown in the exhibit, which two configuration changes will bring phase 2 up? (Choose two.)

- A. On BR1-FGT, set Remote Address to 10.0.11.0/255.255.255.0.
- B. On HQ-NGFW, set Encryption to AES256.
- C. On HQ-NGFW, enable Diffie-Hellman Group 2.
- D. On BR1-FGT, set Seconds to 43200.

正解: A、B

解説:

Check the IP address

The remote subnet selectors don't match. Set BR1-FGT's Remote Address to 10.0.11.0/255.255.255.0 (C).

The phase-2 proposal algorithms don't match. Change HQ-NGFW Encryption from AES128 to AES256 to match BR1-FGT (D).

質問 #63

.....

Fortinet学習教材には、JPNTestPDFバージョン、ソフトバージョン、APPバージョンのさまざまなバージョンがあります。コンピューターで勉強するのが好きでも、紙の資料を読むのが好きでも、FCP_FGT_AD-7.6学習資料はFortinetあなたのニーズを満たすことができます。ほとんどの時間、紙の学習資料を読むことに慣れている場合は、心配を解消できます。FCP_FGT_AD-7.6試験クイズでは、この分野の顧客のニーズを完全に考慮します。FCP_FGT_AD-7.6学習教材のバージョンは、お客様がFCP - FortiGate 7.6 Administrator学習できるようになっているため、自由時間が十分に活用され、知識を統合できることがよくあります。

FCP_FGT_AD-7.6日本語復習赤本: https://www.jpntest.com/shiken/FCP_FGT_AD-7.6-mondaishu

今はFCP_FGT_AD-7.6日本語復習赤本 - FCP - FortiGate 7.6 Administrator試験に準備するために、分厚い本を購入しなくてあまりにも多くのお金をかかるトレーニング機構に参加する必要がありません、JPNTest FCP_FGT_AD-7.6日本語復習赤本はウェブサイトだけでなく、候補者のための専門的な学習ツールとしても使用できます、変更したい場合、Fortinet FCP_FGT_AD-7.6学習教材を買きましょう、あなたが我々のFCP_FGT_AD-7.6最新問題集を選択すると、決して失望することはありませんし、あなたは絶対に望ましい結果を得ることができます、スマートを一方に置いて、我々FortinetのFCP_FGT_AD-7.6試験問題集をピックアップします、私たちFortinetのFCP_FGT_AD-7.6トレントは、紙で学ぶだけでなく、携帯電話を使って学習できるように、さまざまなバージョンを特別に提案しました。

急に走って行ったら消えてなくなってしまう気がして、石段は途中で曲がって、石碑のあいだを抜けるFCP_FGT_AD-7.6と樹木に囲まれたひと気のない寺の境内に出た、今はFCP - FortiGate 7.6 Administrator試験に準備するために、分厚い本を購入しなくてあまりにも多くのお金をかかるトレーニング機構に参加する必要がありません。

完璧-ハイパスレートのFCP_FGT_AD-7.6 PDF試験-試験の準備方法 FCP_FGT_AD-7.6日本語復習赤本

JPNTestはウェブサイトだけでなく、候補者のための専門的な学習ツールとしても使用できます、変更したい場合、Fortinet FCP_FGT_AD-7.6学習教材を買きましょう、あなたが我々のFCP_FGT_AD-7.6最新問題集を選択すると、決して失望することはありませんし、あなたは絶対に望ましい結果を得ることができます。

スマートを一方に置いて、我々FortinetのFCP_FGT_AD-7.6試験問題集をピックアップします。

- FCP_FGT_AD-7.6日本語関連対策 □ FCP_FGT_AD-7.6受験料 □ FCP_FGT_AD-7.6赤本勉強 □ Open Web サイト □ www.jpexam.com □ 検索 □ FCP_FGT_AD-7.6 □ 無料ダウンロードFCP_FGT_AD-7.6赤本勉強
- FCP_FGT_AD-7.6復習テキスト □ FCP_FGT_AD-7.6無料サンプル □ FCP_FGT_AD-7.6専門試験 □ “www.goshiken.com”に移動し、⇒ FCP_FGT_AD-7.6 ⇐ を検索して、無料でダウンロード可能な試験資料を探しますFCP_FGT_AD-7.6専門試験
- Fortinet FCP_FGT_AD-7.6 PDF: 気楽に試験に合格するFCP - FortiGate 7.6 Administrator □ ✨ www.passtest.jp □ ✨ □ にて限定無料の《FCP_FGT_AD-7.6》問題集をダウンロードせよFCP_FGT_AD-7.6最新テスト
- FCP_FGT_AD-7.6専門試験 □ FCP_FGT_AD-7.6模擬解説集 □ FCP_FGT_AD-7.6試験問題解説集 □ 今すぐ ▶ www.goshiken.com □ で ⇒ FCP_FGT_AD-7.6 □ □ □ を検索し、無料でダウンロードしてくださいFCP_FGT_AD-7.6合格受験記
- FCP_FGT_AD-7.6無料サンプル □ FCP_FGT_AD-7.6日本語版試験解答 * FCP_FGT_AD-7.6日本語版試験解答 □ ▶ www.it-passports.com □ の無料ダウンロード“FCP_FGT_AD-7.6”ページが開きますFCP_FGT_AD-7.6専門試験
- FCP_FGT_AD-7.6入門知識 □ FCP_FGT_AD-7.6日本語受験教科書 □ FCP_FGT_AD-7.6資格問題集 □ サイト ✓ www.goshiken.com □ ✓ □ で ⇒ FCP_FGT_AD-7.6 □ 問題集をダウンロードFCP_FGT_AD-7.6資格問題集
- 認定するFortinet FCP_FGT_AD-7.6 | 素敵なFCP_FGT_AD-7.6 PDF試験 | 試験の準備方法FCP - FortiGate 7.6 Administrator日本語復習赤本 □ ▶ www.goshiken.com □ から簡単に⇒ FCP_FGT_AD-7.6 ⇐ を無料でダウンロードできますFCP_FGT_AD-7.6日本語関連対策
- FCP_FGT_AD-7.6最新テスト □ FCP_FGT_AD-7.6日本語受験教科書 □ FCP_FGT_AD-7.6模試エンジン □ 今すぐ □ www.goshiken.com □ で ✨ FCP_FGT_AD-7.6 □ ✨ □ を検索して、無料でダウンロードしてくださいFCP_FGT_AD-7.6テスト模擬問題集
- FCP_FGT_AD-7.6日本語版試験解答 □ FCP_FGT_AD-7.6試験問題解説集 □ FCP_FGT_AD-7.6試験問題解説集 □ ウェブサイト ▶ www.jpshiken.com □ を開き、⇒ FCP_FGT_AD-7.6 □ を検索して無料でダウンロードしてくださいFCP_FGT_AD-7.6模擬解説集
- FCP_FGT_AD-7.6日本語版試験解答 □ FCP_FGT_AD-7.6日本語版試験解答 □ FCP_FGT_AD-7.6試験問題

解説集 ☀️ www.goshiken.com ☀️ を開いて ⇒ FCP_FGT_AD-7.6 ⇐ を検索し、試験資料を無料でダウンロードしてください FCP_FGT_AD-7.6 問題と解答

- FCP_FGT_AD-7.6 試験の準備方法 | 実用的な FCP_FGT_AD-7.6 PDF 試験 | ユニークな FCP - FortiGate 7.6 Administrator 日本語復習赤本 ☐ ▶ www.xhs1991.com ◀ には 無料の ⇒ FCP_FGT_AD-7.6 ☐☐☐ 問題集があります FCP_FGT_AD-7.6 資格問題集
- nicolejfxs254539.blogpayz.com, sites2000.com, ambernfsu515743.losblogos.com, www.dkcomposite.com, katedralhwn604991.blogspothub.com, academiadosaber.top, bookmarkstown.com, emilyjysml29726.blogdanica.com, socialmediainuk.com, kobyxibu964762.ambien-blog.com, Disposable vapes

BONUS!!! JPNTest FCP_FGT_AD-7.6 ダンプの一部を無料でダウンロード: https://drive.google.com/open?id=1ecM-urbzPf24hd4DDwF3XrdvSGgFM_56