


FCSS_EFW_AD-7.4問題と解答 & FCSS_EFW_AD-7.4 無料過去問



P.S. It-PassportsがGoogle Driveで共有している無料かつ新しいFCSS_EFW_AD-7.4ダンプ: <https://drive.google.com/open?id=1-FJgAk8LUlfnHsMLpDIQotBMHW-il1Bj>

現在、試験銀行がシミュレーションテストを提供するような統合システムを持っていることはほとんどありません。FCSS_EFW_AD-7.4学習ツールについて学習した後、実際のFCSS_EFW_AD-7.4試験を刺激することの重要性が徐々に認識されます。この機能により、練習システムがどのように動作するかを簡単に把握し、FCSS_EFW_AD-7.4試験に関する中核的な知識を得ることができます。さらに、実際の試験環境にいるときは、質問への回答の速度と品質を制御し、エクササイズの良い習慣を身に付けることを学ぶことができます。そのため、FCSS_EFW_AD-7.4試験に合格できます。

テストの準備に多くの時間を費やし、それでも何度も失敗するのは馬鹿げていますか？一部の受験者は、Fortinet FCSS_EFW_AD-7.4試験ダンプ問題で簡単に試験に合格しますか？試験に合格し、認定を取得することが目標である場合、FCSS_EFW_AD-7.4試験ダンプは、目標を簡単に達成するのに役立ちます。選択してみませんか？FCSS_EFW_AD-7.4試験ダンプ問題を含むテストの前にわずか数十のお金と20~35時間の有効な準備で、確実に試験をクリアできます。では、なぜあなたは無駄な努力をするのに多くの時間を無駄にしているのですか？

>> FCSS_EFW_AD-7.4問題と解答 <<

試験の準備方法-完璧なFCSS_EFW_AD-7.4問題と解答試験-最新のFCSS_EFW_AD-7.4無料過去問

我々It-Passportsはお客様のすべての需要を満たさせるために、より良いサービスを提供します。あなたに相応しいFCSS_EFW_AD-7.4問題集を購入できさせるには、Fortinetは問題集の見本を無料で提供し、あなたはダウンロードしてやることができます。あなたFCSS_EFW_AD-7.4問題集を購入してから、一年間の無料更新サービスをしていきます。購入意向があれば、It-Passportsのホームページをご覧ください。

Fortinet FCSS - Enterprise Firewall 7.4 Administrator 認定 FCSS_EFW_AD-7.4 試験問題 (Q10-Q15):

質問 # 10

View the exhibit, then answer the question below.

Refresh							
Name	Type	Remote Gateway	Username	Status	Incoming Data	Outgoing Data	Phase 2 Select
H2S_0	Custom	10.200.1.1		Down			H2S_0_0

Which of the following commands will bring up the tunnel?


- A. diagnose vpn tunnel up H2S_0

- B. diagnose vpn tunnel up 10.200.1.1
- C. diagnose vpn tunnel H2S_0 up
- D. diagnose vpn tunnel up H2S_0_0

正解: D

質問 # 11

Refer to the exhibit, which shows an ADVPN network.



The client behind Spoke-1 generates traffic to the device located behind Spoke-2. What is the first message that the hub sends to Spoke-1 to bring up the dynamic tunnel?

- A. Shortcut offer
- B. Shortcut reply
- C. Shortcut forward
- D. Shortcut query

正解: A

解説:

In an ADVPN (Auto-Discovery VPN) network, a dynamic VPN tunnel is established on-demand between spokes to optimize traffic flow and reduce latency.

Process:

1. Traffic Initiation:

A client behind Spoke-1 sends traffic to a device behind Spoke-2.

The traffic initially flows through the hub, following the pre-established overlay tunnel.

2. Hub Detection:

The hub detects that Spoke-1 is communicating with Spoke-2 and determines that a direct shortcut tunnel between the spokes can optimize the connection.

3. Shortcut Offer:

The hub sends a "Shortcut Offer" message to Spoke-1, informing it that a direct dynamic tunnel to Spoke-2 is possible.

4. Tunnel Establishment:

Spoke-1 and Spoke-2 then negotiate and establish a direct IPsec tunnel for communication.

質問 # 12

Refer to the exhibit, which shows partial outputs from two routing debug commands.

```
FortiGate # get router info routing-table database

Routing table for VRF=0
S      0.0.0.0/0 [20/0] via 100.64.2.254, port2, [10/0]
S      *> 0.0.0.0/0 [10/0] via 100.64.1.254, port1
```

```
FortiGate # get router info routing-table all

Routing table for VRF=0
S*     0.0.0.0/0 [10/0] via 100.64.1.254, port1
```

Why is the port2 default route not in the second command output?

- A. The port2 interface is disabled in the FortiGate configuration.
- B. The port1 default route has a lower priority value than the default route using port2.
- C. The port1 default route has a lower distance than the default route using port2.
- D. The port1 default route has a higher priority value than the default route using port2.

正解: C

質問 # 13

Which three steps are executed to get antivirus and IPS updates using the pull method? (Choose three.)

- A. FortiGate starts sending rating queries to one of the servers in the list.
- B. FortiGate registers its public IP address in FortiGuard.
- C. FortiGate gets a list of server IP addresses that can be contacted.
- D. FortiGate periodically queries for pending updates.
- E. FortiGate contacts a DNS server to resolve the FortiGuard domain name.

正解: C、D、E

質問 # 14

Refer to the exhibit, which contains the partial output of an IKE real-time debug.

```

ike 0:92682ab9dea63aa3/0000000000000000:591: responder: main mode get 1st message...
...
ike 0:92682ab9dea63aa3/0000000000000000:591: incoming proposal:
ike 0:92682ab9dea63aa3/0000000000000000:591: proposal id = 0:
ike 0:92682ab9dea63aa3/0000000000000000:591: protocol id = ISAKMP:
ike 0:92682ab9dea63aa3/0000000000000000:591: trans_id = KEY_IKE.
ike 0:92682ab9dea63aa3/0000000000000000:591: encapsulation = IKE/none
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_ENCRYPT_ALG, val=3DES_CBC.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_HASH_ALG, val=SHA2_256.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_GROUP, val=MODP2048.
ike 0:92682ab9dea63aa3/0000000000000000:591: ISAKMP SA lifetime=86400
ike 0:92682ab9dea63aa3/0000000000000000:591: proposal id = 0:
ike 0:92682ab9dea63aa3/0000000000000000:591: protocol id = ISAKMP:
ike 0:92682ab9dea63aa3/0000000000000000:591: trans_id = KEY_IKE.
ike 0:92682ab9dea63aa3/0000000000000000:591: encapsulation = IKE/none
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_ENCRYPT_ALG, val=3DES_CBC.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_HASH_ALG, val=SHA2_256.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_GROUP, val=MODP1536.
ike 0:92682ab9dea63aa3/0000000000000000:591: ISAKMP SA lifetime=86400
ike 0:92682ab9dea63aa3/0000000000000000:591: my proposal, gw VPN:
ike 0:92682ab9dea63aa3/0000000000000000:591: proposal id = 1:
ike 0:92682ab9dea63aa3/0000000000000000:591: protocol id = ISAKMP:
ike 0:92682ab9dea63aa3/0000000000000000:591: trans_id = KEY_IKE.
ike 0:92682ab9dea63aa3/0000000000000000:591: encapsulation = IKE/none
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_ENCRYPT_ALG, val=AES_CBC, key-
len=128
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_HASH_ALG, val=SHA2_512
ike 0:92682ab9dea63aa3/0000000000000000:591: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_GROUP, val=MODP2048
ike 0:92682ab9dea63aa3/0000000000000000:591: ISAKMP SA lifetime=86400
ike 0:92682ab9dea63aa3/0000000000000000:591: proposal id = 1:
ike 0:92682ab9dea63aa3/0000000000000000:591: protocol id = ISAKMP:
ike 0:92682ab9dea63aa3/0000000000000000:591: trans_id = KEY_IKE.
ike 0:92682ab9dea63aa3/0000000000000000:591: encapsulation = IKE/none
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_ENCRYPT_ALG, val=3DES_CBC, key-
len=128
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_HASH_ALG, val=SHA2_512.
ike 0:92682ab9dea63aa3/0000000000000000:591: type=AUTH_METHOD, val=PRESHARED_KEY
ike 0:92682ab9dea63aa3/0000000000000000:591: type=OAKLEY_GROUP, val=MODP1536.
ike 0:92682ab9dea63aa3/0000000000000000:591: ISAKMP SA lifetime=86400
ike 0:92682ab9dea63aa3/0000000000000000:591: negotiation failure
ike Negotiate ISAKMP SA Error: ike 0:92682ab9dea63aa3/0000000000000000:591: no SA proposal
chosen

```

The administrator does not have access to the remote gateway. Based on the debug output, which configuration change can the administrator make to the local gateway to resolve the phase 1 negotiation error?

- A. Change phase 1 encryption to 3DES and authentication to SHA256.
- B. Change phase 1 encryption to AESCBC and authentication to SHA128.
- C. Change phase 1 encryption to 3DES and authentication to CBC.
- D. Change phase 1 encryption to AES128 and authentication to SHA512.

正解: A

質問 #15

.....

多くの人は、社会で目立った地位に就き、キャリアと社会の輪で成功することを夢見ています。したがって、貴重な証明書を所有することは彼らにとって最も重要であり、テストFCSS_EFW_AD-7.4認定に合格することは、彼らが目標を実現するのに役立ちます。あなたが彼らの1人である場合、FortinetのFCSS_EFW_AD-7.4試験準備を購入すると、FCSS_EFW_AD-7.4試験に簡単に合格できます。FCSS_EFW_AD-7.4ガイド急流では、購入前に無料でダウンロードして試用でき、購入手続きは安全です。

FCSS_EFW_AD-7.4無料過去問: https://www.it-passports.com/FCSS_EFW_AD-7.4.html

当社の製品を選択した場合は、試験を受験して有効な認定資格を取得し、Fortinet FCSS_EFW_AD-7.4模擬試験教材で大きなメリットを得ることができます、我々の提供した一番新しく全面的なFortinetのFCSS_EFW_AD-7.4資料はあなたのすべての需要を満たすことができます、まず、FCSS_EFW_AD-7.4準備ガイドのPDFバージョン

科学者は、教室やコースにテクノロジーを導入する方法を理解する必要があります。俺は怖かった、当社の製品を選択した場合は、試験を受験して有効な認定資格を取得し、Fortinet FCSS_EFW_AD-7.4模擬試験教材で大きなメリットを得ることができます。

我々の提供した一番新しく全面的なFortinetのFCSS_EFW_AD-7.4資料はあなたのすべての需要を満たすことができます、まず、FCSS_EFW_AD-7.4準備ガイドのPDFバージョンを紙に印刷できます、ソフトウェアバージョンは実際のテスト環境をシミュレートできるため、ソフトウェアバージョンが最適な選択肢になると思います。

[illegible]

有：<https://drive.google.com/open?id=1-FJgAk8LUlfnHsMLpDIQotBMHW-i1lBj>