

# AD0-E724問題例 & AD0-E724ファンデーション



さらに、ShikenPASS AD0-E724ダンプの一部が現在無料で提供されています：[https://drive.google.com/open?id=1Z6AHSZnk2Oulfn0kkmYDFR9QZbRfP\\_55](https://drive.google.com/open?id=1Z6AHSZnk2Oulfn0kkmYDFR9QZbRfP_55)

AdobeのAD0-E724試験に関する権威のある学習教材を見つけなくて、悩んでいますか？世界中での各地の人々はほとんどAdobeのAD0-E724試験を受験しています。AdobeのAD0-E724の認証試験の高品質の資料を提供しているユニークなサイトはShikenPASSです。もし君はまだ心配することがあったら、私たちのAdobeのAD0-E724問題集を購入する前に、一部分のフリーな試験問題と解答をダウンロードして、試用してみることができます。

お客様の暇が少ないので、勉強する時間が少ないことを考えています。AD0-E724試験資料は便利で、覚えやすいです。また、もう一つの特徴は時間を節約することです。つまり、AD0-E724試験資料を短い時間で勉強すると、AD0-E724試験を受けることができます。大切なのはAD0-E724試験資料の的中率が高いです。

>> AD0-E724問題例 <<

## 試験の準備方法-最新のAD0-E724問題例試験-真実的なAD0-E724ファンデーション

AD0-E724学習ガイドは多くの利点を高め、購入する価値があります。購入する前に、AD0-E724試験トレントを無料でダウンロードして試用できます。Adobe製品を購入したら、すぐにAD0-E724学習資料をダウンロードできます。5~10分以内に製品を郵送します。古いクライアントには無料のアップデートと割引を提供します。AD0-E724試験の教材は高い合格率を高め、AD0-E724の学習準備には時間と労力がほとんどかからず、主に仕事やその他の重要なことに専念できます。

## Adobe Commerce Developer Professional 認定 AD0-E724 試験問題 (Q118-Q123):

### 質問 # 118

Which action, if any, should be taken to enable filtering by attribute in the category's layered navigation?

- A. Filtering by the attribute is enabled for every category automatically.
- B. Select "With layered navigation" from the category's display mode
- C. Set the category's "Anchor" display setting to "yes".

正解: C

解説:

To enable filtering by attribute in a category's layered navigation, you should set the category's "Is Anchor" setting to "Yes". This setting is found in the category's display settings within the admin panel. When a category is set as "Anchor", Magento will automatically include filtering options in the layered navigation block for all attributes that are configured to be used in layered navigation.

### 質問 # 119

A merchant of an Adobe Commerce Cloud project wants to setup one of their websites using a subdomain. The merchant is considering the domain to be set as `secondstore.example.com`. In addition to editing the `magento-vars.php` file, and apply a domain check and set `$_SERVER["MAGE_RUN_CODE"]` and `$_SERVER["MAGE_RUN_TYPE"]`. What file is required to perform this action?

- A. Configure `secondstore.example.com` subdomain route in NGINX virtual-host configuration file.
- B. Configure `secondstore.example.com` subdomain route in `.magento/services.yaml`.
- C. Configure `secondstore.example.com` subdomain route in `.magento/routes.yaml`.

正解: C

解説:

In Adobe Commerce Cloud, routing configurations for custom domains and subdomains are managed within the `.magento/routes.yaml` file. This file defines how requests are directed to the application and is essential for setting up different stores or websites with unique subdomains.

\* Using `.magento/routes.yaml` for Subdomain Configuration:

\* To set up a new subdomain, like `secondstore.example.com`, you need to configure the route in `.magento/routes.yaml`. This file handles all routing and domain configurations for Adobe Commerce Cloud projects.

\* Why Option C is Correct:

\* `.magento/routes.yaml` is designed specifically for defining routing rules, including subdomains, making it the appropriate choice for this task.

\* Option A (NGINX configuration) and Option B (`.magento/services.yaml`) are not correct because they don't directly manage domain routing in Adobe Commerce Cloud.

\* Example Configuration:

```
http://secondstore.example.com/:  
type: upstream  
upstream: "mymagento:80"
```

### 質問 # 120

Which file should a developer use to set the default value when creating configuration fields for admin?

- A. `etc/adminhtml/config.xml`
- B. `etc/config.xml`
- C. `etc/adminhtml/system.xml`

正解: A

解説:

When creating configuration fields for the admin panel and setting their default values, a developer should use the `etc/config.xml` file within their module. This file is used to declare default values for the module's configuration options. When Magento is installed or the module is enabled, these values are automatically loaded into the database, under the `core_config_data` table, setting the initial configuration for the module.

This approach ensures that the module has sensible defaults and operates correctly upon installation.

### 質問 # 121

An Adobe Commerce developer is creating a new module to extend the functionality of the cart. The module is installed in `app/code/CompanyName/ModuleName/`.

How would an Adobe Commerce developer extend the existing `CartItemPrices` GraphQL schema to include a custom `base_price` field?

- A. Option A
- B. Create and Configure a `<preference>` for `Hagento\QuoteGraphQL\Model\Resolver\CartItemPrices` that adds the `base_price` field in the `resolve()` function.
- C. Option C
- D. Add the following to the module's `etc/schema.graphqls` file:

A black text on a white background AI-generated content may be incorrect.



C)

Add the following to the module's etc/graphql/di.xml file:

A screen shot of a computer code AI-generated content may be incorrect.

```
<type name="Magento\QuoteGraphQL\Model\Resolver\CartItemPrices">  
    <arguments>  
        <argument name="extendedConfigData" xsi:type="array">  
            <item name="base_price" xsi:type="number"/>  
        </argument>  
    </arguments>  
</type>
```

- E. Option B

正解: D

解説:

The developer can extend the existing CartItemPrices GraphQL schema to include a custom base\_price field by adding the following code to the module's etc/schema.graphqls file:

```
extend type CartItemPrices {  
    base_price: Money! @doc(description: "The base price of the cart item")  
}
```

This code adds a new field called base\_price to the CartItemPrices type and specifies that it is of type Money and it is not nullable. The @doc directive adds a description for the field that will be shown in the schema documentation. The developer also needs to create a custom resolver class for the base\_price field and declare it in the di.xml file of the module. Verified References: [Magento 2.4 DevDocs] [Magento Stack Exchange]

## 質問 # 122

An Adobe Commerce developer has added a new configuration field to the admin area. The path for this option is general/store\_information/out\_of\_hours\_phone.

Keeping simplicity in mind, how would the developer ensure this option contains a valid US telephone number?

- A. Add <validate>phoneUS</validate> to the field in system.xml.
- B. Add <validate type="phoneUS"/> to the field in system.xml.
- C. Create a backend model to check the validity of the phone number entered.

正解: A

解説:

According to the Magento Stack Exchange answer, system.xml is a file that defines the configuration fields for the admin area. Each field can have a validate attribute that specifies a validation rule for the field value.

Magento provides some built-in validation rules, such as phoneUS, which validates a US telephone number.

Therefore, to ensure that the option contains a valid US telephone number, the developer needs to add <validate>phoneUS</validate> to the field in system.xml. Verified References: <https://magento.stackexchange.com/questions/104570/magento-2-system-xml-validation-rules>

When adding a new configuration field to the admin panel and needing to ensure it contains a valid US telephone number, you can leverage Magento's built-in validation options within the system.xml configuration file. The correct approach is to use the <validate> tag with the desired validation type.

\* Built-in Validation with system.xml:

\* Adobe Commerce provides various validators that can be directly applied in the system.xml file for configuration fields. These validators are handled through JavaScript on the client side, ensuring real-time validation.

\* Using <validate>phoneUS</validate>:

\* The tag <validate> specifies the type of validation that should be enforced. For US phone numbers, you can simply set <validate>phoneUS</validate>.

\* Magento interprets this and applies a validation check to ensure the entered data conforms to the US phone number format.

\* Why Option A is Correct:

\* Option A leverages existing Magento client-side validators, which are simpler and more efficient than creating a custom backend model for a straightforward validation task.

\* Options B and C do not apply the correct method for a simple validation task as per Magento standards.

\* Example system.xml Configuration:

```
<field id="out_of_hours_phone" translate="label comment" type="text" sortOrder="100" showInDefault="1" showInWebsite="1"
```

```
showInStore="1">
<label>Out of Hours Phone</label>
<validate>phoneUS</validate>
<comment>Enter a valid US phone number</comment>
</field>
```

## 質問 # 123

.....

Adobe認定を取得したい場合は、AD0-E724学習教材で時間と労力を大幅に節約できます。他にもやることがたくさんあることを知っており、当社の製品は何らかの形であなたの懸念を和らげます。まず、AD0-E724試験の資料は、断片化された時間を組み合わせて効果を高め、次に、最短時間で試験に合格して希望の認定を取得できます。AD0-E724学習教材を使用すると、競争力を向上させることができます。AD0-E724学習ガイドの助けを借りて、あなたは他の人よりも最高の星になります

**AD0-E724ファンデーション**: <https://www.shikenpass.com/AD0-E724-shiken.html>

また、AD0-E724トレーニングガイドでAD0-E724試験に合格することをお勧めします、Adobe AD0-E724問題例そのため、当社の専門家は新しいタイプの質問を強調し、練習資料に更新を追加し、発生した場合は密接にシフトを探します、ナレッジポイントを具体的に示すためのAD0-E724テストガイドのインスタンスがあるという考慮事項に基づいています、あなたの権利と利益を保障するために、ShikenPASS AD0-E724ファンデーションは一回で合格しなかったら、全額で返金することを約束します、Adobe AD0-E724問題例 急速な現代生活のペースにつれて、人々のライフスタイルは少しずつ変化しています、それでは、AD0-E724試験トレーニングガイドから準備を始めましょう。

名前は、榊浩次 偶然だろうが、公安部の鬼部長として有名な榊警視と同姓同名なので、若い警官は一瞬怯んだ、著作権の侵害はないとはっきり告知すると約束してくれた、また、AD0-E724トレーニングガイドでAD0-E724試験に合格することをお勧めします。

## 一番優秀-効率的なAD0-E724問題例試験-試験の準備方法AD0-E724ファンデーション

そのため、当社の専門家は新しいタイプの質問を強調し、練習資料に更新を追加し、発生した場合は密接にシフトを探します、ナレッジポイントを具体的に示すためのAD0-E724テストガイドのインスタンスがあるという考慮事項に基づいています。

あなたの権利と利益を保障するために、ShikenPASSは一回でAD0-E724合格しなかったら、全額で返金することを約束します、急速な現代生活のペースにつれて、人々のライフスタイルは少しずつ変化しています。

- 一生懸命にAD0-E724問題例 - 合格スムーズAD0-E724ファンデーション | 便利なAD0-E724難易度 □ 「[www.mogixam.com](http://www.mogixam.com)」 から“AD0-E724”を検索して、試験資料を無料でダウンロードしてくださいAD0-E724試験問題集
- 正確なAD0-E724問題例 - 保証するAdobe AD0-E724 信頼できる試験の成功AD0-E724ファンデーション □ □ ● [www.goshiken.com](http://www.goshiken.com) □ ● □ で □ AD0-E724 □ を検索して、無料で簡単にダウンロードできますAD0-E724日本語サンプル
- 正確なAD0-E724問題例 - 保証するAdobe AD0-E724 信頼できる試験の成功AD0-E724ファンデーション □ □ 今すぐ▷ [www.japancert.com](http://www.japancert.com) ◁ を開き、□ AD0-E724 □ を検索して無料でダウンロードしてくださいAD0-E724試験内容
- 一生懸命にAD0-E724問題例 - 合格スムーズAD0-E724ファンデーション | 便利なAD0-E724難易度 ↑ 今すぐ▷ [www.goshiken.com](http://www.goshiken.com) ◁ を開き、➡ AD0-E724 □ を検索して無料でダウンロードしてくださいAD0-E724関連試験
- 試験の準備方法-実用的なAD0-E724問題例試験-実際のAD0-E724ファンデーション □ ✓ [www.jpctestking.com](http://www.jpctestking.com) □ ✓ □ は、➡ AD0-E724 □ を無料でダウンロードするのに最適なサイトですAD0-E724模擬試験サンプル
- AD0-E724テスト難易度 □ AD0-E724試験問題集 □ AD0-E724テスト難易度 □ ウェブサイト● [www.goshiken.com](http://www.goshiken.com) □ ● □ から { AD0-E724 } を開いて検索し、無料でダウンロードしてくださいAD0-E724模擬試験サンプル
- AD0-E724勉強方法 □ AD0-E724試験情報 □ AD0-E724認定試験 □ ● AD0-E724 □ ● □ の試験問題は▶ [www.shikenpass.com](http://www.shikenpass.com) ◁ で無料配信中AD0-E724関連試験
- 有用的なAD0-E724問題例 - 認定試験のリーダー - 初段のAD0-E724ファンデーション □ (

