

Training C-ADBTP-2601 Online | C-ADBTP-2601 Free Pdf Guide



Whole VCEngine's pertinence exercises about SAP certification C-ADBTP-2601 exam is very popular. VCEngine's training materials can not only let you obtain IT expertise knowledge and a lot of related experience, but also make you be well prepared for the exam. Although SAP Certification C-ADBTP-2601 Exam is difficult, through doing VCEngine's exercises you will be very confident for the exam. Be assured to choose VCEngine efficient exercises right now, and you will do a full preparation for SAP certification C-ADBTP-2601 exam.

SAP C-ADBTP-2601 Exam Syllabus Topics:

Section	Objectives
Billing, Entitlements, and Lifecycle Management	- Commercial model and usage control • 1. Service entitlements and consumption tracking • 2. Billing and account administration basics
Account and Subaccount Administration	- Subaccount lifecycle management • 1. Regions and environment selection • 2. Create, configure, and manage subaccounts
Security and Identity Management	- Authentication and authorization • 1. Role collections and role assignment • 2. IAS/IPS integration concepts
Connectivity and Integration	- Connectivity setup in SAP BTP • 1. Destination service configuration • 2. Cloud Connector usage and setup

SAP Business Technology Platform Fundamentals	- BTP global account concepts and structure 1. Entitlements and quotas management 2. Global accounts, directories, and subaccounts overview
Monitoring and Operations	- System monitoring and troubleshooting 1. Logging and auditing services 2. Performance and usage monitoring

>> Training C-ADBTP-2601 Online <<

Trustable Training C-ADBTP-2601 Online to Obtain SAP Certification

The online C-ADBTP-2601 practice exam has all specifications of the desktop software. It is compatible with Chrome, Firefox, MS Edge, Safari, Opera, etc. The Adminstrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) practice exam will save your progress and give you an overview of your mistakes, which will benefit your overall preparation. All operating systems support this Adminstrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) practice test.

SAP Adminstrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances are a.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.



A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

New Instance or Subscription



1 Basic Info 2 Parameters 3 Review

Enter basic info for your instance or subscription.

Service: * ⓘ [Can't find what you're looking for?](#)

HTML5 Application Repository Service

Plan: *

app-host

Instance Name: * ⓘ

html5-eu-hcm-dev

Next > **Create** Cancel

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Space: activity-recording - Service Instances Create | ☆

All: 1

Note that space level does not currently support label management, instance sharing, or the display of "created by" and "modified by" information.

Search Service: Plan: Status:

Instances (1)

Instance	Service	Plan	Credentials	Status	
html5-eu-hcm-dev	HTML5 Application Repository Service	app-host		Created	⋮ >

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1
Basic Info

Enter basic info for your environment instance.

Environment: * [Can't find what you're looking for?](#)
Cloud Foundry Runtime

Plan: *
standard

Landscape: *
cf-eu10-005


Instance Name: ⓘ
cf-eu-hcm-dev

Org Name: * ⓘ
btpops####-eu-hcm-dev

Cloud Foundry API endpoints may differ between subaccounts in the same region. The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

SAP

Create Cancel



Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.



Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.

Create Space

Create Space *

activity-recording

Assign space roles to :

- ☒ Space Developer
- ☐ Space Supporter
- ☒ Space Manager
- ☐ Space Auditor

Create Cancel

Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording
in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: * half-org-quota

Space Memory (MB): * 512
Org Quota: 1024 MB (1GB)

Routes: * 5
Org Quota: 10

Service Instances: * 250
Org Quota: 500

Memory per Instance (MB): * 8192
Org Quota: 16384 MB (16GB)

App Instances: * -1
Org Quota: Unlimited

Allow Paid Services: ☐ OFF

Create **Cancel**

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Subaccount: EU HCM Dev - Space Quotas

Space Quotas

Quota Assignments

Space Quotas (1)

half-org-quota

Not assigned

Space Memory:

512MB

Routes:

5

Service Instances:

250

Paid Services:

Not Allowed

App Instances:

Unlimited

Memory per Instance:

8GB

SAP

Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



Edit Quota Assignment

Space:
activity-recording

Quota:
☐ Org Quota
☒ Space Quota

Name: *

Save **Cancel**

Subaccount: EU HCM Dev - Space Quotas

Space Quotas **Quota Assignments**

Quota Assignments (1)

Space	Space Quota	Actions
activity-recording	half-org-quota	

Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 12

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.



Step 2 - Open Entitlements

What to do


Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.




Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.



Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify


After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Select Subaccounts and Directories



Global Account: BTP Admin Certification - Entity Assignments



Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Directory Partner: Add Service Plans

Services

Solutions:

All sap X Q

Services available to this directory

 business process model connector for SAP Signavio solutions

 Master Data Integration

 SAP Build Work Zone, advanced edition

 SAP Build Work Zone, standard edition

 SAP Master Data Integration Tenant

 SAP Task Center

1 selected plan
Services: SAP Build Work Zone, standard edition (1 plan)

Service Details: SAP Build Work Zone, standard edition

foundation Always Free

Sets up the technical requirements for running SAP solutions that utilize the foundation service, such as SAP Start. Please don't manually subscribe to it.
Features: Sets up the technical requirements for running SAP solutions that utilize the foundation service, such as SAP Start. Please don't manually subscribe to it.

> Availability by Region and Data Center

> Entitlement Sources

☒ standard (Application)

Build business sites that serve as a unified entry point to applications.

> Availability by Region and Data Center

Expand/Collapse

> Entitlement Sources

☐ foundation (Application) Always Free

Sets up the technical requirements for running SAP solutions that utilize the foundation service, such as SAP Start. Please don't manually subscribe to it.

> Availability by Region and Data Center

> Entitlement Sources

Add 1 Service Plan Cancel

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Credential Store	credstore	proxy	Assigned (1 unit)	☐	×
Destination Service	destination	lite	Assigned (1 unit)	☐	×
Feature Flags Service	feature-flags-dashboard	dashboard (Application)	Assigned (1 unit)	☐	×
	feature-flags	standard	Assigned (1 unit)	☐	×
		lite	Assigned (1 unit)	☐	×
HTML5 Application Repository Service	html5-apps-repo	app-host	Assigned (1 unit)	☐	×
		app-runtime	Assigned (1 unit)	☐	×
		receiver	Assigned (1 unit)	☐	×
Print Service	print	application	Assigned (1 unit)	☐	×
SaaS Provisioning Service	saas-registry	standard (Application)	Assigned (1 unit)	☒	×
SAP Build Work Zone, standard edition	SAPLaunchpad	service-operator-access	Assigned (1 unit)	☐	×
Service Manager	service-manager	global-offerings-audit	Assigned (1 unit)	☐	×
		subaccount-audit	Assigned (1 unit)	☐	×
		subaccount-admin	Assigned (1 unit)	☐	×
		container	Assigned (1 unit)	☐	×

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

NEW QUESTION # 13

SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace #### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Create Subaccount

Display Name * AM PA Dev Test

Description Partner Development and Testing

Region * US West (WA)

Subdomain * btpops xxxx-am-pa-dev-test

Parent * Partner

> Advanced

Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under **Parent**.

SAP

Create Cancel

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.



A screenshot of the SAP BTP subaccounts list. The table has columns: Name, Type, Environment, Provider, Region, and Last updated. The 'AM PA Dev Test' subaccount is highlighted in blue. It is a Subaccount, Multi-Environment, on Microsoft Azure, in the US West (99) region, last updated on March 26, 2025, at 3:29:33.

Name	Type	Environment	Provider	Region	Last updated
BTP Admin Certification -XXXXX	Global Account				March 25, 2025, 5:11:2...
American	Directory				March 26, 2025, 3:27:5...
Partner	Directory				March 26, 2025, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (99)	March 26, 2025, 3:29:33...

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod


Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.



A screenshot of the 'Create Subaccount' form in SAP BTP. The form has fields for Display Name (AM PA Prod), Description (Partner Production), Region (US West (WA)), Subdomain (btpops-xxxx-am-pa-prod), and Parent (Partner). There is an 'Advanced' section with a checked 'Used for production' checkbox and an unchecked 'Enable beta features' checkbox. Below this is a section for 'Add labels to this subaccount' with input fields for Name and Values. At the bottom are 'Create' and 'Cancel' buttons.

Create Subaccount

Display Name *
AM PA Prod

Description
Partner Production

Region *
US West (WA)

Subdomain * ⓘ
btpops-xxxx-am-pa-prod

Parent *
Partner

Advanced

☒ Used for production ⓘ
☐ Enable beta features ⓘ

Add labels to this subaccount. ⓘ

Name: Enter label name Values:

Create Cancel

Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes



Name	Type	Environment	Region	Changed On
STP Admin Certification	Global Account			March 25, 2026, 9:11:2...
Americas	Directory			March 26, 2026, 9:27:5...
Partner	Directory			March 26, 2026, 9:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure US West (WA)	March 26, 2026, 9:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure US West (WA)	March 26, 2026, 9:39:3...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

NEW QUESTION # 14

.....

Success in the test of the Adminstrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) certification proves your technical knowledge and skills. The C-ADBTP-2601 exam credential paves the way toward landing high-paying jobs or promotions in your organization. Many people who attempt the Adminstrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) exam questions don't find updated practice questions. Due to this they don't prepare as per the current C-ADBTP-2601 examination content and fail the final test.

C-ADBTP-2601 Free Pdf Guide: <https://www.vceengine.com/C-ADBTP-2601-vce-test-engine.html>

- [illegible]