


High-quality OGA-032 Reliable Torrent, Test OGA-032 Simulator Fee



In traditional views, OGA-032 practice materials need you to spare a large amount of time on them to accumulate the useful knowledge may appearing in the real exam. However, our OGA-032 learning questions are not doing that way. According to data from former exam candidates, the passing rate has up to 98 to 100 percent. There are adequate content to help you pass the OGA-032 Exam with least time and money.

The ArchiMate 3 Part 2 exam is divided into two sections, each with a duration of 90 minutes. The first section covers the language's core concepts and principles, including its structure, viewpoints, and layers. The second section focuses on the language's application in different scenarios, such as application architecture, data architecture, and business architecture. Candidates must pass both sections to receive the certification.

>> [OGA-032 Reliable Torrent](#) <<

Test OGA-032 Simulator Fee | OGA-032 Latest Test Report

When we choose to find a good job, there is important to get the OGA-032 certification as you can. There is a fabulous product to prompt the efficiency--the OGA-032 exam prep, as far as concerned, it can bring you high quality learning platform to pass the variety of exams. Our product is elaborately composed with major questions and answers. It only takes you 20 hours to 30 hours to do the practice. After your effective practice, you can master the examination point from the OGA-032 Test Question. Then, you will have enough confidence to pass it.

The Open Group ArchiMate 3 Part 2 Exam Sample Questions (Q11-Q16):

NEW QUESTION # 11

Please read this scenario prior to answering the question

ArchiCar has been a market leader in the premium priced luxury car sector for the last decade. Its product leadership strategy has brought superior products to market, and enabled ArchiCar to achieve premium prices for its cars. This strategy has been widely successful in the past, but recently competitors have been offering comparable products and taking significant market share. The governing board of ArchiCar has identified opportunities in emerging markets where the ArchiCar brand is associated with luxury and high performance products, but is thought to be too expensive for mass-market success. Based on this assessment, the board has made the decision to setup a subsidiary company to mass- produce affordable cars locally. This will be achieved by focusing on a strategy of operational excellence. Such a strategy is ideal for such markets where customers value cost over other factors.

To facilitate this strategic transformation, the project has been divided into multiple phases within a five-year program. The initial phase, known as "Achieving Operational Excellence," is underway. The engineering team has begun devising an action plan to drive the necessary changes and outlining the technological conditions that must be met. The product architect has identified three current capabilities - industry-leading engineering, high-quality materials sourcing, and cutting-edge focussed R&D - along with their

contributions to the new production philosophy.

Moving forward, it has been determined that two out of the three current capabilities require revision.

Materials sourcing needs to be adjusted to meet optimization demands, and R&D targets must align with future goals to enable affordable production. Additionally, process engineering is introduced as a fourth capability to shift the company's focus from products to a process-oriented approach.

The Enterprise Architecture team has been tasked with migration planning, and identifying key work packages and deliverables. They have identified two transition states between the current and future scenario.

The first transition aims to adjust

current capabilities, including revising the R&D approach and procurement strategy. The second transition aims to shift from a product-centric mindset to a process-focused approach and adjust materials sourcing accordingly. It is important to consider existing supplier contracts that cannot be immediately canceled during this process.

The Enterprise Architecture team has identified that the second transition must implement a process framework, in order to shift to a process focus and meet a number of requirements, including the requirement for end-to-end process thinking. As this requirement impacts procurement processes, it also impacts the procurement strategy.

Refer to the Scenario

You have been asked to model parts of the overall scenario, including migration planning, the motivations driving the migration, and the work packages necessary to achieve the desired deliverables.

Which of the following answers best describes the scenario?

- A. A diagram of process flow Description automatically generated
 -
- B. A diagram of a process Description automatically generated
 -
- C. A diagram of a process Description automatically generated
 -
- D. A diagram of a process Description automatically generated
 -

Answer: A

Explanation:

This scenario involves migration planning for ArchiCar as it transitions from a product-centric approach to an operational excellence strategy for mass-producing affordable cars in emerging markets. The task is to model the steps involved, including work packages, deliverables, and the motivations driving the transitions.

Key ArchiMate® 3.2 Concepts Applied:

* Capabilities and Transition Phases:

* The existing capabilities—R&D, material sourcing, and engineering—need to be adjusted to fit the new strategy. In particular:

* Revising R&D targets to align with the goal of affordable production.

* Revising the procurement strategy to optimize material sourcing.

* Introduction of a process focus in the second phase to shift from a product-centered approach to operational excellence.

* Two transition states are identified:

* Plateau 1 (Adjusted Capabilities): Focuses on revising the R&D strategy and procurement strategy.

* Plateau 2 (Shifted Focus): Involves shifting to a process-oriented focus, adjusting material sourcing, and implementing a process framework to enable end-to-end process thinking.

* Work Packages and Deliverables:

* Work packages include activities such as revising R&D strategy and procurement strategy during the first transition, and then developing process focus and implementing a process framework in the second transition.

* These work packages are linked to key deliverables:

* Plateau 1: Realigning R&D and procurement strategies to achieve adjusted capabilities.

* Plateau 2: Implementing a process framework, shifting to process-oriented thinking, and achieving the operational excellence goals.

* Motivation Elements:

* The migration is driven by a need to realign current capabilities (such as focusing R&D on affordability and optimizing procurement) and a requirement to shift focus from product leadership to operational excellence.

* The external driver is the competition and market opportunity in emerging markets, where cost is more critical than luxury.

* Dependencies and Constraints:

* Supplier contracts may impose constraints on how quickly procurement strategies can change, which is considered in the transition planning.

* The process framework must be implemented in a way that supports end-to-end process thinking

Why Option B is Correct:

* Option B accurately reflects the two transition phases (Plateaus 1 and 2) and shows the appropriate work packages and

deliverables in line with the scenario.

* It clearly models the steps for revising R&D strategy and procurement strategy in the first transition, and the shift to a process focus in the second transition.

* The process framework and its link to end-to-end process thinking and procurement strategy are also correctly modeled, fulfilling the requirements of the scenario.

* Motivations for the changes, such as the focus on the price/quality ratio, and the external drivers for shifting strategy are well captured.

Why Other Options Are Incorrect:

* Option A and Option C misrepresent or omit important relationships between work packages, such as the link between the process framework and the end-to-end process thinking.

* Option D does not correctly capture the sequence of work packages and the logical flow of transitions between phases.

Conclusion:

Option B provides the most complete and accurate description of the scenario, correctly illustrating the migration planning motivations, and the work packages necessary to achieve the target state. It aligns well with ArchiMate® 3.2 modeling standards and meets the scenario's requirements.

NEW QUESTION # 12

Please read this scenario prior to answering the question

ArchiCar has been a market leader in the premium priced luxury car sector for the last decade. Its product leadership strategy has brought superior products to market, and enabled ArchiCar to achieve premium prices for its cars. This strategy has been widely successful in the past, but recently competitors have been offering comparable products and taking significant market share. The governing board of ArchiCar has identified opportunities in emerging markets where the ArchiCar brand is associated with luxury and high performance products, but is thought to be too expensive for mass-market success.

Based on this assessment, the board has made the decision to setup a subsidiary company to mass-produce affordable cars locally. This will be achieved by focusing on a strategy of operational excellence. Such a strategy is ideal for such markets where customers value cost over other factors.

To facilitate this strategic transformation, the project has been divided into multiple phases within a five-year program. The initial phase, known as "Achieving Operational Excellence," is underway. The engineering team has begun devising an action plan to drive the necessary changes and outlining the technological conditions that must be met. The product architect has identified three current capabilities - industry-leading engineering, high-quality materials sourcing, and cutting-edge focused R&D - along with their contributions to the new production philosophy.

Moving forward, it has been determined that two out of the three current capabilities require revision.

Materials sourcing needs to be adjusted to meet optimization demands, and R&D targets must align with future goals to enable affordable production.

Additionally, process engineering is introduced as a fourth capability to shift the company's focus from products to a process-oriented approach.

The Enterprise Architecture team has been tasked with migration planning, and identifying keyword packages and deliverables. They have identified two transition states between the current and future scenario. The first transition aims to adjust current capabilities, including revising the R&D approach and procurement strategy. The second transition aims to shift from a product-centric mindset to a process-focused approach and adjust materials sourcing accordingly.

It is important to consider existing

supplier contracts that cannot be immediately canceled during this process.

The Enterprise Architecture team has identified that the second transition must implement a process framework, in order to shift to a process focus and meet a number of requirements, including the requirement for end-to-end process thinking. As this requirement impacts procurement processes, it also impacts the procurement strategy.

Refer to the Scenario

You have been tasked with modeling the current capabilities of ArchiCar, identifying the capabilities necessary for the company to achieve Operational Excellence, and showing the motivations behind these changes. Which of the following models best answers this?

- A. A diagram of a process AI-generated content may be incorrect.
 -
- B. A diagram of a process AI-generated content may be incorrect.
 -
- **C. A diagram of a process AI-generated content may be incorrect.**
 -
- D. A diagram of a process AI-generated content may be incorrect.
 -

Answer: C

Explanation:

We need to find the model that best represents:

- * Current Capabilities- Industry-leading engineering, high-quality materials sourcing, and cutting-edge focused R&D.
- * Strategic Shift- Moving from product leadership to operational excellence to enter emerging markets.
- * Required Changes-
- * Adjusting R&D targets to support cost-effective production.
- * Revising materials sourcing for optimization.
- * Introducing process engineering to enable a process-oriented mindset.
- * Motivations Behind the Changes-
- * Competitor pressure.
- * Emerging market opportunities.
- * High costs limiting mass-market success.

Why D is the Best Choice:

#Includes all current and future capabilities- Shows the existing strengths of engineering, R&D, and materials sourcing while introducing process engineering as required for operational excellence. #Clearly depicts the shift in strategy- From product leadership to operational excellence and the necessary transformations. #Captures stakeholder concerns and motivations- Including competition, cost concerns, and emerging market opportunities. #Represents dependencies and sequencing correctly- Reflecting how each capability change contributes to the transition states and ultimate business goals.

Why Not A, B, or C?

- * A: Does not properly represent the transition between product leadership and operational excellence.
- * B: Fails to clearly define the required capability changes and motivations.
- * C: Lacks key relationships between strategy shifts and operational changes.

NEW QUESTION # 13

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center.

Located in an area prone

to flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities. To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors is required to proceed with the project.

The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial. However, several constraints make the planned migration to the new data centers particularly challenging. Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to specific four-hour windows on weekends. Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.

ArchiSurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each phase is critical for establishing stable and fully functional data center configurations throughout the transformation process. The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiSurance's timing and scheduling requirements. During the second phase, ArchiSurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.

Refer to the Scenario

The program manager overseeing the data center transformation has asked you to model an outline of the implementation plan which has three stable states defined. You should show the deliverables associated with each plateau in connection with the physical elements. Additionally, you need to show how each phase contributes to achieving a stable state for the data center transformation. Which of the following answers provides the best description?

- A. A diagram of a software process Description automatically generated
-
- B. A diagram of a data processing process Description automatically generated
-
- C. A diagram of a data center Description automatically generated

- D. A diagram of a software system Description automatically generated

□

Answer: B

Explanation:

This question focuses on modeling the implementation plan for the data center transformation at ArchiSurance. The goal is to represent how the different phases of the project contribute to achieving the three stable states, or plateaus, while illustrating the deliverables connected to these plateaus and the physical elements involved.

Key ArchiMate® 3.2 Concepts Applied:

* **Plateaus:** Plateaus represent intermediate stable states within an architecture transformation, showing the condition of the architecture at specific moments in time. In this scenario, the plateaus correspond to the stable data center configurations at different phases:

* **Plateau 1:** Only the old data center is in use.

* **Plateau 2:** Both the old and new data centers are in use simultaneously.

* **Plateau 3:** Only the new data center is in use, and the old data center is fully decommissioned.

* **Physical Elements:** These refer to the data centers, hardware, software, and networks that make up the infrastructure being migrated.

These should be clearly depicted in connection with each phase of the transformation program.

* **Deliverables and Phases:** Each phase of the transformation process includes specific deliverables, such as:

* Procurement of new hardware and software.

* Setting up and testing the new data centers.

* Transitioning between the old and new data centers.

* Dismantling the old data center and returning its hardware for refunds.

* **Work Packages and Dependencies:** Work packages represent activities or tasks in ArchiMate® and are connected to the plateaus. These must be modeled with proper sequencing, showing how each phase contributes to reaching the next stable state.

Why Option A is Correct:

* Option A accurately represents the three plateaus (stable states) and clearly illustrates the deliverables (e.g., the new data center, tested hardware and software, and dismantled old data center) in relation to each phase of the transformation.

* The connections between the physical elements (such as the centralized data center, distributed data center, and backup data center) are properly displayed and aligned with the described multi-phase process.

* The phases are laid out logically, showing how each phase (e.g., procurement, testing, transition) leads to the next stable state (plateau), following the principles of a plateau and work package transformation in ArchiMate®.

* The flow of deliverables from one plateau to the next is consistent with the need for dependencies (e.g., the new data center cannot be fully active until the hardware and software have been tested in parallel).

Why Other Options Are Incorrect:

* Option B and Option D do not show the relationships between the phases and the stable states as clearly as Option A. They lack some critical connections or do not accurately represent the progression between plateaus and the physical infrastructure.

* Option C is closer but misses important sequencing in how the work packages (activities) and plateaus interact, leading to an incomplete representation of the transformation.

Conclusion:

Option A provides the most complete and accurate description based on ArchiMate® 3.2 modeling principles.

It correctly demonstrates how each phase of the data center transformation contributes to achieving the stable states (plateaus) and ensures that the physical elements, work packages, and deliverables are properly aligned.

NEW QUESTION # 14

Please read this scenario prior to answering the question

The ArchiSurance Mobile consumer solution is used for selling and renewing insurance products, providing customer service, enabling accurate and convenient home recordkeeping, and capturing and processing claims. The solution consists of three applications. The Consultant application lets customers review their existing coverage, and update it based on common life events, such as getting a new car, moving into a new home, or having a family member move in or out. If necessary, they can speak or chat with a customer service representative. The Home Manager application helps customers photograph and catalogue their valuable possessions in order to support the filing of accurate claims in case of loss or damage. The Claim Manager application enables customers to quickly file a claim for loss or damage to an insured auto, home or possession. It enables customers to describe the incident by referencing information captured with the Consultant and the Home Manager applications. In addition, it allows the customer to add photographs, audio, video and text to support a claim, submit the claim, and monitor its progress.

The ArchiSurance Mobile applications rely on a number of application services hosted by ArchiSurance. The first is an Auto Identification and Description (AID) service that the Consultant application uses to validate and complete auto information entered by customers. The second service, Home Identification and Description (HID) performs the same function for home information, and is used by the Home Manager application. The Consultant application also uses the Virtual Agent service to guide customers as they select coverage options, the Payment Processor service to arrange premium payments, and the Coverage Activator service to

generate policies and put them in force.

ArchiSurance Mobile also relies on a number of technology services. The Home Manager application uses a Multimedia Repository service to store and retrieve information about insured homes. The Claim Manager application also uses this service for claim information entered by customers. All three ArchiSurance Mobile applications use a Personal Security service to register and authenticate customers, and to manage their profiles.

Each application service is realized by an application component with the same name. Each technology service is realized by a system software environment, having the same name. ArchiSurance hosts both the application components and system software environments in a virtualized server pool within its data center. Each service has its own virtual server. Each virtual server is connected to a data center network (DCN) which in turn connects to a commercial wide area network (WAN).

Refer to the Scenario

You have been asked to show the applications that make up the ArchiSurance Mobile solution and the technology that supports these applications.

Which of the following answers provides the best description? Note that it is not necessary to model the networks.

- A. A diagram of a server Description automatically generated
 -
- B. A diagram of a computer server Description automatically generated
 -
- C. A diagram of a server Description automatically generated
 -
- D. A diagram of a server Description automatically generated
 -

Answer: B

Explanation:

In this scenario, the focus is on modeling the ArchiSurance Mobile solution, showing the applications that make up this solution and the technology infrastructure that supports them. This includes applications, application services, and the system software environments (technology services) upon which the applications rely.

Key ArchiMate® 3.2 Concepts Applied:

* Application Components and Services:

* Consultant Application: This allows customers to review, update coverage, and speak with customer service representatives. It uses the following application services:

* Auto Identification and Description (AID) for validating auto information.

* Virtual Agent for helping customers select options.

* Payment Processor to arrange payments.

* Coverage Activator to generate and activate policies.

* Home Manager Application: This allows customers to catalogue possessions and use the Home Identification and Description (HID) service to validate home information.

* Claim Manager Application: Enables filing of claims, referencing data from the Consultant and Home Manager applications and storing information (such as photos, videos) via the Multimedia Repository.

* Technology Services:

* Personal Security Service: Used for customer registration, authentication, and profile management across all three applications.

* Multimedia Repository Service: Used to store and retrieve information related to home possessions and claim details, supporting both the Home Manager and Claim Manager applications.

* Technology Infrastructure:

* Each application component (Consultant, Home Manager, Claim Manager) is hosted on its own virtual server within a virtualized server pool.

* Each technology service is realized by a corresponding system software environment (e.g., Multimedia Repository, Personal Security), each with its own virtual server.

* The infrastructure is hosted in a data center, but the focus here is on the services rather than the network connections.

Why Option C is Correct:

* Option C accurately represents the key applications (Consultant, Home Manager, Claim Manager) in connection with the appropriate technology services and their respective virtual servers.

* The model shows the relationships between the applications and their dependencies on Personal Security and Multimedia Repository, aligning with the description provided.

* The virtual server pool is depicted clearly, showing how the applications and services are realized within this infrastructure.

* The relationships between applications and application services (AID, HID, Virtual Agent, Payment Processor, Coverage Activator) are not modeled in full detail here, but they are implicitly understood through the applications.

Why Other Options Are Incorrect:

* Option A and Option D both incorrectly depict some relationships between the applications and their supporting technology services

or servers, or miss certain dependencies.

* Option B does not provide as clear a depiction of the virtualized infrastructure and how the applications relate to the Multimedia Repository and Personal Security services.

Conclusion:

Option C provides the most accurate and complete description of the ArchiSurance Mobile solution and the supporting technology, as required by the scenario. It correctly illustrates the relationships between the applications, the virtual servers, and the supporting technology services according to ArchiMate® 3.2 principles.

NEW QUESTION # 15

Please read this scenario prior to answering the question

ArchiCar is a specialized company that focuses on manufacturing luxury electric cars and powertrain components, along with producing battery-charging equipment. With its own distribution network and showrooms, ArchiCar adopts a direct-to- customer sales model through online channels.

The manufacturing of ArchiCar's electric cars is carried out on fully automated assembly lines. Leveraging a cutting-edge manufacturing process, the company boasts an impressive ability to sell and deliver a vehicle within just one month from the time of order placement. Anticipating significant growth, the CEO has set ambitious plans to increase annual production from 100,000 to 500,000 vehicles within a three-year timeframe.

To ensure the highest quality standards, ArchiCar relies on locally manufactured finished steel from the renowned ArchiMetal plant. ArchiMetal specializes in lightweight steels that allow ArchiCar to achieve a reduced vehicle weight without compromising strength and crash performance. The finished steel is efficiently transported by rail to ArchiCar's production plant, where it is stored in a dedicated warehouse until required for the automated car assembly process. Conveyor belts facilitate the seamless transfer of the finished steel from the warehouse to the assembly plant.

At the ArchiCar assembly plant, an optimized and streamlined assembly process is implemented, resulting in the production of 12 vehicles per hour. Once assembled, the cars are transported to a nearby distribution center using specialized trucks.

These vehicles are then stored at the distribution center until they are ready for delivery to their eagerly awaiting new owners.

Refer to the Scenario

You are a consultant to the CIO. She has asked you to illustrate the end-to-end technology processes at ArchiCar from raw materials to assembled cars ready for delivery.

Which of the following answers provides the best description?

- A. A diagram of a vehicle assembly Description automatically generated
- B.
- C.
- D.

Answer: D

Explanation:

In this scenario, the task is to model the end-to-end technology processes at ArchiCar, showing how raw materials (finished steel) are processed through the company's manufacturing, transportation, and distribution system, ultimately resulting in fully assembled cars ready for delivery.

Key ArchiMate® 3.2 Concepts Applied:

* Business Processes:

* Steel Making: ArchiMetal manufactures finished steel, a key raw material for ArchiCar's production.

* Transportation: The finished steel is transported by rail from the ArchiMetal steel plant to ArchiCar's warehouse.

* Storage: The finished steel is stored in the ArchiCar Warehouse until it is required for the assembly process.

* Car Assembly: The conveyor belt moves the steel from the warehouse to the assembly plant, where cars are assembled on automated lines.

* Transportation (Specialized Trucks): Once assembled, the cars are transported to a distribution center using specialized trucks.

* Storage (Distribution Center): The finished cars are stored in the distribution center, awaiting delivery to customers.

* Application and Technology Components:

* Conveyor Belt: The transfer of finished steel between the warehouse and assembly plant is automated via the conveyor belt.

* Rail Transport and Specialized Trucks: Rail transport handles the movement of steel, and specialized trucks are used for car transportation to the distribution center.

* End-to-End Flow:

* The model needs to clearly depict the full process flow from the production of steel, through its transportation and storage, to the automated assembly of luxury cars and their eventual transportation to the distribution center.

* The relationships between processes (e.g., steel making, transportation, car assembly, and storage) must be clear and follow the logical flow of operations.

Why Option D is Correct:

- * Option D provides a clear and accurate representation of the end-to-end processes described in the scenario.
- * It begins with the steel-making process at the ArchiMetal steel plant and follows through with the transportation of the finished steel to the warehouse by rail transport.
- * The process of moving steel via the conveyor belt from the warehouse to the assembly plant for car manufacturing is clearly depicted.
- * Once cars are assembled, they are transported to the distribution center using specialized trucks and are then stored until delivery, completing the end-to-end flow.
- * The relationships between processes and supporting components (e.g., conveyor belt, transportation methods) are clearly illustrated, following ArchiMate® standards.

Why Other Options Are Incorrect:

- * Option A is incorrect because it misses some key elements of the process. It does not fully clarify the role of the warehouse or how the finished steel is transported between locations.
- * Option B misrepresents the process flow, particularly the storage and assembly process. The connection between steel production and car assembly is not as clearly illustrated.
- * Option C also lacks clarity in how the finished steel is moved from the warehouse to the assembly plant, and it does not accurately capture the flow of transportation and storage after car assembly.

Conclusion:

Option Dis the best answer because it provides the most complete and clear description of the end-to-end technology processes at ArchiCar, from raw materials (finished steel) to assembled luxury cars ready for delivery. It aligns well with the scenario and adheres to ArchiMate® 3.2 modeling standards, showing all necessary relationships between business processes and supporting components.

NEW QUESTION # 16

• • • • •

The time for OGA-032 test certification is approaching. If you do not prepare well for the The Open Group certification, please choose our OGA-032 exam test engine. You just need to spend 20-30 hours for study and preparation, then confident to attend the actual test. If you have any question about OGA-032 study pdf, please contact us at any time. The online chat button is at the right bottom of the FreeCram page. Besides, we guarantee money refund policy in case of failure.

Test OGA-032 Simulator Fee: <https://www.freecram.com/TheOpenGroup-certification/OGA-032-exam-dumps.html>

