


Easy to Use and Compatible Nutanix NCM-MCI Practice Test Formats



It is an incredible opportunity among all candidates fighting for the desirable exam outcome to have our NCM-MCI practice materials. With the help of our hardworking experts, our NCM-MCI exam braindumps have been on the front-front of this industry and help exam candidates around the world win in valuable time. With years of experience dealing with exam, they have thorough grasp of knowledge which appears clearly in our NCM-MCI Actual Exam. To choose us is to choose success!

What is the exam cost of the Nutanix NCM-MCI Exam

The NCM-MCI Certification Exam Cost is USD 199 for each attempt.

[>> Valid NCM-MCI Test Dumps <<](#)

Nutanix NCM-MCI Pass4sure Study Materials, NCM-MCI New Braindumps Pdf

The NCM-MCI quiz torrent we provide is compiled by experts with profound experiences according to the latest development in the theory and the practice so they are of great value. Please firstly try out our product before you decide to buy our product. It is worthy for you to buy our NCM-MCI exam preparation not only because it can help you pass the exam successfully but also because it saves your time and energy. If you buy our NCM-MCI Test Prep you will pass the exam easily and successfully, and you will realize your dream to find an ideal job and earn a high income.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions

(Q13-Q18):

NEW QUESTION # 13

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment. Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps: Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any


Source: Staging Environment


Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.





Name

Staging_Production

Purpose

Isolate Staging_Production

Isolate This Category

Environment: Staging

NUTANIX™

From This Category

Environment: Production

Apply the isolation only within a subset of the data center

Advanced Configuration

Policy Hit Logs

Disabled

Cancel

Apply Now

Save and Monitor

To enforce the policy, check the box next to the policy, choose Actions, then Apply.

NEW QUESTION # 14

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number os SQL VMs.

Note: Do not power on any VMs

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html

Name	VMs	Hosts	VM Compliance Status	Modified By	Last Modified
bugtestaffinity	2		2 Non Compliant	admin	Nov 25, 2022, 07:49 PM

NEW QUESTION # 15

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 16

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the

interval and retention values according to the requirements.

The screenshot shows the Nutanix AHV interface. On the left, there's a sidebar with 'Hypervisor Sum' and 'NUTANIX' branding, followed by 'AHV' and 'VERSION NUMBER 20201105.30'. Below that are 'Storage Summary' (4.15 TiB Total Capacity) and 'VM Summary' (40 VM(S)). The main area has a 'Central' tab with a 'Connect' button and a status '0.12.91'. A dropdown menu is open, showing options: Home, Health, VM, Storage, Network, Hardware, Data Protection (which is highlighted with a cursor), Analysis, Alerts, Tasks, LCM, and Settings. Below this, there are buttons for 'Suspend...' and 'Shutdown'. A large callout box titled '+ Protection Domain' contains the text 'Async DR' with a cursor icon, and the Nutanix logo. The text below explains what a protection domain is: 'A protection domain is a grouping of Virtual Machines for disaster recovery purposes. Enter a name (using alpha numeric characters only) for the protection domain you would like to create. You will then be guided into assigning Virtual Machines to it, and scheduling it.' A 'Name' input field is present with the value 'Mkt01-PD'.

Protection Domain

NUTANIX Name Entities Schedule

Unprotected Entities (49) ?

Mkt01

Protected

Search b

Auto protect related entities. ?

Protect Selected Entities (1) >

Previous Next

NUTANIX

Auto protect related entities. ?

Protect Selected Entities (1) < >

NUTANIX

Protected Entities (1)

Search by Entity Name

Search by CG Name

<input type="checkbox"/>	Entity Name	CG
<input type="checkbox"/>	Mkt01	NUTANIX

Unprotect Selected Entities

< Next

NUTANIX

New Schedule

Name Entities Schedule

Configure your local schedule

Repeat every minute(s) ?

Repeat every hour(s) ?

Repeat every day(s) ?

Repeat weekly

S M T W T F S

Repeat monthly

Day of month: ?

Start on at

End on at

 Create application consistent snapshots

Retention policy

 Local

Remote sites have not been defined for this cluster.

Cancel

Create Schedule

NEW QUESTION # 17

Task 10

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:

```

  "": [
    "'metadata' is a required property",
    "'spec' is a required property"
  ],
  "message": "Request could not be processed.",
  "reason": "INVALID_REQUEST"

```

* vCPUs: 2

* Memory: BGb

* Disk Size: 50Gb

* Cluster: Cluster A

* Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM.txt

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

acli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{  
    
  "spec": {  
    "name": "Test_Deploy",  
    "resources": {  
      "power_state": "OFF",  
      "num_vcpus_per_socket": ,  
      "num_sockets": 1,  
      "memory_size_mib": 8192,  
      "disk_list": [  
        {  
          "disk_size_mib": 51200,  
          "device_properties": {  
            "device_type": "DISK"  
          }  
        },  
        {  
          "device_properties": {  
            "device_type": "CDROM"  
          }  
        }  
      ],  
      "nic_list": [  
        {  
          "nic_type": "NORMAL_NIC",  
          "is_connected": true,  
          "ip_endpoint_list": [  
            {  
              "ip_type": "DHCP"  
            }  
          ],  
          "subnet_reference": {  
            "kind": "subnet",  
            "name": "default_net",  
            "uuid": "00000000-0000-0000-000000000000"  
          }  
        }  
      ],  
      "cluster_reference": {  
        "kind": "cluster",  
        "name": "NTNXDemo",  
        "uuid": "00000000-0000-0000-000000000000"  
      }  
    },  
    "cluster": {  
      "name": "NTNXDemo",  
      "uuid": "00000000-0000-0000-000000000000"  
    }  
  },  
  "cluster": {  
    "name": "NTNXDemo",  
    "uuid": "00000000-0000-0000-000000000000"  
  }  
}
```

```
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
}
}
```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

NEW QUESTION # 18

.....

This NCM-MCI exam prep material has been prepared under the expert surveillance of 90,000 highly experienced IT professionals worldwide. This updated and highly reliable ITdumpsfree product consists of 3 prep formats: Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) dumps PDF, desktop practice exam software, and browser-based mock exam. Each format specializes in a specific study style and offers unique benefits, each of which is crucial to good Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) exam preparation. The specs of each Nutanix NCM-MCI exam questions format are listed below, you may select any of them as per your requirements.

NCM-MCI Pass4sure Study Materials: <https://www.itdumpsfree.com/NCM-MCI-exam-passed.html>

Nutanix Valid NCM-MCI Test Dumps Trust us and you will get what you are dreaming. If you buy our NCM-MCI exam questions and answers, you can get the right of free update NCM-MCI exam prep one-year. Our NCM-MCI exam questions are valuable and useful and if you buy our NCM-MCI study materials will provide first-rate service to you to make you satisfied. After using our NCM-MCI practice materials, you will have instinctive intuition to conquer all problems and difficulties in your review.

Peachpit: What inspired you to write this book, A similar File icon is displayed NCM-MCI to the right of presentation file listings for PowerPoint presentations currently stored within your iPad when you tap on the Open command icon.

2026 Reliable 100% Free NCM-MCI – 100% Free Valid Test Dumps | NCM-MCI Pass4sure Study Materials

Trust us and you will get what you are dreaming. If you buy our NCM-MCI Exam Questions And Answers, you can get the right of free update NCM-MCI exam prep one-year.

Our NCM-MCI exam questions are valuable and useful and if you buy our NCM-MCI study materials will provide first-rate service to you to make you satisfied.

After using our NCM-MCI practice materials, you will have instinctive intuition to conquer all problems and difficulties in your review. Maybe this problem can be solved today, if you are willing to spend a few minutes to try our NCM-MCI actual exam.

- NCM-MCI Certification Dump □ Reliable NCM-MCI Dumps Book □ Regular NCM-MCI Update □ □ www.verifieddumps.com □ is best website to obtain (NCM-MCI) for free download □ Customized NCM-MCI Lab Simulation
- NCM-MCI Downloadable PDF □ Reliable NCM-MCI Dumps Book □ NCM-MCI Latest Test Cram □ Search for □ NCM-MCI □ and easily obtain a free download on ➤ www.pdfvce.com □ ↗ NCM-MCI Latest Test Cram
- Nutanix NCM-MCI Desktop Practice Exam Software □ Easily obtain □ NCM-MCI □ for free download through (www.torrentvce.com) □ Valid NCM-MCI Test Materials
- NCM-MCI Practice Exams □ NCM-MCI Latest Study Plan □ NCM-MCI Latest Study Plan □ Copy URL { www.pdfvce.com } open and search for { NCM-MCI } to download for free □ Sample NCM-MCI Test Online
- Reliable NCM-MCI Dumps Ppt □ NCM-MCI Valid Exam Vce Free □ NCM-MCI Exam Preview □ Open (www.prepawayexam.com) enter ➤ NCM-MCI ↳ and obtain a free download □ Practice NCM-MCI Test Engine
- 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 High Hit-Rate Valid Test Dumps □ Search for ➤ NCM-MCI □ and obtain a free download on ➡ www.pdfvce.com ⇄ □ Exam NCM-MCI Preparation
- Exam NCM-MCI Preparation □ Customized NCM-MCI Lab Simulation □ NCM-MCI Latest Study Plan □ Easily obtain free download of □ NCM-MCI □ by searching on ➡ www.dumpsmaterials.com □ □ Sample NCM-MCI Test Online
- Exam NCM-MCI Preparation ↗ NCM-MCI Valid Exam Vce Free □ NCM-MCI Practice Exams □ Easily obtain free download of ➡ NCM-MCI □ by searching on ↗ www.pdfvce.com ↗ ↗ □ Valid NCM-MCI Test Materials
- NCM-MCI Latest Dumps Pdf □ Test NCM-MCI Practice □ Dump NCM-MCI Collection □ The page for free download of { NCM-MCI } on [www.dumpsquestion.com] will open immediately □ Reliable NCM-MCI Dumps Ppt
- Customized NCM-MCI Lab Simulation □ NCM-MCI Latest Test Cram □ NCM-MCI Downloadable PDF □ Copy

URL www.pdfvce.com ☐ open and search for (NCM-MCI) to download for free ☐ Test NCM-MCI Practice