

Neueste Implementing Cisco Enterprise Advanced Routing and Services Prüfung pdf & 300-410 Prüfung Torrent



Implementing Cisco Enterprise Advanced Routing and Services v1.1 (300-410)

Exam Description: Implementing Cisco Enterprise Advanced Routing and Services v1.1 (ENARS) 300-410 is a 90-minute exam associated with the CCNP Enterprise Certification. This exam certifies a candidate's knowledge for implementation and troubleshooting of advanced routing technologies and services including Layer 3, VPN services, infrastructure security, infrastructure services, and infrastructure automation. The course, Implementing Cisco Enterprise Advanced Routing and Services, helps candidates to prepare for this exam.

The following topics are general guidelines for the content likely to be included on the exam. However, other related topics may also appear on any specific delivery of the exam. To better reflect the contents of the exam and for clarity purposes, the guidelines below may change at any time without notice.

- 35% 1.0 Layer 3 Technologies
 - 1.1 Troubleshoot administrative distance (all routing protocols)
 - 1.2 Troubleshoot route map for any routing protocol (attributes, tagging, filtering)
 - 1.3 Troubleshoot loop prevention mechanisms (filtering, tagging, split horizon, route poisoning)
 - 1.4 Troubleshoot redistribution between any routing protocols or routing sources
 - 1.5 Troubleshoot manual and auto-summation with any routing protocol
 - 1.6 Configure and verify policy-based routing
 - 1.7 Configure and verify VRF-Lite
 - 1.8 Describe Bidirectional Forwarding Detection
 - 1.9 Troubleshoot EIGRP (classic and named mode; VRF and global)
 - 1.9.a Address families (IPv4, IPv6)
 - 1.9.b Neighbor relationship and authentication
 - 1.9.c Loop-free path selections (RD, FD, FC, successor, feasible successor, stuck in active)
 - 1.9.d Stubs
 - 1.9.e Load balancing (equal and unequal cost)
 - 1.9.f Metrics
 - 1.10 Troubleshoot OSPF (v2/v3)
 - 1.10.a Address families (IPv4, IPv6)
 - 1.10.b Neighbor relationship and authentication
 - 1.10.c Network types, area types, and router types
 - 1.10.c.i Point-to-point, multipoint, broadcast, nonbroadcast
 - 1.10.c.ii Area type: backbone, normal, transit, stub, NSSA, totally stub
 - 1.10.c.iii Internal router, backbone router, ABR, ASBR
 - 1.10.c.iv Virtual link
 - 1.10.d Path preference
 - 1.11 Troubleshoot BGP (Internal and External, unicast, and VRF-Lite)

Übrigens, Sie können die vollständige Version der ZertSoft 300-410 Prüfungsfragen aus dem Cloud-Speicher herunterladen:
<https://drive.google.com/open?id=1SftAHRDsusIZtdEMgppRnofRPkLeJGtK>

Wissen Sie Cisco 300-410 Dumps von ZertSoft? Warum sind diese Dumps von den Benutzern gut bewertet? Wollen Sie diese Dumps probieren? Klicken Sie bitte ZertSoft Website und die Demo herunterladen. Und jedr Fragenkatalog hat eine kostenlose Demo. Wenn Sie es gut finden, können Sie diese Dumps sofort kaufen. Nach dem Kauf können Sie auch einen einjährigen kostenlosen Aktualisierungsservice bekommen. Innerhalb eines Jahres können Sie die neuesten Cisco 300-410 Prüfungsunterlagen besitzen. Damit können Sie Cisco 300-410 Zertifizierungsprüfung sehr leicht bestehen und dieses Zertifikat bekommen.

Um die Cisco 300-410 Zertifizierungsprüfung zu bestehen, brauchen Sie viel Zeit und Energie. Dabei müssen Sie auch großes Risiko tragen. Wenn Sie ZertSoft wählen, können Sie mit wenigem Geld die Cisco 300-410 Prüfung einmal bestehen. Ich meine, dass ZertSoft heutzutage die beste Wahl für Sie ist, wo die Zeit sehr geschätzt wird. Außerdem ist ZertSoft eine der vielen Websites, die Ihnen einen bestmöglichen Garant bietet. Wenn Sie ZertSoft wählen, kommt der Erfolg auf Sie zu.

>> 300-410 Prüfung <<

300-410 Fragenpool, 300-410 Zertifizierungsantworten

Cisco 300-410 ist eine der wichtigsten Zertifizierungsprüfungen. Im ZertSoft bearbeiten die IT-Experten durch ihre langjährige

Erfahrungen und professionellen IT-Know-how Lernmaterialien, um den Kandidaten zu helfen, die 300-410 Zertifizierung erfolgreich zu bestehen. Mit den Lernmaterialien von ZertSoft können Sie 100% die Cisco 300-410 Prüfung bestehen. Außerdem bieten wir Ihnen auch einen einjährigen kostenlosen Update-Service.

Die Cisco 300-410-Prüfung deckt eine Reihe von Themen im Zusammenhang mit der Routing und den Diensten des Unternehmensnetzwerks ab. Dazu gehören erweiterte Routing -Protokolle wie BGP, OSPF und EIGRP sowie Netzwerkdienste wie VPNs, QoS und Netzwerkautomatisierung. Die Prüfung deckt auch andere kritische Unternehmenstechnologien wie das Cisco DNA Center, SD-Wan und Cisco ACI ab. Um die Prüfung zu bestehen, müssen die Kandidaten diese Technologien und die Fähigkeit, sie auf reale Netzwerkszenarien anzuwenden, ein tiefes Verständnis haben.

Die Cisco 300-410-Prüfung ist eine Prognoseprüfung, die aus 60-70 Multiple-Choice-Fragen besteht. Die Kandidaten haben 90 Minuten Zeit, um die Prüfung abzuschließen. Die Prüfung ist in Englisch und Japanisch erhältlich. Um die Prüfung zu bestehen, müssen die Kandidaten mindestens 825 von 1000 erzielen. Die Prüfungsgebühr beträgt 400 USD.

Die CISCO 300-410-Prüfung deckt eine Reihe fortschrittlicher Themen ab, einschließlich der Implementierung und Fehlerbehebung fortschrittlicher Routing-Technologien, der Implementierung und Verwaltung von VPN-Diensten, der Implementierung und Fehlerbehebung mit fortgeschrittenem EIGRP-, OSPF- und BGP-Routing sowie der Implementierung und Fehlerbehebung von Multicast-Protokollen. Die Kandidaten müssen diese Themen ein tiefes Verständnis haben, um diese Prüfung erfolgreich zu bestehen.

Cisco Implementing Cisco Enterprise Advanced Routing and Services 300-410 Prüfungsfragen mit Lösungen (Q357-Q362):

357. Frage


An engineer must override the normal routing behavior of a router for Telnet traffic that is destined to 10.10.10.10 from 10.10.1.0/24 via a next hop of 10.4.4.4. which is directly connected to the router that is connected to the 10.1.1.0/24 subnet Which configuration reroutes traffic according to this requirement?



- A. Option A
- **B. Option B**
- C. Option C
- D. Option D

Antwort: B

358. Frage



Router R1 Output:

R1#show ip ospf neighbor

Neighbor ID	Pri	State	Dead Time	Address	Interface
192.168.123.2	1	FULL/BDR	00:00:32	192.168.123.2	FastEthernet0/0
192.168.123.3	1	FULL/DR	00:00:31	192.168.123.3	FastEthernet0/0

Router R2 Output:

R2#show ip ospf neighbor

Neighbor ID	Pri	State	Dead Time	Address	Interface
192.168.123.1	1	FULL/DROTHER	00:00:31	192.168.123.1	FastEthernet0/0
192.168.123.3	1	FULL/DR	00:00:32	192.168.123.3	FastEthernet0/0

Router R3 Output:

R3#show ip ospf neighbor

Neighbor ID	Pri	State	Dead Time	Address	Interface
192.168.123.1	1	FULL/DROTHER	00:00:31	192.168.123.1	FastEthernet0/0
192.168.123.3	1	FULL/DR	00:00:32	192.168.123.3	FastEthernet0/0

Router R3 Output:

R3#show ip ospf neighbor

Neighbor ID	Pri	State	Dead Time	Address	Interface
192.168.123.1	1	FULL/DROTHER	00:00:36	192.168.123.1	FastEthernet0/0
192.168.123.2	1	FULL/BDR	00:00:39	192.168.123.2	FastEthernet0/0


Refer to the exhibit. An administrator wanted to make R1 always elected as DR, R2 as BDR, and R3 as DROTHER but could not achieve the desired results. Which two configurations resolve the issue? (Choose two.)

- A. On the R3 F0/0 interface, configure OSPF priority to 201.
- B. On the R2 F0/0 interface, configure OSPF priority to 201.
- C. On the R2 F0/0 interface, configure OSPF priority to 200.
- D. On the R1 F0/0 interface, configure OSPF priority to 255.
- E. On the R1 F0/0 interface, configure OSPF priority to 202.

Antwort: A,D

359. Frage

Refer to the exhibit. A network administrator is trying to switch to the privileged EXEC level on R1 but failed. Which configuration resolves the issue?




- A. enable-password Cisco@123
- B. Enable password Cisco@123
- C. tacass server enable-password Cisco@123
- D. tacacs-server enable-password Cisco@123

Antwort: A

360. Frage

Refer to the exhibit. R5 should not receive any routes originated in the EIGRP domain.

Which set of configuration changes removes the EIGRP routes from the R5 routing table to fix the issue?



- A. R4
 route-map O2R deny 10
 match tag 111
 route-map O2R permit 20

```
!  
router rip  
redistribute ospf 1 route-map O2R metric 1
```

- B. R4
route-map O2R permit 10
match tag 111
route-map O2R deny 20
!
router rip
redistribute ospf 1 route-map O2R metric 1
- C. R4
route-map O2R deny 10
match tag 111
!
router rip
redistribute ospf 1 route-map O2R metric 1
- D. R2
route-map E20 deny 20
R4
route-map O2R deny 10
match tag 111
!
router rip
redistribute ospf 1 route-map O2R metric 1

Antwort: A

361. Frage

Refer to the exhibit.

```
R1(config) # do show running-config | section line|username  
username cisco secret 5 $1$yb/o$L3G5cXODxpYMSJ70PzEyo0  
line con 0  
  logging synchronous  
line vty 0 4  
  login local  
  transport input telnet  
R1(config) # logging console 7  
R1(config) # do debug aaa authentication  
R1(config) #
```

An administrator that is connected to the console does not see debug messages when remote users log in. Which action ensures that debug messages are displayed for remote logins?

- A. Enter the terminal monitor exec command.
- **B. Enter the logging console debugging configuration command.**
- C. Enter the transport input ssh configuration command.
- D. Enter the aaa new-model configuration command.

Antwort: B

Begründung:

Explanation

• • • • •

300-410 Fragenpool: <https://www.zertsoft.com/300-410-pruefungsfragen.html>

- P.S. Kostenlose 2025 Cisco 300-410 Prüfungsfragen sind auf Google Drive freigegeben von ZertSoft verfügbar:
<https://drive.google.com/open?id=1SffAHRDsusIZtdEMgppRnofRPkLeJgTK>