


# OGA-032 Valid Exam Dumps - Reliable OGA-032 Exam Price



In order to help customers study with the paper style, our OGA-032 test torrent support the printing of page. We will provide you with three different versions, the PDF version allow you to switch our OGA-032 study torrent on paper. You just need to download the PDF version of our OGA-032 Exam Prep, and then you will have the right to switch study materials on paper. We believe it will be more convenient for you to make notes. And you can be assured to download the version of our OGA-032 study torrent.

You can check the quality and features of ArchiMate 3 Part 2 Exam OGA-032 exam dumps. However, if you do not pass the ArchiMate 3 Part 2 Exam exam even after properly using the ArchiMate 3 Part 2 Exam OGA-032 pdf questions and practice tests Pass4sureCert also gives a money-back guarantee. So, it is a good decision to purchase The Open Group OGA-032 Latest Dumps from Pass4sureCert. It will help you to achieve the best results in the actual The Open Group OGA-032 test.

>> OGA-032 Valid Exam Dumps <<

## Reliable OGA-032 Exam Price & Latest OGA-032 Braindumps Free

Unlike many other learning materials, our ArchiMate 3 Part 2 Exam guide torrent is specially designed to help people pass the exam in a more productive and time-saving way. On the other hand, OGA-032 exam study materials are aimed to help users make best use of their sporadic time by adopting flexible and safe study access. People always tend to neglect the great power of accumulation, thus the OGA-032 Certification guide can not only benefit one's learning process but also help people develop a good habit of preventing delays. Our OGA-032 exam questions will help you obtain the certification.

## The Open Group ArchiMate 3 Part 2 Exam Sample Questions (Q10-Q15):

### NEW QUESTION # 10

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center.

Located in an area prone

to flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities.

To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors is required to proceed with the project.

The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial. However, several constraints make the planned migration to the new data centers particularly challenging. Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to specific four-hour windows on weekends. Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.


ArchiSurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each

phase is critical for establishing stable and fully functional data center configurations throughout the transformation process. The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiSurance's timing and scheduling requirements. During the second phase, ArchiSurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.


Refer to the Scenario

The program manager overseeing the data center transformation has asked you to model an outline of the implementation plan which has three stable states defined. You should show the deliverables associated with each plateau in connection with the physical elements. Additionally, you need to show how each phase contributes to achieving a stable state for the data center transformation. Which of the following answers provides the best description?


- A. A diagram of a data processing process Description automatically generated




- B. A diagram of a data center Description automatically generated



- C. A diagram of a software process Description automatically generated



- D. A diagram of a software system Description automatically generated



## Answer: A

### Explanation:

This question focuses on modeling the implementation plan for the data center transformation at ArchiSurance. The goal is to represent how the different phases of the project contribute to achieving the three stable states, or plateaus, while illustrating the deliverables connected to these plateaus and the physical elements involved.

### Key ArchiMate® 3.2 Concepts Applied:

- \* Plateaus: Plateaus represent intermediate stable states within an architecture transformation, showing the condition of the architecture at specific moments in time. In this scenario, the plateaus correspond to the stable data center configurations at different phases:

- \* Plateau 1: Only the old data center is in use.

- \* Plateau 2: Both the old and new data centers are in use simultaneously.

- \* Plateau 3: Only the new data center is in use, and the old data center is fully decommissioned.

- \* Physical Elements: These refer to the data centers, hardware, software, and networks that make up the infrastructure being migrated. These should be clearly depicted in connection with each phase of the transformation program.

- \* Deliverables and Phases: Each phase of the transformation process includes specific deliverables, such as:

- \* Procurement of new hardware and software.

- \* Setting up and testing the new data centers.

- \* Transitioning between the old and new data centers.

- \* Dismantling the old data center and returning its hardware for refunds.

- \* Work Packages and Dependencies: Work packages represent activities or tasks in ArchiMate® and are connected to the plateaus. These must be modeled with proper sequencing, showing how each phase contributes to reaching the next stable state.

### Why Option A is Correct:

- \* Option A accurately represents the three plateaus (stable states) and clearly illustrates the deliverables (e.g., the new data center, tested hardware and software, and dismantled old data center) in relation to each phase of the transformation.

- \* The connections between the physical elements (such as the centralized data center, distributed data center, and backup data center) are properly displayed and aligned with the described multi-phase process.

- \* The phases are laid out logically, showing how each phase (e.g., procurement, testing, transition) leads to the next stable state (plateau), following the principles of a plateau and work package transformation in ArchiMate®.

- \* The flow of deliverables from one plateau to the next is consistent with the need for dependencies (e.g., the new data center cannot be fully active until the hardware and software have been tested in parallel).

### Why Other Options Are Incorrect:

- \* Option B and Option D do not show the relationships between the phases and the stable states as clearly as Option A. They lack some critical connections or do not accurately represent the progression between plateaus and the physical infrastructure.

- \* Option C is closer but misses important sequencing in how the work packages (activities) and plateaus interact, leading to an incomplete representation of the transformation.

### Conclusion:

Option A provides the most complete and accurate description based on ArchiMate® 3.2 modeling principles.

It correctly demonstrates how each phase of the data center transformation contributes to achieving the stable states (plateaus) and ensures that the physical elements, work packages, and deliverables are properly aligned.

## NEW QUESTION # 11

Please read this scenario prior to answering the question.

The ArchiSurance enterprise document management solution includes a sophisticated ecosystem of applications and technologies. Designed with a strong emphasis on high availability, it plays a vital role in providing support for a diverse range of document types and managing a substantial volume of document-based transactions on a daily basis.

Recognizing its importance to the business, the document management solution is redundantly hosted at two geographically separate data center sites, both configured identically for seamless operations.

The system software at the core of the document management solution is comprised of three key modules.

The Document Engine serves as a repository, facilitating document storage, retrieval, and various other operations. The Workflow Engine acts as a host for document management applications, while the Application Engine powers the most advanced and sophisticated applications within the system.


Two key factors have driven the Architecture Board's approval of a project aimed at updating this critical solution. Firstly, the supplier of the Workflow Engine has given notice of the end of support for the current software version, necessitating an upgrade. Secondly, the system administrator responsible for the Application Engine has flagged the need for hardware replacement on the server where the software is currently running. Given that the Claim Management application shares infrastructure with the Application Engine, the involvement of the system administrator responsible for this application is crucial in the project planning and execution.

### Refer to the Scenario


You are the Enterprise Architect within this organization. You have been assigned the task of modeling the applications and

technology for this solution, as well as outlining the motivations driving the need for its update.  
Based on the scenario, which answer provides the most complete and accurate description?


- A. A diagram of a software project Description automatically generated



- B. A diagram of software development Description automatically generated



- C. A diagram of software development Description automatically generated



- D. A diagram of software development Description automatically generated





required hardware replacement.

\* Option C omits some key details regarding how the Claim Management Application and Document Management Solution components interact with the system, particularly the Claim Assignment Business Rules Data and Proof of Loss Data.

Conclusion:

Option D is the best answer because it offers the most complete and accurate representation of the applications, technology infrastructure, and drivers for the update project. It clearly illustrates how the Claim Management and Document Management systems work together, along with the necessary infrastructure updates, in line with ArchiMate® 3.2 modeling standards.

## NEW QUESTION # 12

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center.

Located in an area prone to

flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities.

To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors is required to proceed with the project.

The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial. However, several constraints make the planned migration to the new data centers particularly challenging. Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to specific four-hour windows on weekends. Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.

ArchiSurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each phase is critical for establishing stable and fully functional data center configurations throughout the transformation process.

The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiSurance's timing and scheduling requirements. During the second phase, ArchiSurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.


Refer to the Scenario

The IT department's leader has assigned you the task of creating a model to explain the rationale behind ArchiSurance's decision to transform its data center infrastructure. The model should show the concerns and motivations of the stakeholders involved.


Additionally, it should outline the specific goals to be achieved through the data center transformation program, the associated deliverables, and the limitations that must be considered throughout the program's implementation.

Which of the following answers provides the best explanation?


- A. A diagram of a data center AI-generated content may be incorrect.




- B. A diagram of data center AI-generated content may be incorrect.



- C. A diagram of data center AI-generated content may be incorrect.



- D. A diagram of a data center AI-generated content may be incorrect.



**Answer: B**

Explanation:

We need to identify the most accurate and complete model that explains:

- \* Stakeholder Concerns & Motivations- Including senior management, board members, customers, and stockholders.
- \* Objectives & Goals- Reducing business risks, minimizing downtime, and reassuring stakeholders.
- \* Deliverables- The transition to two new data centers and data center transformation program.
- \* Constraints & Requirements- Planned downtime limits, critical application uptime requirements, and scheduling constraints.



Why C is the Best Choice:

#Includes all stakeholder concerns- Clearly represents business continuity risks and the rationale for transitioning to two new data centers. #Clearly defines the objectives- Reducing downtime and risk of business interruption. #Shows key constraints-

\* Critical applications cannot be offline for more than one hour.

\* Downtime must be in four-hour weekend windows.

\* The migration must avoid closing periods. #Links deliverables to objectives- The data center transformation program and new data centers are clearly positioned as solutions. #Represents dependencies correctly- Showing how each motivation leads to a goal, which leads to a deliverable.

Why Not A, B, or D?

\* A: Does not establish a strong link between the concerns and the solution clearly enough.

\* B: The structure does not align well with the scenario requirements, and some constraints and dependencies are missing.

\* D: Overcomplicates some relationships and does not emphasize stakeholder concerns effectively.

### NEW QUESTION # 13

Please read this scenario prior to answering the question

ArchiCar has been a market leader in the premium priced luxury car sector for the last decade. Its product leadership strategy has brought superior products to market, and enabled ArchiCar to achieve premium prices for its cars. This strategy has been widely successful in the past, but recently competitors have been offering comparable products and taking significant market share. The governing board of ArchiCar has identified opportunities in emerging markets where the ArchiCar brand is associated with luxury and high performance products, but is thought to be too expensive for mass-market success.

Based on this assessment, the board has made the decision to setup a subsidiary company to mass-produce affordable cars locally. This will be achieved by focusing on a strategy of operational excellence. Such a strategy is ideal for such markets where customers value cost over other factors.

To facilitate this strategic transformation, the project has been divided into multiple phases within a five-year program. The initial phase, known as "Achieving Operational Excellence," is underway. The engineering team has begun devising an action plan to drive the necessary changes and outlining the technological conditions that must be met. The product architect has identified three current capabilities - industry-leading engineering, high-quality materials sourcing, and cutting-edge focussed R&D - along with their contributions to the new production philosophy.

Moving forward, it has been determined that two out of the three current capabilities require revision.

Materials sourcing needs to be adjusted to meet optimization demands, and R&D targets must align with future goals to enable affordable production.

Additionally, process engineering is introduced as a fourth capability to shift the company's focus from products to a process-oriented approach.

The Enterprise Architecture team has been tasked with migration planning, and identifying key work packages and deliverables. They have identified two transition states between the current and future scenario. The first transition aims to adjust current capabilities, including revising the R&D approach and procurement strategy. The second transition aims to shift from a product-centric mindset to a process-focused approach and adjust materials sourcing accordingly.


It is important to consider existing supplier contracts that cannot be immediately canceled during this process.

The Enterprise Architecture team has identified that the second transition must implement a process framework, in order to shift to a process focus and meet a number of requirements, including the requirement for end-to-end process thinking. As this requirement impacts procurement processes, it also impacts the procurement strategy.

Refer to the Scenario


You have been tasked with modeling the current capabilities of ArchiCar, identifying the capabilities necessary for the company to achieve Operational Excellence, and showing the motivations behind these changes Which of the following models best answers this?

- A. A diagram of a process AI-generated content may be incorrect.




- B. A diagram of a process AI-generated content may be incorrect.






- C. A diagram of a process AI-generated content may be incorrect.



- D. A diagram of a process AI-generated content may be incorrect.



**Answer: B**

Explanation:

We need to find the model that best represents:

- \* Current Capabilities- Industry-leading engineering, high-quality materials sourcing, and cutting-edge focused R&D.
- \* Strategic Shift- Moving from product leadership to operational excellence to enter emerging markets.
- \* Required Changes-
  - \* Adjusting R&D targets to support cost-effective production.
  - \* Revising materials sourcing for optimization.
  - \* Introducing process engineering to enable a process-oriented mindset.
- \* Motivations Behind the Changes-
  - \* Competitor pressure.
  - \* Emerging market opportunities.
  - \* High costs limiting mass-market success.

Why D is the Best Choice:

#Includes all current and future capabilities- Shows the existing strengths of engineering, R&D, and materials sourcing while introducing process engineering as required for operational excellence. #Clearly depicts the shift in strategy- From product leadership to operational excellence and the necessary transformations. #Captures stakeholder concerns and motivations- Including competition, cost concerns, and emerging market opportunities. #Represents dependencies and sequencing correctly- Reflecting how each capability change contributes to the transition states and ultimate business goals.

Why Not A, B, or C?

- \* A: Does not properly represent the transition between product leadership and operational excellence.
- \* B: Fails to clearly define the required capability changes and motivations.
- \* C: Lacks key relationships between strategy shifts and operational changes.

## NEW QUESTION # 14

Please read this scenario prior to answering the question

ArchiSurance has decided to leverage its financial expertise by offering defined contribution retirement plans.

Each trading day, ArchiSurance submits consolidated mutual fund trading transactions to a stock exchange on behalf of its retirement plan participants.

The daily mutual fund trading cycle consists of four key processes: Transaction capture, pricing, trading and reconciliation. Transaction capture consists of two sub-processes: manual exchange and loans and distributions (L&D). For transaction capture, retirement plan participants use an online account management application to enter manual fund exchange transactions. For L&D, plan participants use a separate application to enter requests. The L&D application determines whether the request can be fulfilled based on the mutual fund balances held in each plan balances and a set of business rules. Each day's captured manual exchange transactions accumulate in a transaction database.

ArchiSurance contracts with a third-party information service to receive a file of mutual fund prices at the close of each trading day. The pricing application uses this file to convert captured transaction into trades, and then validates each trade against the mutual fund balances held in each plan. The pricing application generates a trade file with the minimum number of trades necessary. The trading application sends this file to an external trading service. When the trading application receives a confirmation file back from the trading service, it passes it to the reconciliation application, which updates the plan recordkeeping database.

The lead application Architect has decided to merge the pricing application, the trading application and the reconciliation application into one application, which will be serving the pricing, trading and reconciliation processes respectively. The reason for this is that maintenance costs for these three components are too high and the performance is too slow. This implementation will increase the performance and lower the maintenance cost significantly.


The CIO has agreed on this plan, but wants this to be done in two phases, each in a separate project. Phase 1 should include the merger of the Trading and Pricing applications. Phase 2 should then merge the merged applications with the Reconciliation application respectively. Each project phase has a number of defined deliverables. Phase 1 has two deliverables, 'TraPri application implemented and tested' and 'Active TraPri application', which together form a first transition architecture. Phase 2 has two deliverables, 'Recon 2.0 application implemented and tested' and 'Back-up applications phased out', which together form the second transition architecture. These two projects are part of the ArchiSurance application integration program scheduled for the next 6 months.

Refer to the Scenario


You have been asked by the lead application architect to show how the applications used for daily trading can be migrated. This should include a description of the work packages, deliverables and transition architectures.

Which of the following answers best describes the applications and migration plan?


- A. A diagram of a process AI-generated content may be incorrect.




- B. A diagram of a process flow AI-generated content may be incorrect.



- C. A diagram of a trading application AI-generated content may be incorrect.



- D. A diagram of a process flow AI-generated content may be incorrect.



**Answer: B**

Explanation:

We need to determine the best model that:

- \* Shows the current applications and their functions- Pricing, Trading, and Reconciliation applications.
- \* Represents the migration phases-
- \* Phase 1: Merges the Trading and Pricing applications into TraPri.
- \* Phase 2: Merges TraPri with the Reconciliation application to create Recon 2.0.
- \* Includes transition architectures- Each phase has distinct deliverables marking the transition from old applications to new merged applications.
- \* Shows the work packages and dependencies- The sequence of activities leading to the final implementation.

Why D is the Best Choice:

#Clearly distinguishes baseline (existing) applications and the new applications after the migration. # Illustrates the two transition states correctly-

- \* First transition: Implementation and activation of the TraPri application.
- \* Second transition: Implementation of Recon 2.0 and phase-out of backup applications. #Depicts the migration process sequentially- Ensuring a clear understanding of how the applications evolve over time. #Work packages and deliverables are well structured- Aligning with the phases described in the scenario.

Why Not A, B, or C?

- \* A: Does not correctly represent the transition phases and their deliverables.
- \* B: Lacks clarity in differentiating baseline applications from transition architectures.
- \* C: Misrepresents dependencies and transition states, making the migration process unclear.

## NEW QUESTION # 15

.....

Don't waste much more time on preparing for a test. Hurry to purchase Pass4sureCert The Open Group OGA-032 certification training dumps. With the exam dumps, you will know how to effectively prepare for your exam. This is precious tool that can let you sail through OGA-032 test with no mistakes. Missing the chance, I am sure you must regret it. Thus, don't hesitate and act quickly.



- [illegible]