


Aktuelle Microsoft AZ-120 Prüfung pdf Torrent für AZ-120 Examen Erfolg prep



Außerdem sind jetzt einige Teile dieser ExamFragen AZ-120 Prüfungsfragen kostenlos erhältlich: <https://drive.google.com/open?id=1LByaL1Ze1vriY8Xz2wd-jy5yJKYjukyf>

Die Examfragen zur Microsoft AZ-120 Zertifizierungsprüfung von ExamFragen ist von den IT-Experten verifiziert und überprüft. Die Fragen und Antworten zur Microsoft AZ-120 Zertifizierungsprüfung sind die von der Praxis überprüfte Software und die Schulungsinstrumente. In ExamFragen werden Sie die besten Zertifizierungsmaterialien finden, die originale Fragen und Antworten enthalten. Unsere Materialien bieten Ihnen die Chance, die echten Übungen zu machen. Endlich werden Sie Ihr Ziel, nämlich die Microsoft AZ-120 Zertifizierungsprüfung zu bestehen, erreichen.

Die Prüfung ist in mehrere Abschnitte unterteilt, darunter Planung und Konfiguration der Azure-Infrastruktur für SAP-Workloads, Bereitstellung und Verwaltung von SAP HANA in Azure sowie Optimierung der Azure-Infrastruktur für SAP-Anwendungen. Die Kandidaten müssen ihre Fähigkeit zur Konfiguration von Azure Virtual Machines, zum Design von Azure-Speicherlösungen und zur Verwaltung von Azure-Netzwerken demonstrieren. Sie müssen auch ihr Wissen über SAP HANA-Bereitstellungsszenarien, Leistungsoptimierungstechniken und Katastrophenwiederherstellungsstrategien zeigen.

>> AZ-120 Online Prüfung <<

Microsoft AZ-120: Planning and Administering Microsoft Azure for SAP Workloads braindumps PDF & Testking echter Test

Die Microsoft AZ-120 Zertifizierungsprüfung ist eine der wertvollsten zeitgenössischen Zertifizierungsprüfung. In den letzten Jahrzehnten ist die Computer-Ausbildung schon ein Fokus geworden. Sie ist ein notwendiger Bestandteil der Informations-Technologie im IT-Bereich. So legen viele IT-fachleute diese Prüfung ab, um ihr Wissen zu erweitern und einen Durchbruch in allen Bereichen zu verschaffen. Und unsere Fragen und Antworten zur Microsoft AZ-120 Zertifizierungsprüfung sind genau das, was sie brauchen. Dennoch ist es schwer, diesen Test zu bestehen. Wählen Sie die entsprechende Abkürzung, um Erfolg zu garantieren. Wählen Sie ExamFragen, kommt der Erfolg auf Sie zu. Die Fragen und Antworten zur Microsoft AZ-120 Zertifizierung von ExamFragen werden von den IT-Eliten nach ihren Erfahrungen und Praxien bearbeitet und haben die Zertifizierungserfahrung von mehr als zehn Jahren.

Microsoft Planning and Administering Microsoft Azure for SAP Workloads AZ-120 Prüfungsfragen mit Lösungen (Q64-Q69):

64. Frage

You plan to migrate an on-premises SAP environment to Azure.

You need to identify whether any SAP application servers host multiple SAP system identifiers (SIDs).

What should you do?

- **A. Run the SAP Report from ABAPMeter.**
- B. From the SAP EarlyWatch Alert report, compare the physical host names to the virtual host names.
- C. Run SAP HANA A sizing report.
- D. From the SAP EarlyWatch Alert report, compare the services to the reference objects

Antwort: A

Begründung:

Topic 1, Contoso Ltd

Existing Environment

Active Directory

The network contains an on-premises Active Directory domain named ad.contoso.com. User email addresses use a domain name of contoso.com.

SAP Environment

The current SAP environment contains the following components:

SAP Solution Manager

SAP ERP Central Component (SAP ECC)

SAP Supply Chain Management (SAP SCM)

SAP application servers that run Windows Server 2008 R2

SAP HANA database servers that run SUSE Linux Enterprise Server 12 (SLES 12) Problem Statements Contoso identifies the following issues in its current environment:

The SAP HANA environment lacks adequate resources.

The Windows servers are nearing the end of support.

The datacenters are at maximum capacity.

Requirements

Planned Changes

Contoso identifies the following planned changes:

Deploy Azure Virtual WAN.

Migrate the application servers to Windows Server 2016.

Deploy ExpressRoute connections to all of the offices and manufacturing facilities.

Deploy SAP landscapes to Azure for development, quality assurance, and production.

All resources for the production landscape will be in a resource group named SAPProduction.

Business goals

Contoso identifies the following business goals:

Minimize costs whenever possible.

Migrate SAP to Azure without causing downtime.

Ensure that all SAP deployments to Azure are supported by SAP.

Ensure that all the production databases can withstand the failure of an Azure region.

Ensure that all the production application servers can restore daily backups from the last 21 days.

Technical Requirements

Contoso identifies the following technical requirements:

Inspect all web queries.

Deploy an SAP HANA cluster to two datacenters.

Minimize the bandwidth used for database synchronization.

Use Active Directory accounts to administer Azure resources.

Ensure that each production application server has four 1-TB data disks.

Ensure that an application server can be restored from a backup created during the last five days within 15 minutes.

Implement an approval process to ensure that an SAP administrator is notified before another administrator attempts to make changes to the Azure virtual machines that host SAP.

It is estimated that during the migration, the bandwidth required between Azure and the New York office will be 1 Gbps. After the migration, a traffic burst of up to 3 Gbps will occur.

Proposed Backup Policy

An Azure administrator proposes the backup policy shown in the following exhibit.

* Policy name ⓘ
 SapPolicy ✓

Backup schedule

* Frequency * Time * Timezone
 Daily ✓ 3:30 AM ✓ (UTC) Coordinated Universal Time ✓

Instant Restore ⓘ

Retain instant recovery snapshot(s) for
 5 ✓ Day(s)

Retention range

☒ Retention of daily backup point.

* At * For
 3:30 AM ✓ 14 ✓ Day(s)

☒ Retention of weekly backup point.

* On * At * For
 Sunday ✓ 3:30 AM ✓ 8 ✓ Week(s)

☒ Retention of monthly backup point.

☒ Retention of yearly backup point.

* On * Day * At * For
 First ✓ Sunday ✓ 3:30 AM ✓ 12 ✓ Month(s)

* In * On * Day * At * For
 January ✓ First ✓ Sunday ✓ 3:30 AM ✓ 7 ✓ Year(s)

Azure Resource Manager Template

An Azure administrator provides you with the Azure Resource Manager template that will be used to provision the production application servers.

```

{
  "apiVersion": "2017-03-30",
  "type": "Microsoft.Compute/virtualMachines",
  "name": "[parameters('vmname')]",

  "location": "EastUS",
  "dependsOn": [
    "[resourceId('Microsoft.Network/networkInterfaces/', parameters('vmname'))]"
  ],
  "properties": {
    "hardwareProfile": {
      "vmSize": "[parameters('vmSize')]"
    },
    "osProfile": {
      "computerName": "[parameters('vmname')]",
      "adminUsername": "[parameters('adminUsername')]",
      "adminPassword": "[parameters('adminPassword')]"
    },
    "storageProfile": {
      "imageReference": {
        "publisher": "MicrosoftWindowsServer",
        "offer": "WindowsServer",
        "sku": "2016-datacenter",
        "version": "latest"
      },
      "osDisk": {
        "name": "[concat(parameters('vmname'), '-OS')]",
        "caching": "ReadWrite",
        "createOption": "FromImage",
        "diskSizeGB": 128,
        "managedDisk": {
          "storageAccountType": "[parameters('storageAccountType')]"
        }
      },
      "copy": [
        {
          "name": "DataDisks",
          "count": "[parameters('diskCount')]",
          "input": {
            "caching": "None",
            "diskSizeGB": 1024,
            "lun": "[copyIndex('datadisks')]",

```



```

        "name": "[concat(parameters('vmname'), '-DD',copyIndex('datadisks'))]",
        "createOption": "Empty"
    }
}
],
},
"networkProfile": {
    "networkInterfaces": [
        {
            "id": "[resourceId('Microsoft.Network/networkInterfaces', parameters('vmName'))]"
        }
    ]
},
"resources": [
    {
        "apiVersion": "2017-03-30"
        "type": "Microsoft.Compute/virtualMachines/extensions",
        "name": "[concat(parameters('VMName'), '/joindomain')]",
        "location": "eastus",
        "properties": {
            "publisher": "Microsoft.Compute",
            "type": "JsonADDomainExtension",
            "typeHandlerVersion": "1.3",
            "autoUpgradeMinorVersion": true,
            "settings": {
                "Name": "[parameters('domainName')]",
                "User": "[parameters('domainusername')]",
                "Restart": "true",
                "Options": "3"
            },
            "protectedsettings": {
                "Password": "[parameters('domainPassword')]"
            }
        },
        "protectedsettings": {
            "Password": "[parameters('domainPassword')]"
        }
    }
]
}
}

```

65. Frage

You have an Azure subscription that contains a virtual network named VNET1, an SAP production landscape on Azure, and an SAP non-production landscape on Azure. Both landscapes connect to VNET1. Each landscape contains virtual machines that run the following:

- * SAP HANA
- * SAP NetWeaver
- * Microsoft SQL Server

You need to monitor the landscapes. The solution must minimize costs.

What is the minimum number of required Azure Monitor for SAP Solutions instances?

- A. 0
- B. 1
- C. 2
- **D. 3**

Antwort: D

66. Frage

You plan to deploy multiple SAP HANA virtual machines to Azure by using an Azure Resource Manager template.

How should you configure Accelerated Networking and Write Accelerator in the template? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
"false",	<pre> { "apiVersion": "2017-06-01", "type": "Microsoft.Network/networkInterfaces", "name": "[concat(parameters('vmName'), '-static')]", "location": "[resourceGroup().location]", "properties": { "enableAcceleratedNetworking": "ipConfigurations": [{ "name": "ipconfig1", "properties": { "privateIPAllocationMethod": "Static", "privateIPAddress": "[parameters('StaticIP')]", "subnet": { "id": "[variables('subnetRef')]" } } }] } }, { "apiVersion": "2014-12-01", "type": "Microsoft.Compute/virtualMachines", "name": "[parameters('vmName')]", "location": "[resourceGroup().location]", "dependsOn": [], "properties": { "availabilitySet": { "id": "[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailSetName'))]" }, "hardwareProfile": { "vmSize": "Standard_M64ms" }, "osProfile": { "computerName": "[parameters('vmName')]", "adminUsername": "[parameters('vmUserName')]", "adminPassword": "[parameters('vmPassword')]" }, "storageProfile": { "imageReference": { "publisher": "RedHat", "offer": "RHEL-SAP-HANA", "sku": "7.2", "version": "latest" }, "osDisk": { "createOption": "FromImage" }, "dataDisks": [{ "lun": 7, "name": "[concat(parameters('vmName'), '-log')]", "createOption": "Empty", "writeAcceleratorEnabled": "diskSizeGB": 2048, "managedDisk": { "storageAccountType": "Premium_LRS" } }] } } }, { "networkProfile": { "networkInterfaces": [{ "id": "[resourceId('Microsoft.Network/networkInterfaces', concat(parameters('vmName'), '-static'))]" }] } } </pre>
"none",	
"true",	



Antwort:

Begründung:

Values

"false",

"none",

"true",

Answer Area

```
{
  "apiVersion": "2017-06-01",
  "type": "Microsoft.Network/networkInterfaces",
  "name": "[concat(parameters('vmName'), '-static')]",
  "location": "[resourceGroup().location]",
  "properties": {
    "enableAcceleratedNetworking": "true",
    "ipConfigurations": [
      {
        "name": "ipconfig1",
        "properties": {
          "privateIPAllocationMethod": "Static",
          "privateIPAddress": "[parameters('StaticIP')]",
          "subnet": {
            "id": "[variables('subnetRef')]"
          }
        }
      }
    ]
  }
},
{
  "apiVersion": "2014-12-01",
  "type": "Microsoft.Compute/virtualMachines",
  "name": "[parameters('vmName')]",
  "location": "[resourceGroup().location]",
  "dependsOn": [
    "[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailabilitySetName'))]"
  ],
  "properties": {
    "availabilitySet": {
      "id": "[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailabilitySetName'))]"
    },
    "hardwareProfile": {
      "vmSize": "Standard_M64ms"
    },
    "osProfile": {
      "computerName": "[parameters('vmName')]",
      "adminUsername": "[parameters('vmUserName')]",
      "adminPassword": "[parameters('vmPassword')]"
    },
    "storageProfile": {
      "imageReference": {
        "publisher": "RedHat",
        "offer": "RHEL-SAP-HANA",
        "sku": "7.2",
        "version": "latest"
      },
      "osDisk": {
        "createOption": "FromImage"
      },
      "dataDisks": [
        {
          "lun": 7,
          "name": "[concat(parameters('vmName'), '-log')]",
          "createOption": "Empty",
          "writeAcceleratorEnabled": "true",
          "diskSizeGB": 2048,
          "managedDisk": {
            "storageAccountType": "Premium_LRS"
          }
        }
      ]
    },
    "networkProfile": {
      "networkInterfaces": [
        {
          "id": "[resourceId('Microsoft.Network/networkInterfaces', concat(parameters('vmName'), '-static'))]"
        }
      ]
    }
  }
}
```

Explanation

"false",

"none",

"true",

```

{
  "apiVersion": "2017-06-01",
  "type": "Microsoft.Network/networkInterfaces",
  "name": "[concat(parameters('vmName'), '-static')]",
  "location": "[resourceGroup().location]",
  "properties": {
    "enableAcceleratedNetworking": "true",
    "ipConfigurations": [
      {
        "name": "ipconfig1",
        "properties": {
          "privateIPAllocationMethod": "Static",
          "privateIPAddress": "[parameters('StaticIP')]",
          "subnet": {
            "id": "[variables('subnetRef')]"
          }
        }
      }
    ]
  }
},
{
  "apiVersion": "2014-12-01",
  "type": "Microsoft.Compute/virtualMachines",
  "name": "[parameters('vmName')]",
  "location": "[resourceGroup().location]",
  "dependsOn": [
    "[resourceId('Microsoft.Compute/availabilitysets', parameters('AvailabilitySetName'))]"
  ],
  "properties": {
    "availabilitySet": {
      "id": "[resourceId('Microsoft.Compute/availabilitysets', parameters('AvailabilitySetName'))]"
    },
    "hardwareProfile": {
      "vmSize": "Standard_M64ms"
    },
    "osProfile": {
      "computerName": "[parameters('vmName')]",
      "adminUsername": "[parameters('vmUser')]",
      "adminPassword": "[parameters('vmPassword')]"
    },
    "storageProfile": {
      "imageReference": {
        "publisher": "RedHat",
        "offer": "RHEL-SAP-HANA",
        "sku": "7.2",
        "version": "latest"
      },
      "osDisk": {
        "createOption": "FromImage"
      },
      "dataDisks": [
        {
          "lun": 7,
          "name": "[concat(parameters('vmName'), '-log')]",
          "createOption": "Empty",
          "writeAcceleratorEnabled": "true",
          "diskSizeGB": 2048,
          "managedDisk": {
            "storageAccountType": "Premium_LRS"
          }
        }
      ]
    },
    "networkProfile": {
      "networkInterfaces": [
        {
          "id": "[resourceId('Microsoft.Network/networkInterfaces', concat(parameters('vmName'), '-static'))]"
        }
      ]
    }
  }
}

```

Box 1: true

enableAcceleratedNetworking: If the network interface is accelerated networking enabled.

To further reduce network latency between Azure VMs, we [Microsoft] recommend that you choose Azure Accelerated Networking. Use it when you deploy Azure VMs for an SAP workload, especially for the SAP application layer and the SAP DBMS layer.

Box 2: true

Write Accelerator should be used for the volumes that contain the transaction log or redo logs of a DBMS. It is not recommended to use Write Accelerator for the data volumes of a DBMS as the feature has been optimized to be used against log disks.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general

67. Frage

You have an Azure alert rule and action group as shown in the following exhibit.

```
PS Azure:\> Get-AzMetricAlertRuleV2 | Select WindowSize, EvaluationFrequency, Actions -ExpandProperty Criteria
WindowSize : 00:05:00
EvaluationFrequency : 00:01:00
Actions : (/subscriptions/6dce06c7-3896-4f9b-bc4d-1eadd42ebdbb/resourcegroups/resourcegroup1/providers/microsoft.insights/actiongroups/admins)
Name : admins
MetricName : Percentage CPU
MetricNamespace : Microsoft.Compute/virtualMachines
OperatorProperty : GreaterThan
TimeAggregation : Average
Threshold : 85
Dimensions : {}
AdditionalProperties :

PS Azure:\> Get-AzActionGroup | Select -ExcludeProperty ResourceGroupName, Tags, Location
ResourceGroupName : admins
GroupShortName : admins
Enabled : True
EmailReceivers : (admins_emailAction-)
WebhookReceivers : {}
AutomationReceivers : {}
ID : (/subscriptions/6dce06c7-3896-4f9b-bc4d-1eadd42ebdbb/resourcegroups/resourcegroup1/providers/microsoft.insights/actiongroups/restartvm)
Name : restartvm
Type : Microsoft.Insights.ActionGroups
IsReadOnly : False
IsEnabled : True
EmailReceivers : {}
WebhookReceivers : {}
AutomationReceivers : {}
ID : (/subscriptions/6dce06c7-3896-4f9b-bc4d-1eadd42ebdbb/resourcegroups/resourcegroup1/providers/microsoft.insights/actiongroups/restartvm)
Name : restartvm
Type : Microsoft.Insights.ActionGroups
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.



The admins action group will be notified if the average CPU usage rises above 85% for

one minute

five minutes

one second

The [answer choice] when the alert is triggered

admins action group will be emailed

restartVM action group will be emailed

virtual machines will restart

Antwort:

Begründung:

The admins action group will be notified if the average CPU usage rises above 85% for

one minute

five minutes

one second

The [answer choice] when the alert is triggered



admins action group will be emailed

restartVM action group will be emailed

virtual machines will restart

Explanation

Graphical user interface, text, application Description automatically generated



The admins action group will be notified if the average CPU usage rises above 85% for

one minute

five minutes

one second

The [answer choice] when the alert is triggered

admins action group will be emailed

restartVM action group will be emailed

virtual machines will restart

Box 1: five minutes

Window Size is 5 minutes.

Box 2: admins action group will be emailed

The admins1 actiongroup will be executed.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/alerts/alerts-metric-overview>

68. Frage


You have an instance of SAP NANA on Azure (Large Instances) named HIM.

You plan to deploy Azure virtual machines. The virtual machines will host application servers that will access the database on HLI1.

You need to minimize latency between the application servers and HLI1


What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area



Antwort:

Begründung:



69. Frage

.....

Sie können im Internet kostenlos die Lerntipps und einen Teil der Prüfungsfragen und Antworten zur Microsoft AZ-120 Zertifizierungsprüfung von ExamFragen als Probe herunterladen.

AZ-120 Deutsche: <https://www.examinfragen.de/AZ-120-pruefung-fragen.html>

- Valid AZ-120 exam materials offer you accurate preparation dumps ☐ Öffnen Sie ➡ www.zertsoft.com ☐ geben Sie ➤ AZ-120 ☐ ein und erhalten Sie den kostenlosen Download ♥ ☐ AZ-120 Fragen Beantworten
- AZ-120 Online Praxisprüfung ☐ AZ-120 Online Prüfungen ☐ AZ-120 Demotesten ☐ Suchen Sie jetzt auf ➡ www.itzert.com ☐ nach ☐ AZ-120 ☐ um den kostenlosen Download zu erhalten ☐ AZ-120 Prüfungsfragen
- 100% Garantie AZ-120 Prüfungserfolg ☐ Öffnen Sie ☀ www.echfrage.top ☐ ☀ ☐ geben Sie [AZ-120] ein und erhalten Sie den kostenlosen Download ☐ AZ-120 Ausbildungsressourcen
- AZ-120 Unterlage ☐ AZ-120 Kostenlos Downloden ☐ AZ-120 Dumps ☐ Suchen Sie jetzt auf ☐ www.itzert.com ☐ nach "AZ-120" um den kostenlosen Download zu erhalten ☐ AZ-120 PDF Demo
- Microsoft AZ-120 Prüfung Übungen und Antworten ☐ Suchen Sie auf der Webseite 【 www.echfrage.top 】 nach « AZ-120 » und laden Sie es kostenlos herunter ☐ AZ-120 Lernressourcen
- AZ-120 Übungstest: Planning and Administering Microsoft Azure for SAP Workloads - AZ-120 Braindumps Prüfung ☐ Öffnen Sie die Webseite ➡ www.itzert.com ☐ und suchen Sie nach kostenloser Download von ➡ AZ-120 ☐ ☐ AZ-120 Prüfungsfrage
- Microsoft AZ-120 Prüfung Übungen und Antworten ☐ Erhalten Sie den kostenlosen Download von (AZ-120) mühelos über ➤ www.deutschpruefung.com < ☐ AZ-120 Fragen&Antworten
- AZ-120 Fragen Und Antworten ☐ AZ-120 Unterlage ☐ AZ-120 Prüfungsfrage ☐ Suchen Sie jetzt auf [www.itzert.com] nach ☐ AZ-120 ☐ und laden Sie es kostenlos herunter ☐ AZ-120 Kostenlos Downloden
- AZ-120 Fragen Und Antworten ☐ AZ-120 Prüfungsfragen ☐ AZ-120 Prüfungsfrage ☐ Sie müssen nur zu ✓

