

# XSOAR-Engineer인증덤프샘플다운최신버전인증덤프 문제

SAP C-C4H450-04

SAP Certified Integration Associate - SAP Cloud for Customer

2

## 인기자격증 C-C4H450-04인증덤프 샘플문제 시험덤프 최신자료

ITDumpsKR의 엘리트는 다년간 IT업계에 종사한 노하우로 높은 직종율을 자랑하는 SAP C-C4H450-04덤프를 연구제작하였습니다. 한국어 온라인서비스가 가능하기에 SAP C-C4H450-04덤프에 관하여 궁금한 점이 있으신 분은 구매전 문의하시면 됩니다. SAP C-C4H450-04덤프로 시험에서 좋은 성적 받고 자격증 취득하시길 바랍니다.

## 최신 SAP Certified Integration Associate C-C4H450-04 무료샘플문제 (Q54-Q59):

질문 #54

How can you determine if a field in the message mapping in SAP Cloud Platform Integration is an extension field?

- A. By the WSDL naming convention
- B. By the mapping functions
- C. By the used namespace
- D. By the mapping icon

정답C

질문 #55

Which transaction codes do you use to register and activate the IDoc service on SAP ERP?

- A. SICF and IDoc, respectively
- B. IDoc and RBDMIDOC, respectively
- C. SRTIDOC and SICF, respectively
- D. SICF and RBDMIDOC, respectively

정답C

질문 #56

Which of the following business functions are supported by SAP S/4HANA Settlement Management?  
Note: There are 3 correct Answers to this question

- A. Calendar-based settlement
- B. Evaluated receipt settlement
- C. Advance payments
- D. Business-volume-related rebates
- E. Accrual conditions

정답A,B,C

질문 #57

Which of the following views can be maintained for a material with material type SERV (Service)

C-C4H450-04인증덤프샘플문제 & C-C4H450-04시험덤프자료

ExamPassdump XSOAR-Engineer 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:  
[https://drive.google.com/open?id=1FuIsW-YO9ivyfLgrpWoWU\\_00g-evPm0q](https://drive.google.com/open?id=1FuIsW-YO9ivyfLgrpWoWU_00g-evPm0q)

우리ExamPassdump에서는 끊임없는 업데이트로 항상 최신버전의Palo Alto Networks인증XSOAR-Engineer시험덤프를 제공하는 사이트입니다, 만약 덤프품질은 알아보고 싶다면 우리ExamPassdump 에서 무료로 제공되는 덤프일부분의 문제와 답을 체험하시면 되겠습니다, ExamPassdump 는 100%의 보장 도를 자랑하며XSOAR-Engineer시험은 한번에 패스할 수 있는 덤프입니다.

ExamPassdump Palo Alto Networks XSOAR-Engineer덤프의 질문들과 답변들은 100%의 지식 요점과 적어도 98%의 시험 문제들을 커버하는,수년동안 가장 최근의Palo Alto Networks XSOAR-Engineer시험 요점들을 컨설팅 해 온 시니어 프로 IT 전문가들의 그룹에 의해 구축 됩니다. ExamPassdump의 IT전문가들이 자신만의 경험과 끊임없는 노력으로 최고의Palo Alto Networks XSOAR-Engineer학습자료를 작성해 여러분들이Palo Alto Networks XSOAR-Engineer시험에서 패스하도록 도와드립니다.

>> XSOAR-Engineer인증덤프샘플 다운 <<

**XSOAR-Engineer시험대비 최신버전 자료 & XSOAR-Engineer인기자격증 인증시험자료**

XSOAR-Engineer인증시험패스는 쉬운 일은 아닙니다. 높은 전문지식은 필수입니다. 하지만 자신은 이 방면 지식이 없다면 ExamPassdump가 도움을 드릴 수 있습니다. ExamPassdump의 전문가들이 자기만의 지식과 지금까지의 경험으로 최고의 IT인증관련자료를 만들어 여러분들의 고민을 해결해드릴 수 있습니다. 우리는 최고의XSOAR-Engineer인증시험문제와 답을 제공합니다. ExamPassdump는 최선을 다하여 여러분이 한번에XSOAR-Engineer인증시험을 패스하도록 도와드릴 것입니다. 여러분은 우리 ExamPassdump 선택함으로 일석이조의 이익을 누릴 수 있습니다. 첫째는 관여지식은 아주 알차게 공부하실 수 있습니다.둘째는 바로 시험을 안전하게 한번에 통과하실 수 있다는 거죠. 그리고 우리는 일년무료 업데이트서비스를 제공합니다.덤프가 업뎃이되면 우리는 모두 무료로 보내드립니다.만약 시험에서 실패한다면 우리 또한 덤프비용전액을 환불해 드립니다.

## Palo Alto Networks XSOAR-Engineer 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"> <li>Incident Interactions and Reporting: This domain covers incident operations including states and actions, War Room activities, incident relationships, and dashboard and report configuration for metrics and visualization.</li> </ul>
주제 2	<ul style="list-style-type: none"> <li>Use Case Planning and Development: This domain focuses on designing security use cases through incident and indicator lifecycle management, field and layout customization, classifier and mapper configuration, incident creation methods, pre</li> <li>post-processing, and incident type configuration with playbooks, layouts, SLAs, and lists.</li> </ul>
주제 3	<ul style="list-style-type: none"> <li>Playbook Development: This domain addresses automation through playbook creation including task configuration, context data manipulation, various task types, sub-playbooks with looping, filters and transformers, debugger usage, built-ins and scripts, automation script creation, and job management.</li> </ul>
주제 4	<ul style="list-style-type: none"> <li>Planning, Installation, and Maintenance: This domain covers system setup and administration including authentication configuration, engine deployment, dev</li> <li>prod environment planning, Marketplace pack management, integration instance configuration, and system maintenance.</li> </ul>
주제 5	<ul style="list-style-type: none"> <li>Threat Intelligence Management: This domain focuses on threat intelligence operations including indicator creation and configuration, indicator relationships, enrichment with source reliability, external intelligence sharing, and exclusion list management.</li> </ul>

## 최신 Security Operations XSOAR-Engineer 무료 샘플문제 (Q13-Q18):

### 질문 # 13

Which feature is used to convert event data values into incident fields when an integration fetches an event?.

- A. Mapping.
- B. Layout configuration.
- C. Field configuration.
- D. Classification.

정답: A

### 설명:

XSOAR's ingestion pipeline defines a strict order in which raw fetched data is processed, and the Admin Guide explains that Classification determines the incident type based on incoming fields, while Mapping performs the actual transformation of event data into structured incident fields. Mapping profiles define how each field from the integration's raw JSON (for example, source\_ip, username, alert\_id) is converted into standard or custom incident fields.

The Mapping Editor allows administrators to select specific fields from the incoming event data and bind them to incident fields used throughout playbooks, layouts, and reports. This ensures normalization of data and consistent schema usage across the SOC.

The documentation makes clear that Mapping is responsible for populating incident field values, whereas Classification only chooses the incident type. Field configuration defines field metadata but does not map values. Layout configuration controls visual presentation only and does not populate fields.

Thus, option B (Mapping) is the function that converts event data into incident field values and is the correct answer according to the ingestion architecture documented in the XSOAR Admin Guide.

#### 질문 # 14

In a Dev/Prod deployment model, what is available only in the development tenant?.

- A. Marketplace.
- B. Custom integration instances.
- C. Content Repository page.
- D. "Export all custom content" feature.

정답: D

설명:

In Cortex XSOAR's documented Dev/Prod deployment model, the development tenant is designed to be the workspace where engineers create, modify, test, and validate content before promoting it into production. As part of this workflow, the development tenant includes the "Export all custom content" feature, which generates a structured content bundle containing custom playbooks, integrations, fields, layouts, lists, and other artifacts. This bundle is then imported into the production tenant to ensure controlled, versioned, and tested promotion of content.

The Admin Guide highlights that this export capability is restricted to the development environment to preserve the integrity and stability of the production tenant. Production systems are intentionally limited, allowing only the import (not export) of custom content to prevent accidental overwriting, drift, or unintended modifications.

Marketplace access (A) exists in both tenants. Custom integration instances (C) can be created in either tenant. The Content Repository page (B) is also available across both environments.

Therefore, the only feature exclusive to the development tenant is D: "Export all custom content." This ensures a safe, repeatable Dev/Prod promotion model aligned with enterprise change-control requirements.

#### 질문 # 15

What can be used as integration parameters?

- A. User-password, csv file, query
- B. Token, query, playbook
- C. URL, certificate, image
- D. URL, API key, port

정답: D

#### 질문 # 16

Which two behaviors occur while an incident is closed? (Choose two.).

- A. Playbook is marked as complete.
- B. Running timers are in a paused state.
- C. Commands cannot be executed in the War Room.
- D. Timers can no longer run.

정답: A,D

설명:

The XSOAR Timers/SLA documentation states that when an incident reaches the Closed state, all timers automatically stop and cannot continue unless manually reset. Timers do not pause - they terminate.

Additionally, when an incident is closed, its associated playbook completes, because closure marks the end of the investigation lifecycle.

#### 질문 # 17

Given an incident with three files, how could the name of the second file be referenced?

- A. \${File.[1].Name}
- B. \${File.Name.[1]}
- C. \${Files.[2].Name}

