NSE7_OTS-7.2최고덤프샘플 - NSE7_OTS-7.2시험대비 최신버전공부자료



2025 Itexamdump 최신 NSE7_OTS-7.2 PDF 버전 시험 문제집과 NSE7_OTS-7.2 시험 문제 및 답변 무료 공유: https://drive.google.com/open?id=16yIEMKQmiD0Wetn3kNiij-7mF5boBF7F

모두 아시다시피Fortinet NSE7_OTS-7.2인증시험은 업계여서도 아주 큰 비중을 차지할만큼 큰 시험입니다. 하지만 문제는 어덯게 이 시험을 패스할것이냐이죠.Fortinet NSE7_OTS-7.2인증시험패스하기는 너무 힘들기 때문입니다. 다른사이트에 있는 자료들도 솔직히 모두 정확성이 떨어지는건 사실입니다. 하지만 우리Itexamdump의 문제와 답은 IT인증시험준비중인 모든분들한테 필요한 자료를 제공할수 있습니다. 그리고 중요한건 우리의 문제와 답으로 여러분은 한번에 시험을 패스하실수 있습니다.

Fortinet NSE7_OTS-7.2 시험은 산업 제어 시스템 및 기타 중요한 인프라를 보호하는 책임을 지는 IT 전문가들에게 중요한 자격증입니다. 이 시험에 합격하면, 후보자들은 OT 보안 분야에서의 지식과 기술을 증명하며, 이 분야에서의 경력을 빠르게 성장시키기에 좋은 위치에 있게 됩니다.

>> NSE7_OTS-7.2최고덤프샘플 <<

NSE7_OTS-7.2최고덤프샘플 시험준비에 가장 좋은 예상문제모음


Itexamdump에서 Fortinet NSE7_OTS-7.2 덤프를 다운받아 공부하시면 가장 적은 시간만 투자해도Fortinet NSE7_OTS-7.2시험패스하실수 있습니다. Itexamdump에서Fortinet NSE7_OTS-7.2시험덤프를 구입하시면 퍼펙트한 구매후 서비스를 제공해드립니다. Fortinet NSE7_OTS-7.2덤프가 업데이트되면 업데이트된 최신버전을 무료로 제공해드립니다. 시험에서 불합격성적표를 받으시면 덤프구매시 지불한 덤프비용은 환불해드립니다.

최신 NSE 7 Network Security Architect NSE7_OTS-7.2 무료샘플문제 (Q23-Q28):

질문 #23

Refer to the exhibit. An OT architect has implemented a Modbus TCP with a simulation server Conpot to identify and control the Modus traffic in the OT network. The FortiGate-Edge device is configured with a software switch interface ssw-01. Based on the topology shown in the exhibit, which two statements about the successful simulation of traffic between client and server


are true? (Choose two.)



- A. The FortiGate-Edge device must be in NAT mode.
- B. NAT is disabled in the FortiGate firewall policy from port3 to ssw-01.
- C. Port5 is not a member of the software switch.
- D. The FortiGate devices is in offline IDS mode.

정답: A,B

질문 # 24 Refer to the exhibit.



An OT network security audit concluded that the application sensor requires changes to ensure the correct security action is committed against the overrides filters.

Which change must the OT network administrator make?

- A. Remove IEC.60870.5.104 Information. Transfer from the first filter override.
- B. Set the priority of the C.BO.NA.1 signature override to 1.
- C. Change the security action of the industrial category to monitor.

• D. Set all application categories to apply default actions.

정답: A

설명:

According to the Fortinet NSE 7 - OT Security 6.4 exam guide1, the application sensor settings allow you to configure the security action for each application category and network protocol override. The security action determines how the FortiGate unit handles traffic that matches the application category or network protocol override. The security action can be one of the following:

- * Allow: The FortiGate unit allows the traffic without any further inspection.
- * Monitor: The FortiGate unit allows the traffic and logs it for monitoring purposes.
- * Block: The FortiGate unit blocks the traffic and logs it as an attack.

The priority of the network protocol override determines the order in which the FortiGate unit applies the security action to the traffic. The lower the priority number, the higher the priority. For example, a priority of

1 is higher than a priority of 10.

In the exhibit, the application sensor has the following settings:

- * The industrial category has a security action of allow, which means that the FortiGate unit will not inspect or log any traffic that belongs to this category.
- * The IEC.60870.5.104 Information. Transfer network protocol override has a security action of block, which means that the FortiGate unit will block and log any traffic that matches this protocol.
- * The IEC.60870.5.104 Control.Functions network protocol override has a security action of monitor, which means that the FortiGate unit will allow and log any traffic that matches this protocol.
- * The IEC.60870.5.104 Start/Stop network protocol override has a security action of allow, which means that the FortiGate unit will not inspect or log any traffic that matches this protocol.
- * The IEC.60870.5.104 Transfer.C.BO.NA.1 network protocol override has a security action of block, which means that the FortiGate unit will block and log any traffic that matches this protocol.

The problem with these settings is that the IEC.60870.5.104 Transfer.C.BO.NA.1 network protocol override has a lower priority than the IEC.60870.5.104 Information. Transfer network protocol override. This means that if the traffic matches both protocols, the FortiGate unit will apply the security action of the higher priority override, which is block. However, the IEC.60870.5.104 Transfer.C.BO.NA.1 protocol is used to transfer binary outputs, which are essential for controlling OT devices. Therefore, blocking this protocol could have negative consequences for the OT network.


To fix this issue, the OT network administrator must set the priority of the IEC.60870.5.104 Transfer.C.BO.

NA.1 network protocol override to 1, which is higher than the priority of the IEC.60870.5.104 Information.

Transfer network protocol override. This way, the FortiGate unit will apply the security action of the lower priority override, which is allow, to the traffic that matches both protocols. This will ensure that the FortiGate unit does not block the traffic that is used to transfer binary outputs, while still blocking the traffic that is used to transfer information.

1: NSE 7 Network Security Architect - Fortinet





An OT network security audit concluded that the application sensor requires changes to ensure the correct security action is

committed against the overrides filters.

Which change must the OT network administrator make?

- A. Remove IEC.60870.5.104 Information. Transfer from the first filter override.
- B. Set the priority of the C.BO.NA.1 signature override to 1.
- C. Change the security action of the industrial category to monitor.
- D. Set all application categories to apply default actions.

정답: A

설명:

According to the Fortinet NSE 7 - OT Security 6.4 exam guide1, the application sensor settings allow you to configure the security action for each application category and network protocol override. The security action determines how the FortiGate unit handles traffic that matches the application category or network protocol override. The security action can be one of the following: Allow: The FortiGate unit allows the traffic without any further inspection.

Monitor: The FortiGate unit allows the traffic and logs it for monitoring purposes.

Block: The FortiGate unit blocks the traffic and logs it as an attack.

The priority of the network protocol override determines the order in which the FortiGate unit applies the security action to the traffic. The lower the priority number, the higher the priority. For example, a priority of

1 is higher than a priority of 10.

In the exhibit, the application sensor has the following settings:

The industrial category has a security action of allow, which means that the FortiGate unit will not inspect or log any traffic that belongs to this category.

The IEC.60870.5.104 Information. Transfer network protocol override has a security action of block, which means that the FortiGate unit will block and log any traffic that matches this protocol.

The IEC.60870.5.104 Control.Functions network protocol override has a security action of monitor, which means that the FortiGate unit will allow and log any traffic that matches this protocol.

The IEC.60870.5.104 Start/Stop network protocol override has a security action of allow, which means that the FortiGate unit will not inspect or log any traffic that matches this protocol.

The IEC.60870.5.104 Transfer.C.BO.NA.1 network protocol override has a security action of block, which means that the FortiGate unit will block and log any traffic that matches this protocol.

The problem with these settings is that the IEC.60870.5.104 Transfer.C.BO.NA.1 network protocol override has a lower priority than the IEC.60870.5.104 Information. Transfer network protocol override. This means that if the traffic matches both protocols, the FortiGate unit will apply the security action of the higher priority override, which is block. However, the IEC.60870.5.104

Transfer.C.BO.NA.1 protocol is used to transfer binary outputs, which are essential for controlling OT devices. Therefore, blocking this protocol could have negative consequences for the OT network.

To fix this issue, the OT network administrator must set the priority of the IEC.60870.5.104 Transfer.C.BO.

NA.1 network protocol override to 1, which is higher than the priority of the IEC.60870.5.104 Information.

Transfer network protocol override. This way, the FortiGate unit will apply the security action of the lower priority override, which is allow, to the traffic that matches both protocols. This will ensure that the FortiGate unit does not block the traffic that is used to transfer binary outputs, while still blocking the traffic that is used to transfer information.

1: NSE 7 Network Security Architect - Fortinet

질문 #26

Refer to the exhibit.


Name:	indus	strial_pro	- 2						
Filters:	Paren		Attribute	Operato	Operator			Value	
	0	0	Destination TCP/UDP Port	- IN		3	Group:	OT Port	
	0	0	Source TCP/UDP Port	. IN		3	Group: OT Ports		
Aggregate:	Paren Attribute		Operator			Value			
	0	0	COUNT(Matched Events)	>=		3	1		
BTI		ΞT	000						
Group By:	Attribute °		Row		Mov	Move			
	Rep	orting IP		0	0	1	+		
	Eve	nt Type		0	0	1	+		
		Destination TCP/UDP Port			0	+	+		
	Des	tination					5 1		

An operational technology rule is created and successfully activated to monitor the Modbus protocol on FortiSIEM. However, the rule does not trigger incidents despite Modbus traffic and application logs being received correctly by FortiSIEM. Which statement correctly describes the issue on the rule configuration?

- A. The first condition on the SubPattern filter must use the OR logical operator.
- B. The Aggregate attribute COUNT expression is incompatible with the filters.
- C. The SubPattern is missing the filter to match the Modbus protocol.
- D. The attributes in the Group By section must match the ones in Fitters section.

정답: D

질문 # 27 Refer to the exhibit.



Based on the Purdue model, which three measures can be implemented in the control area zone using the Fortinet Security Fabric? (Choose three.)

- A. FortiSIEM for security incident and event management
- B. FortiGate for application control and IPS
- C. FortiNAC for network access control
- D. FortiGate for SD-WAN
- E. FortiEDR for endpoint detection

정답: B,C,E

질문 #28

....

Itexamdump에서 출시한 Fortinet인증 NSE7_OTS-7.2덤프는 실제시험문제 커버율이 높아 시험패스율이 가장 높습니다. Fortinet인증 NSE7_OTS-7.2시험을 통과하여 자격증을 취득하면 여러방면에서 도움이 됩니다. Itexamdump에서 출시한 Fortinet인증 NSE7_OTS-7.2덤프를 구매하여Fortinet인증 NSE7_OTS-7.2시험을 완벽하게 준비하지 않으실래요? Itexamdump의 실력을 증명해드릴게요.

NSE7 OTS-7.2시험대비 최신버전 공부자료: https://www.itexamdump.com/NSE7 OTS-7.2.html

Fortinet NSE7_OTS-7.2최고덤프샘플 고객님께서 원하시는 버전을 선택하여 구매하시면 됩니다, Itexamdump NSE7_OTS-7.2시험대비 최신버전 공부자료는 많은 분들이 IT인증시험을 응시하여 성공하도록 도와주는 사이트입니다, Itexamdump NSE7_OTS-7.2시험대비 최신버전 공부자료는 여러분의 요구를 만족시켜드리는 사이트입니다, 우리Itexamdump NSE7_OTS-7.2시험대비 최신버전 공부자료 에서는 여러분들한테 아주 편리하고 시간 절약함과 바꿀 수 있는 좋은 대책을 마련하였습니다, Fortinet NSE7_OTS-7.2최고덤프샘플 IT시험이라고 모두 무조건 외우고 장악하고 많은 시간을 투자해야만 된다는 사상을 깨게 될 것입니다, 저희 Itexamdump NSE7_OTS-7.2시험대비 최신버전 공부자료의 덤프 업데이트시간은 업계에서 가장 빠르다고 많은 덤프구매자 분들께서 전해주셨습니다.

하나 은해 너라면, 나를 미워하기 위해서라도, 은학이를 계속 기억하는 이를 세상에 $NSE7_OTS$ -7.2남겨 두기 위해서라도 살아갈 수 있을 것 같았다, 간간이 마음에 드는 내용이 나올 때마다 살짝 올라가는 입꼬리, 고객님께서 원하시는 버전을 선택하여 구매하시면 됩니다.

NSE7 OTS-7.2최고덤프샘플 최신 인기시험 공부자료

Itexamdump는 많은 분들이 IT인증시험을 응시하여 성공하도록 도와주는 사이트입니다, $NSE7_OTS-7.2$ 시험패스 가능 공부자료 Itexamdump는 여러분의 요구를 만족시켜드리는 사이트입니다, 우리Itexamdump 에서는 여러분들한테 아주 편리하고 시간 절약함과 바꿀 수 있는 좋은 대책을 마련하였습니다.

IT시험이라고 모두 무조건 외우고NSE7_OTS-7.2완벽한 덤프문제자료장악하고 많은 시간을 투자해야만 된다는 사상을 깨게 될 것입니다.

- NSE7_OTS-7.2최신 덤프데모 ▶ NSE7_OTS-7.2유효한 최신덤프 □ NSE7_OTS-7.2시험문제모음 □ ➤ www.dumptop.com □을(를) 열고【 NSE7_OTS-7.2 】를 검색하여 시험 자료를 무료로 다운로드하십시오 NSE7_OTS-7.2높은 통과율 덤프샘플 다운
- NSE7_OTS-7.2최고덤프샘플 최신 덤프샘플문제 □ 무료 다운로드를 위해□ NSE7_OTS-7.2 □를 검색하려면 [www.itdumpskr.com]을(를) 입력하십시오NSE7_OTS-7.2합격보장 가능 덤프
- NSE7_OTS-7.2합격보장 가능 덤프 □ NSE7_OTS-7.2시험문제모음 □ NSE7_OTS-7.2최신 업데이트버전 인 중덤프 □ 지금"www.exampassdump.com"을(를) 열고 무료 다운로드를 위해□ NSE7_OTS-7.2 □를 검색하십 시오NSE7_OTS-7.2인증시험대비자료
- 시험패스에 유효한 NSE7_OTS-7.2최고덤프샘플 덤프데모 다운 □ ✔ www.itdumpskr.com □✔□을 통해 쉽게 ▶ NSE7_OTS-7.2 □무료 다운로드 받기NSE7_OTS-7.2최신 덤프샘플문제 다운
- NSE7_OTS-7.2높은 통과율 덤프샘플 다운 □ NSE7_OTS-7.2최신 덤프문제보기 □ NSE7_OTS-7.2인기덤프 공부 □ 무료 다운로드를 위해 지금 ➡ www.koreadumps.com □에서 《 NSE7_OTS-7.2 》 검색NSE7_OTS-7.2 인증 시험덤프
- 시험패스에 유효한 NSE7_OTS-7.2최고덤프샘플 덤프데모 다운 □ □ www.itdumpskr.com □에서[NSE7_OTS-7.2]를 검색하고 무료로 다운로드하세요NSE7_OTS-7.2인기덤프공부
- 시험대비 NSE7_OTS-7.2최고덤프샘플 덤프데모문제 보기 □ 오픈 웹 사이트➤ kr.fast2test.com □검색□ NSE7_OTS-7.2 □무료 다운로드NSE7_OTS-7.2높은 통과율 덤프샘플 다운
- NSE7_OTS-7.2최고덤프샘플 퍼펙트한 덤프의 모든 문제를 기억하면 시험패스 가능 □ 시험 자료를 무료로 다운로드하려면 (www.itdumpskr.com) 을 통해✔ NSE7_OTS-7.2 □✔ □를 검색하십시오NSE7_OTS-7.2시험 대비 인증공부

- 시험패스에 유효한 NSE7_OTS-7.2최고덤프샘플 덤프데모 다운 ❷ ➡ www.dumptop.com □에서 검색만 하면 ⇒ NSE7_OTS-7.2 ⇐를 무료로 다운로드할 수 있습니다NSE7_OTS-7.2최신 업데이트버전 인증덤프
- NSE7_OTS-7.2최고덤프샘플 퍼펙트한 덤프의 모든 문제를 기억하면 시험패스 가능 □ 무료 다운로드를 위해 지금➡ www.itdumpskr.com □□□에서▶ NSE7_OTS-7.2 ◀검색NSE7_OTS-7.2최신 덤프문제보기
- NSE7_OTS-7.2인증시험대비자료 □ NSE7_OTS-7.2높은 통과율 덤프샘플 다운 □ NSE7_OTS-7.2유효한 최 신버전 덤프 □ "www.koreadumps.com"에서▷ NSE7_OTS-7.2 ◁를 검색하고 무료로 다운로드하세요 NSE7_OTS-7.2시험대비 덤프문제
- study.stcs.edu.np, www.stes.tyc.edu.tw, class.dtechnologys.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

참고: Itexamdump에서 Google Drive로 공유하는 무료 2025 Fortinet NSE7_OTS-7.2 시험 문제집이 있습니다: https://drive.google.com/open?id=16yIEMKQmiD0Wetn3kNiij-7mF5boBF7F