

Oracle 1z0-076 Certification Exam Questions in 3 User-Friendly Formats



P.S. Free 2026 Oracle 1z0-076 dumps are available on Google Drive shared by TorrentValid: https://drive.google.com/open?id=18Kfbw0NfSOeRhqYBniIeocmZW_cjKLfH

For candidates who are going to buy 1z0-076 training materials online, they may pay much attention to the quality of the exam dumps, since it will depend on whether they may pass the exam or not. 1z0-076 exam braindumps of us are reviewed by experienced specialists, therefore the quality can be guaranteed. They also check 1z0-076 Training Materials at times to ensure the timely update. Moreover, we offer you free demo to have a try, and you can have a try before buying. You will know the mode of the complete version of the 1z0-076 exam dumps.

Oracle 1z0-076 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Performing Role Transitions: Here, the concept of database roles is explained, along with the steps for performing switchovers, failovers, and maintaining physical standby sessions during role transitions.
Topic 2	<ul style="list-style-type: none">Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery.
Topic 3	<ul style="list-style-type: none">Managing Oracle Net Services in a Data Guard Environment: The section focuses on Oracle Net Services and its role in Data Guard networking setup.
Topic 4	<ul style="list-style-type: none">Oracle Data Guard Broker Basics: An overview of the Data Guard broker, its architecture, components, benefits, and configurations, is provided here. It serves as an introduction to the tool used for managing Data Guard configurations.
Topic 5	<ul style="list-style-type: none">Managing Physical Standby Files After Structural Changes on the Primary Database: The topic covers managing structural changes in the primary database and their impact on physical standby files.
Topic 7	<ul style="list-style-type: none">Using Flashback Database in a Data Guard Configuration: This topic covers the configuration and advantages of using Flashback Database in a Data Guard setup, as well as the process of enabling fast-start failover for seamless role changes.
Topic 8	<ul style="list-style-type: none">Creating a Data Guard Broker Configuration: This section delves into the practical aspects of creating and managing a Data Guard broker configuration, including command-line and Enterprise Manager approaches.

Topic 9	<ul style="list-style-type: none"> • Oracle Data Guard Basics: This topic covers the essential architecture and concepts of Oracle Data Guard. It includes sub-topics such as the physical and logical standby database comparison, benefits of Data Guard, and its integration with multi-tenant databases.
Topic 11	<ul style="list-style-type: none"> • Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions.
Topic 12	<ul style="list-style-type: none"> • Patching and Upgrading Databases in a Data Guard Configuration: This section provides guidance on patching and upgrading databases in a Data Guard environment, along with performance optimization techniques and monitoring considerations.

>> New 1z0-076 Test Guide <<

Latest Oracle 1z0-076 Exam Duration - Pdf 1z0-076 Pass Leader

TorrentValid is website that can help a lot of IT people realize their dreams. If you have a IT dream, then quickly click the click of TorrentValid. It has the best training materials, which is TorrentValid;s Oracle 1z0-076 Exam Training materials. This training materials is what IT people are very wanted. Because it will make you pass the exam easily, since then rise higher and higher on your career path.

Oracle Database 19c: Data Guard Administration Sample Questions (Q18-Q23):

NEW QUESTION # 18

Examine the fast-start failover configuration:

□

- A. You must disable fast-start failover first to change the fast-start failover target to East sales.
- B. A failover may occur if the observer has lost connectivity to the primary database, even if the Fast-Start Failover target standby database has a good connection to the primary database
- C. The observer is running.
- D. The observer will initiate a failover when the primary database is unable to produce local archived redo log files.
- E. If South_Sales develops a problem and cannot be the target of a failover, the broker automatically changes the fast-start failover target to one of the other candidate targets.

Answer: B,C,D

NEW QUESTION # 19

Your Data Guard environment has a remote physical standby database with real-time query enabled, which is used for reporting, and a logical standby database used for DSS reporting.

Switchovers or failovers are possible due to testing or in case of a disaster.

Clients use local TNSNAMES.ORA files to define connection strings to the database instances.

Which three will prevent clients from connecting to the wrong database instances?

- A. Oracle Net connectivity to the primary database instance must be established on all the standby database instances.
- B. The client applications must use the correct TNS entries when requesting connections to the database instances.
- C. The DB_NAME and DB_UNIQUE_NAME parameters must be set to the same value for all the databases in the Data Guard environment.
- D. The standby database services must be defined statically with the Listeners running on the standby database hosts.
- E. The LOCAL_LISTENER parameter on the primary database instance must always be set.
- F. A service name is registered with the local listener of each database instance.
- G. Client TNS entries for the databases use the correct service names for the intended service.

Answer: B,D,G

Explanation:

Based on Oracle Database 19c: Data Guard Administration documents, the three measures that can prevent clients from connecting to the wrong database instances during switchovers, failovers, or regular operations in a Data Guard environment are:

- * B. The standby database services must be defined statically with the Listeners running on the standby database hosts.
- * D. The client applications must use the correct TNS entries when requesting connections to the database instances.
- * E. Client TNS entries for the databases use the correct service names for the intended service.
- * In an Oracle Data Guard configuration, correctly configuring Oracle Net Services (including TNS entries and listeners) is crucial for ensuring that clients connect to the appropriate database instance, whether it's the primary or standby. Defining services on the standby database and associating them with listeners ensures that client applications can connect to the standby when needed, especially useful in a role transition or when the standby is open for read-only access or real-time query. It's essential that TNS entries used by client applications specify the correct service names that correspond to the intended database roles, such as primary or standby. This setup facilitates seamless connectivity to the appropriate instance based on the role, especially critical during switchovers and failovers when the roles of the databases change.
- * References: Oracle's Data Guard concepts and administration guide provides extensive information on configuring network services for Data Guard environments, ensuring that applications connect to the correct database instance based on the current role of the databases in the Data Guard configuration.

NEW QUESTION # 20

You created two remote physical standby databases using SQL and RMAN.

The primary database is a four-instance RAC database and each physical standby database has two instances.

Roles-based services are used for client connectivity and have been defined in the Grid Infrastructure.

Consider these operational requirements:

- * The ability to manage multiple standby databases with a single tool
- * The simplification of switchovers, failovers, reinstatements, and conversions to and from snapshot standby databases
- * The automation of failovers to a specified target standby database

Which TWO tools can be used to fulfill these requirements?

- A. RMAN
- B. SQL*Plus
- C. Enterprise Manager Cloud Control
- D. DGMGRL
- E. SRVCTL
- F. CRSCTL
- G. GDCCTL

Answer: C,D

Explanation:

Enterprise Manager Cloud Control provides a graphical interface to manage multiple standby databases, simplify switchovers and failovers, and automate failover processes to a specified target standby database. It offers a comprehensive view and control over the Data Guard configuration, making complex operations more manageable.

DGMGRL is a command-line tool specifically designed for managing Data Guard configurations. It allows the administration of multiple standby databases, simplifies the execution of switchovers and failovers, reinstatements, and conversions to and from snapshot standby databases, and supports the automation of failover processes to a specified standby database.

Other options like RMAN, SQL*Plus, CRSCTL, SRVCTL, and GDCCTL do not provide the same level of integrated management functionality for Data Guard environments as Enterprise Manager Cloud Control and DGMGRL.

NEW QUESTION # 21

You have a Data Guard Broker configuration called 'Somewhere' as shown:

```
DGMGRL> SHOW CONFIGURATION;
```

```
Configuration - Somewhere
```

```
Protection Mode: MaxPerformance
```

```
Databases:
```

```
Nearby - Primary database
```

```
FS - Far Sync
```

```
Farout - Physical standby database
```

```
Fast-Start Failover: DISABLED
```

```
Configuration Status:
```

```
SUCCESS
```

You then run this command:

```
DGMGRL> SHOW DATABASE 'Nearby' 'InconsistentProperties';
```

Which two are true about the output of this DGMGRL command?

- A. A far sync instance cannot have inconsistent properties because it has no database.
- B. It shows all properties whose broker configuration values for database Nearby are inconsistent with the values in the corresponding server parameter file or the runtime values for database instance Nearby.
- C. It shows all properties whose broker configuration values for database Nearby are inconsistent with the broker configuration values for database Farout.
- D. Any inconsistency reported is on an instance-specific basis.

Answer: A,B

NEW QUESTION # 22

Which TWO are benefits of using Transaction Guard in a Data Guard environment?

- A. It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover.
- B. It protects against recoverable errors during a planned or an unplanned outage of a primary database.
- C. It protects against logical corruptions being replicated to standby databases.
- D. It protects against user errors being replicated to standby databases.
- E. It provides application continuity by replaying transactions interrupted by a failover or a switchover

Answer: A,B

Explanation:

Transaction Guard provides benefits in terms of transaction consistency and recovery in a Data Guard environment:

* It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover (B): Transaction Guard ensures that any uncommitted transactions at the time of an outage are rolled back consistently, thus preserving the integrity of the application's data and state.

* It protects against recoverable errors during a planned or an unplanned outage of a primary database (D): Transaction Guard offers protection against errors that can occur during outages, allowing applications to resume operations more quickly and reliably after recovery.

References:

* Oracle Database High Availability Overview

* Oracle Real Application Clusters Administration and Deployment Guide

NEW QUESTION # 23

.....

Clients always wish that they can get immediate use after they buy our 1z0-076 Test Questions because their time to get prepared for the exam is limited. Our 1z0-076 test torrent won't let the client wait for too much time and the client will receive the mails in 5-10 minutes sent by our system. Then the client can log in and use our software to learn immediately. It saves the client's time.

Latest 1z0-076 Exam Duration: <https://www.torrentvalid.com/1z0-076-valid-braindumps-torrent.html>

- 100% Pass 2026 Useful 1z0-076: New Oracle Database 19c: Data Guard Administration Test Guide □ Search for [1z0-076] and download it for free on (www.vce4dumps.com) website □ Exam 1z0-076 Lab Questions
- Authorized New 1z0-076 Test Guide - Leader in Qualification Exams - Useful Latest 1z0-076 Exam Duration □ Go to website ➡ www.pdfvce.com □ open and search for (1z0-076) to download for free □ Exam 1z0-076 Lab Questions
- Valid Dumps 1z0-076 Sheet □ 1z0-076 Exam Answers □ 1z0-076 Simulation Questions □ Open ➡ www.examcollectionpass.com □□□ and search for □ 1z0-076 □ to download exam materials for free □ Sample 1z0-076 Questions Pdf
- Free 1z0-076 dumps torrent - Oracle 1z0-076 exam prep - 1z0-076 examcollection braindumps □ Search on “ www.pdfvce.com ” for ► 1z0-076 ◀ to obtain exam materials for free download □ Sample 1z0-076 Questions Pdf
- 1z0-076 Dumps Questions □ 1z0-076 Premium Files □ Most 1z0-076 Reliable Questions □ Immediately open ☀ www.prepawaypdf.com □☀□ and search for ➡ 1z0-076 □ to obtain a free download ◀ Reliable 1z0-076 Exam Papers
- 100% Free 1z0-076 – 100% Free New Test Guide | High Pass-Rate Latest Oracle Database 19c: Data Guard Administration Exam Duration ✓□ Search on □ www.pdfvce.com □ for 《 1z0-076 》 to obtain exam materials for free download □ 1z0-076 Latest Test Camp

- P.S. Free & New 1z0-076 dumps are available on Google Drive shared by TorrentValid: https://drive.google.com/open?id=18Kfbw0NfSOeRhqYBnileocmZW_cjKLfH

P.S. Free & New 1z0-076 dumps are available on Google Drive shared by TorrentValid: https://drive.google.com/open?id=18Kfbw0NfSOeRhqYBnileocmZW_cjKLfH