


Cisco 300-620퍼펙트인증공부자료 & 300-620최신시험 최신덤프



참고: Pass4Test에서 Google Drive로 공유하는 무료, 최신 300-620 시험 문제집이 있습니다:
https://drive.google.com/open?id=1P_AnyV7ygRAnl96tWZn-qRXiO2dn9Phn

Pass4Test에서는 최선을 다해 여러분이Cisco 300-620인증시험을 패스하도록 도울 것이며 여러분은 Pass4Test에서 Cisco 300-620덤프의 일부분의 문제와 답을 무료로 다운받으실 수 있습니다. Pass4Test 선택함으로써Cisco 300-620인증시험통과는 물론Pass4Test 제공하는 일년무료 업데이트서비스를 제공받을 수 있으며 Pass4Test의 인증덤프로 시험에서 떨어졌다면 100% 덤프비용 전액환불을 약속 드립니다.

IT업계에 계속 종사하고 싶은 분이라면 자격증 취득은 필수입니다. Cisco 300-620시험은 인기 자격증을 필수 시험 과목인데Cisco 300-620시험부터 자격증취득에 도전해보지 않으실래요? Cisco 300-620덤프는 이 시험에 대비한 가장 적합한 자료로서 자격증을 제일 빠르게 간편하게 취득할수 있는 지름길입니다. 구매전 덤프구매사이트에서 DEMO부터 다운받아 덤프의 일부분 문제를 체험해보세요.

>> Cisco 300-620퍼펙트 인증공부자료 <<

Cisco 300-620최신 시험 최신 덤프, 300-620퍼펙트 최신 덤프문제

최근 Cisco인증 300-620시험이 IT업계에서 제일 높은 인지도를 가지고 있습니다.바라만 보지 마시고Cisco인증 300-620시험에 도전해보세요. Pass4Test의 Cisco인증 300-620덤프로 시험준비공부를 하시면 한방에 시험패스 가능합니다. Cisco인증 300-620덤프로 자격증취득에 가까워지고 나아가서는 IT업계에서 인정을 받는 열쇠를 소유한것과 같다고 할수 있습니다.

Cisco 300-620 (Cisco Application Centric Infrastructure 구현) 인증 시험은 Cisco의 응용 프로그램 중심 인프라 (ACI) 솔루션을 구현하고 관리하는 데 필요한 기술과 지식을 검증하도록 설계되었습니다. ACI는 포괄적인 소프트웨어 정의 네트워킹 (SDN) 아키텍처로 중앙 집중식 자동화 및 정책 중심 애플리케이션 프로파일을 제공하여 복잡한 데이터 센터 환경을보다 쉽게 관리 할 수 있습니다. 이 시험은 ACI 기반 솔루션을 배포하고 유지 관리하는 데 전문 지식을 증명하려는 네트워크 엔지니어, 건축가 및 관리자를 대상으로합니다.

최신 CCNP Data Center 300-620 무료샘플문제 (Q196-Q201):

질문 # 196

An engineer must advertise a bridge domain subnet out of the ACI fabric to an OSPF neighbor. Which two configuration steps are required? (Choose two.)

- A. Configure the Subnet under the EPG level.
- B. Create Route Control Profile with the export direction under External EPG.
- C. Add External Subnet for External EPG flag under External EPG.
- D. Add L3Out profile to the bridge domain using Associated L3Outs section
- E. Configure Subnet scope to Advertised Externally

정답: D,E

설명:

To advertise a bridge domain subnet out of the ACI fabric to an OSPF neighbor, the following configuration steps are required:
Configure Subnet scope to Advertised Externally: This step involves setting the scope of the subnet within the bridge domain to be advertised externally, which allows the subnet to be propagated to external routing entities³.
Add L3Out profile to the bridge domain using Associated L3Outs section: This step involves associating the bridge domain with an L3Out profile, which is necessary for the bridge domain subnet to be advertised to OSPF neighbors⁴.

질문 # 197

Which two statements regarding ACI Multi-Site are true? (Choose two.)

- A. The Multi-Site orchestrator must be directly attached to one ACI leaf.
- B. Routers in the Inter-Site network must run OSPF, DHCP relay, and MP-BGP.
- C. ACI Multi-Site is a solution that allows one APIC cluster to manage multiple ACI sites.
- **D. The Inter-Site network routers should run OSPF to establish peering with the spines.**
- **E. ACI Multi-Site is a solution that supports a dedicated APIC cluster per site.**

정답: D,E

질문 # 198

A network engineer configured a Cisco ACI fabric as follows:

- An EPG called EPG-A is created and associated with a VMM domain called North.
- The EPG-A is associated with BD-A and is in an application profile called Apps-A.
- The BD-A is associated with VRF-1 in the Prod tenant.

Which port group must be selected to place VMs in EPG-A?

- A. Prod|Business_Apps|BD-A|EPG-A
- **B. Prod|Apps-A|EPG-A**
- C. Prod|Apps-A|North|EPG-A
- D. Prod|VRF-1|Apps-A|EPG-A

정답: B

설명:

The port group name is a concatenation of the tenant name, the application profile name, and the EPG name.

https://www.cisco.com/c/dam/m/en_us/solutions/data-center-virtualization/application-centric-infrastructure/aci-virtualization-guide-chapter.pdf

질문 # 199

Refer to the exhibit. Endpoint-A must communicate with Endpoint-B, but Leaf-101 has not learned the location of Endpoint-B.

Which step must Leaf-101 take before sending the data?

- A. Leaf-101 sends the packet to the Spine-201.
- B. Leaf-101 broadcasts an ARP request on a link to one of the spines.
- **C. Leaf-101 forwards the packet to the anycast proxy VTEP IP.**
- D. Leaf-101 creates an eVXLAN tunnel to Leaf-104.

정답: C

설명:

In this scenario, given the ingress leaf does not know the destination MAC address, it will forward the packet to the spine anycast proxy-mac address. The spine will perform a COOP lookup for the destination MAC.

<https://www.cisco.com/c/en/us/support/docs/cloud-systems-management/application-policy-infrastructure-controller-apic/218035-troubleshoot-aci-intra-fabric-forwarding.html>

질문 # 200

