


Oracle 1z0-076試験感想 & 1z0-076受験料



P.S. It-PassportsがGoogle Driveで共有している無料かつ新しい1z0-076ダンプ: <https://drive.google.com/open?id=1P61SMpAn9lAr8adMbWoVPIqjCVTd7tvz>

現在のネットワークの全盛期で、Oracleの1z0-076の認証試験を準備するのにいろいろな方法があります。It-Passportsが提供した最も依頼できるトレーニングの問題と解答はあなたが気楽にOracleの1z0-076の認証試験を受けることに助けを差し上げます。It-PassportsにOracleの1z0-076の試験に関する問題はいくつかの種類がありますから、すべてのIT認証試験の要求を満たすことができます。

Oracle 1z0-076 認定試験の出題範囲:

トピック	出題範囲
トピック 1	• Oracle Active Data Guard の使用: 読み取り専用スタンバイ データベースでサポートされるワークロード:ここでは、リアルタイム クエリでのフィジカル スタンバイ データベースの使用について説明します。
トピック 2	• Data Guard 構成でのデータベースのパッチ適用とアップグレード:このセクションでは、Data Guard 環境でのデータベースのパッチ適用とアップグレードに関するガイダンスと、パフォーマンスの最適化手法および監視に関する考慮事項について説明します。

トピック 3	プライマリ データベースの構造変更後のフィジカル スタンバイ ファイルの管理: このトピックでは、プライマリ データベースの構造変更の管理と、それがフィジカル スタンバイ ファイルに与える影響について説明します。
トピック 4	Oracle Data Guard 構成におけるバックアップとリカバリの考慮事項: このトピックでは、RMAN バックアップ、フィジカル スタンバイへのオフロード、ネットワークベースのリカバリなど、Data Guard 構成におけるバックアップとリカバリの手順について説明します。
トピック 6	ロール遷移の実行: ここでは、データベース ロールの概念と、ロール遷移中にスイッチオーバー、フェイルオーバー、およびフィジカル スタンバイ セッションを維持するための手順について説明します。
トピック 7	Data Guard Broker 構成の監視: このトピックでは、Enterprise Manager と DGMGRL を使用して Data Guard 構成を監視する方法について説明し、使用可能なさまざまなデータ保護モードについて説明します。
トピック 8	ロジカル スタンバイ データベースの作成: このトピックでは、SQL Apply フィルタリングを含むロジカル スタンバイ データベースの作成および管理のプロセスについて説明します。
トピック 9	Data Guard Broker 構成の作成: このセクションでは、コマンドラインや Enterprise Manager のアプローチなど、Data Guard Broker 構成の作成と管理の実用的な側面について詳しく説明します。

>> Oracle 1z0-076試験感想 <<

1z0-076試験の準備方法 | 更新する1z0-076試験感想試験 | 認定する Oracle Database 19c: Data Guard Administration受験料

我々It-Passportsは最も速いパスする方法をあげるし、PDF版、ソフト版、オンライン版の三種類版を提供します。PDF版、ソフト版、オンライン版は各自のメリットがあるので、あなたは自分の好きにするし、我々It-PassportsのOracle 1z0-076問題集デモを参考して選択できます。どんな版でも、Oracle 1z0-076試験に合格するのには成功への助力です。

Oracle Database 19c: Data Guard Administration 認定 1z0-076 試験問題 (Q40-Q45):

質問 # 40

Which two are prerequisites for configuring Transaction Guard in a Data Guard environment?

- A. Set INSTANCE_NAME identically on all the Data Guard Configuration databases and modify the local service name on the client to include a CONNECTION_LIST containing all the standby hosts.
- B. Create a database service with COMMIT_OUTCOME set to TRUE, and ensure clients use that service to connect to the database instance.
- C. Create a database service with COMMIT_OUTCOME set to TRUE and ensure that the service is statically registered with the default listener on the primary host.
- D. Grant execute permission on the DBMS_APP_CONT package to relevant database schema owners.
- E. Ensure that connection descriptors for database clients use the failover clause with the COMMIT_OUTCOME parameter set to TRUE.

正解: B、D

質問 # 41

A customer asks for your recommendation regarding this requirement:

1. We plan to have a Data Guard Configuration with one primary database and one physical standby database.
 2. We want zero data loss in case of a disaster involving the loss of one component.
 3. We want to do Real Application Testing occasionally on the Standby Database.
- Which solution, if any, satisfies these requirements?

- A. A snapshot standby database with real time query that can be converted regularly into a physical standby database open read write, to do real application testing
- **B. A physical standby database with synchronous redo transport that can be converted regularly into a snapshot standby to do real application testing**
- C. A far sync instance plus a snapshot standby database and real time apply that can be converted regularly into logical standby database to do real application testing
- D. These requirements cannot be met.

正解: B

解説:

* Synchronous redo transport for zero data loss (B): To guarantee zero data loss in the case of a disaster, synchronous redo transport must be configured between the primary and standby databases.

* Conversion to snapshot standby for testing (B): A physical standby database can be temporarily converted into a snapshot standby database to perform real application testing. After testing is completed, the snapshot standby can be converted back to a physical standby to resume its disaster recovery role.

References:

* Oracle Data Guard Concepts and Administration Guide

* Oracle Database Testing Guide

質問 # 42

Which three are prerequisites for using Data Guard Broker?

- A. A statically defined listener end-point must be registered with the local listener on the servers hosting the standby database instances.
- B. DG_BROKER_START must be set to TRUE for a database instance before adding the database to the broker configuration.
- C. The broker configuration files for a RAC database must reside in shared storage accessible by all the RAC database instances.
- **D. If any database in the configuration is a RAC database, then the broker configuration files must reside in shared storage accessible by all database instances for all databases in the broker configuration.**
- **E. Network connectivity to the primary database instance must be defined on the servers hosting the standby database instances.**
- **F. The primary and standby databases must run the same version of the Oracle Database server.**

正解: D、E、F

解説:

Data Guard Broker is a management tool that simplifies the configuration, management, and monitoring of Data Guard environments. The prerequisites for using Data Guard Broker include:

* The primary and standby databases must run the same version of the Oracle Database server (A):

This ensures compatibility between the primary and standby databases and enables seamless role transitions and data synchronization.

* Network connectivity to the primary database instance must be defined on the servers hosting the standby database instances (B): Proper network connectivity is essential for communication between the primary and standby databases, allowing for the replication of data and the synchronization of changes.

* If any database in the configuration is a RAC database, then the broker configuration files must reside in shared storage accessible by all database instances for all databases in the broker configuration (D): In Real Application Clusters (RAC) environments, shared storage ensures that all instances of the RAC database can access the broker configuration files, facilitating the management of the Data Guard environment across all instances. References:

* Oracle Data Guard Broker documentation

* Oracle Real Application Clusters Administration and Deployment Guide

質問 # 43

Which THREE statements are true about Far Sync instances?

- A. The Data Guard Broker must be used to deploy and manage Far Sync instances.
- B. They use an spfile, a standby controlfile, and standby redo logs.
- C. A primary database can ship redo directly to multiple Far Sync instances.
- D. They enable standby databases to be configured at remote distances from the primary without impacting performance on the primary.
- E. They work with any protection level.

正解: A、C、D

質問 # 44

Suppose that you manage the following databases in your environment:

* boston: Primary database with a single PDB called DEVI

* london: Physical standby database protecting the PDB called DEVI

* orcl: Stand-alone database with a single PDB called PDB1 as a remote clone source You are planning to run the following command to create a remote clone in the primary database (boston) using pdb1 in orcl:

Which are the THREE prerequisites for automating instantiation of the PDB in the standby database (london)?

- A. Set STANDBY_FILE_MANAGEMENT to auto in the london database.
- B. Set STANDBY_PDB_SOURCE_FILE_DIRECTORY to <location of the PDB> in the london database.
- C. Open PDB1 (remote clone source) in Read Write.
- D. Enable Active Data Guard in the london database.
- E. Set standby_pdb_source_file_dblink to clone_link in the london database.
- F. Open PDB1 (remote clone source) in Read Only.

正解: A、B、F

解説:

To automate the instantiation of a PDB in the standby database after creating a remote clone in the primary database, certain conditions must be met:

Open PDB1 (remote clone source) in Read Only (A): The source PDB from which the clone is created must be open in read-only mode to ensure a consistent state during cloning.

Set STANDBY_PDB_SOURCE_FILE_DIRECTORY to <location of the PDB> in the london database (C): This parameter specifies the location on the standby database where the files from the source PDB should be placed.

Set STANDBY_FILE_MANAGEMENT to auto in the london database (F): This parameter automates the management of file changes on the standby database when structural changes occur on the primary database, ensuring that the clone operation is reflected automatically on the standby.

Reference:

Oracle Multitenant Administrator's Guide

Oracle Data Guard Broker documentation

質問 # 45

.....

It-Passportsは2008年に設立されましたが、現在、ハイパス1z0-076ガイドトレントマテリアルの評判が高いため、この分野で主導的な地位にあります。1z0-076試験問題には、長年にわたって多くの同級生が続いていますが、これを超えることはありません。過去10年以来、成熟した完全な1z0-076学習ガイドR&Dシステム、顧客の情報安全システム、顧客サービスシステムを構築しています。有効な1z0-076準備資料を購入したすべての候補者は、高品質のガイドトレント、情報の安全性、および最高のカスタマーサービスを利用できます。

1z0-076受験料: <https://www.it-passports.com/1z0-076.html>

- Oracle 1z0-076試験の準備方法 | 最高の1z0-076試験感想試験 | 効率的なOracle Database 19c: Data Guard Administration受験料 □▷ 1z0-076 ◁を無料でダウンロード➤ www.mogixexam.com □ウェブサイトを入力するだけ1z0-076専門試験
- 有難いOracle 1z0-076 | 検証する1z0-076試験感想試験 | 試験の準備方法Oracle Database 19c: Data Guard Administration受験料 □ [www.goshiken.com]で使える無料オンライン版➡ 1z0-076 □ の試験問題1z0-076参考書

- Oracle 1z0-076試験の準備方法 | 最高の1z0-076試験感想試験 | 効率的なOracle Database 19c: Data Guard Administration受験料 □ (www.passtest.jp) を開いて ➡ 1z0-076 □□□ を検索し、試験資料を無料でダウンロードしてください1z0-076参考書
- 試験の準備方法-素晴らしい1z0-076試験感想試験-実際の1z0-076受験料 □ ウェブサイト □ www.goshiken.com □ から ➤ 1z0-076 □ を開いて検索し、無料でダウンロードしてください1z0-076試験対策書
- 1z0-076参考書 □ 1z0-076受験準備 □ 1z0-076ミシユレーション問題 □ ▶ www.xhs1991.com ◀ に移動し、▶ 1z0-076 ◀ を検索して無料でダウンロードしてください1z0-076合格体験談
- 試験の準備方法-信頼的な1z0-076試験感想試験-完璧な1z0-076受験料 □ 今すぐ▶ www.goshiken.com ◀ で《 1z0-076 》を検索し、無料でダウンロードしてください1z0-076受験準備
- 1z0-076模擬対策 □ 1z0-076無料試験 □ 1z0-076合格体験談 □ □ 1z0-076 □ の試験問題は「 www.shikenpass.com 」で無料配信中1z0-076参考書
- 試験の準備方法-信頼的な1z0-076試験感想試験-完璧な1z0-076受験料 □ ウェブサイト □ www.goshiken.com □ を開き、□ 1z0-076 □ を検索して無料でダウンロードしてください1z0-076テスト模擬問題集
- 1z0-076合格体験談 □ 1z0-076テスト模擬問題集 □ 1z0-076ミシユレーション問題 □ ✓ 1z0-076 □ ✓ □ を無料でダウンロード ➡ www.xhs1991.com □ ウェブサイトを入力するだけ1z0-076実際試験
- Oracle 1z0-076試験の準備方法 | 最高の1z0-076試験感想試験 | 効率的なOracle Database 19c: Data Guard Administration受験料 □ ➡ www.goshiken.com □ に移動し、▶ 1z0-076 ◀ を検索して、無料でダウンロード可能な試験資料を探します1z0-076無料試験
- 1z0-076試験の準備方法 | 正確な1z0-076試験感想試験 | 有効的なOracle Database 19c: Data Guard Administration受験料 □ ▶ 1z0-076 ◀ を無料でダウンロード ➡ www.mogixam.com □ で検索するだけ1z0-076専門試験
- bbs.t-firefly.com, bbs.t-firefly.com, connect.garmin.com, p.me-page.com, bbs.t-firefly.com, karkadigm.insifloai.com, bbs.t-firefly.com, www.stes.tyc.edu.tw, lms.drektashow.com, zenwriting.net, Disposable vapes

BONUS!!! It-Passports 1z0-076ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=1P61SMpAm9lAr8adMbWoVPlqjCVTd7tvz>