

시험대비에 가장 좋은 Analytics-Con-301 시험유료덤프덤프 최신문제

200-301 CCNA	
v1.0	v1.1
2.5 Interpret basic operations of Rapid PVST+ Spanning Tree Protocol 2.5.a Root port, root bridge (primary/secondary), and other port names 2.5.b Port states and roles 2.5.c PortFast	2.5 Interpret basic operations of Rapid PVST+ Spanning Tree Protocol 2.5.a Root port, root bridge (primary/secondary), and other port names 2.5.b Port states and roles 2.5.c PortFast 2.5.d Root guard, loop guard, BPDU filter, and BPDU guard
2.8 Describe AP and WLC management access (Telnet, SSH, HTTP, HTTPS, console, and TACACS+/RADIUS)	2.8 Describe network device management access (Telnet, SSH, HTTP, HTTPS, console, TACACS+/RADIUS, and cloud managed)
6.4 Compare traditional campus device management with Cisco DNA Center enabled device management	6.4 Explain AI (generative and predictive) and machine learning in network operations
6.5 Describe characteristics of REST-based APIs (CRUD, HTTP verbs, and data encoding)	6.5 Describe characteristics of REST-based APIs (authentication types, CRUD, HTTP verbs, and data encoding)
6.6 Recognize the capabilities of configuration management mechanisms, such as Puppet, Chef, and Ansible	6.6 Recognize the capabilities of configuration management mechanisms, such as Ansible and Terraform

ExamPassdump Analytics-Con-301 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
<https://drive.google.com/open?id=1Cc90Foz5SddSt2uUhMexEOP8saBaWY2N>

ExamPassdump 질문 풀은 실제시험 변화의 기반에서 스케줄에 따라 업데이트 합니다. 만일 Salesforce Analytics-Con-301테스트에 어떤 변화가 생긴다면, 적응율이 항상 98% 이상을 유지 할 수 있도록 2일간의 근무일 안에 제품을 업데이트 하도록 합니다. ExamPassdump는 고객들이 테스트에 성공적으로 합격 할 수 있도록 하기 위하여 업데이트 된 버전을 구매후 서비스로 제공해드립니다. 시험에서 불합격받으셨는데 업데이트가 힘든 상황이면 덤프비용을 환불해드립니다.

IT인증시험덤프자료를 제공해드리는 사이트는 너무나도 많습니다. 그중에서 대부분 분들이ExamPassdump제품에 많은 관심과 사랑을 주고 계시는데 그 원인은 무엇일까요?바로ExamPassdump에서 제공해드리는 덤프자료 품질이 제일 좋고 업데이트가 제일 빠르고 가격이 제일 저렴하고 구매후 서비스가 제일 훌륭하다는 점에 있습니다. ExamPassdump 표 Salesforce인증Analytics-Con-301덤프를 공부하시면 시험보는데 자신감이 생기고 시험불합격에 대한 우려도 줄어들것입니다.

>> Analytics-Con-301시험유료덤프 <<

100% 합격보장 가능한 Analytics-Con-301시험유료덤프 최신덤프

Salesforce 인증 Analytics-Con-301시험대비덤프를 찾고 계시다면ExamPassdump가 제일 좋은 선택입니다.저희 ExamPassdump에서는 여러가지 IT자격증시험에 대비하여 모든 과목의 시험대비 자료를 발췌하였습니다. ExamPassdump에서 시험대비덤프자료를 구입하시면 시험불합격시 덤프비용환불신청이 가능하고 덤프 1년 무료 업데이트서비스도 가능합니다. ExamPassdump를 선택하시면 후회하지 않을것입니다.

최신 Salesforce Consultant Analytics-Con-301 무료샘플문제 (Q87-Q92):

질문 # 87

A multi-national company wants to have a Tableau dashboard that will provide country-level information for both its forecast summaries and year-on-year metrics. The company wants to toggle between these two views while leaving main key performance indicators (KPIs) visible on the main dashboard.
Which method is the most efficient in achieving the company's requirements?

- A. Create a parameter that accepts values from a list that contains "Forecast View" and "Year-on-Year View."
 . Right-click the parameter and select Add to Sheet for both worksheets.
 . Navigate back to the dashboard and to the upper corner of the two worksheets.
 . Enable the Use as Filter option.
- B. Create a dashboard with the sheets containing the main KPIs and the forecast summary worksheet.
 . Duplicate this dashboard and replace the forecast view worksheet with the year-on-year metrics worksheet.
 . Add navigation buttons to both dashboards.

- C. Create a Boolean parameter with the two names of the views as aliases and a corresponding calculated field with the following calculation: True.
. Add the forecast summary sheet to the dashboard and add the year-on-year metrics sheet to the same dashboard as a Floating dashboard object.
- D. Create a single worksheet with all the measures required for both the forecast summary and the year-on-year views.
. Create a Boolean parameter and a corresponding calculated field with the following calculation: True.
. Add a blank dashboard object and in the Layout tab, check the box for "Control visibility using value" and select the parameter you created.

정답: C

설명:

. Add the calculated fields as a Detail under the Marks card of the floating view, create a "Change Parameter" action, and set the "Target Parameter" and "Source Fields" to the parameter and calculated field you created.

. Check the box for "Control visibility using value" in the Layout tab of the floating view and select the parameter you created.

Explanation:

The most efficient method for toggling between two views (forecast summaries and year-on-year metrics) while keeping main KPIs visible involves using a parameter and calculated fields for controlling visibility:

Create a Boolean Parameter: This parameter will have two aliases representing the two views ("Forecast View" and "Year-on-Year View"). This allows the user to select which view they wish to see directly from the dashboard.

Calculated Field: Create a calculated field that always returns True. This field acts as a constant placeholder to enable the visibility control tied to the parameter.

Dashboard Setup: Place both the forecast summary and the year-on-year metrics sheets on the dashboard. Set the year-on-year metrics sheet as a floating object over the forecast summary.

Visibility Control: Use the "Control visibility using value" option in the Layout tab for the floating year-on-year metrics view. Tie this setting to the Boolean parameter so that changing the parameter will show or hide this view without affecting the main KPIs displayed on the dashboard.

Interactivity: Implement a "Change Parameter" dashboard action where selecting different options in the dashboard (e.g., clicking on certain parts) triggers the parameter to change, thus toggling the visible view.

References

This method leverages Tableau's dashboard interactivity features including parameters, calculated fields, and visibility settings, as recommended in Tableau's user guide on dynamic dashboard design.

질문 # 88

A client is using Tableau to visualize data by leveraging security token-based credentials. Suddenly, sales representatives in the field are reporting that they cannot access the necessary workbooks. The client cannot recreate the error from their offices, but they have seen screenshots from the field agents. The client wants to restore functionality for the field agents with minimal disruption.

Which step should the consultant recommend to accomplish the client's goal?

- A. Change the data source permissions for the connection to "Prompt User."
- B. Renew the security token via the Data Connection on Tableau Server.
- C. Ask the workbook owners to republish the workbooks to refresh the security token.
- D. Ensure that "Allow Refresh Access" was checked when the data source was published.

정답: B

설명:

When field agents are unable to access workbooks due to issues with security token-based credentials, the most immediate and least disruptive solution is to renew the security token. This can be done through the Data Connection settings on Tableau Server. Renewing the token will restore access for the field agents without requiring them to take any action or affecting other users.

References: The use of personal access tokens (PATs) in Tableau and the procedure for renewing them are documented in Tableau's official resources. It is noted that PATs are long-lived authentication tokens that can be revoked and renewed to manage access securely¹. Additionally, there have been discussions in the Tableau Community regarding issues with concurrent PAT access, which further supports the need to manage tokens effectively².

질문 # 89

A client requests a published Tableau data source that is connected to SQL Server. The client needs to leverage the multiple tables option to create an extract. The extract will include partial data from the SQL Server data source.

Which action will reduce the amount of data in the extract?

- A. Aggregate the extract to the visible dimensions.
- B. Set up the extract as an incremental refresh.
- **C. Use an extract filter.**
- D. Define the filters by using custom SQL.

정답: C

설명:

Using an extract filter is an effective way to reduce the amount of data in a Tableau extract. Extract filters allow you to specify a subset of the data to include, which can significantly decrease the size of the extract by excluding unnecessary data. This is particularly useful when you only need partial data from a larger SQL Server data source.

References: The recommendation to use extract filters to reduce data size is supported by Tableau's best practices for optimizing extracts. These practices suggest keeping the extract's data set short through filtering¹. Additionally, discussions in the Tableau Community confirm that hiding fields and using extract filters before extracting data can help reduce the extract size².

When dealing with large datasets in SQL Server and needing to create a manageable extract in Tableau, using an extract filter is the most direct and effective method to limit the data included:

Extract Filter: This involves setting filters that apply directly when the data is extracted from the source.

This means that only the data meeting the specified criteria will be extracted and loaded into Tableau, significantly reducing the size of the extract.

To apply an extract filter, in the Data Source page in Tableau, drag the fields you want to filter by to the Filters shelf. Then, configure the desired filter criteria. When you create the extract, choose the option to "Add Filters to Extract" and select the configured filters. This ensures that only the data that meets these conditions is extracted from the SQL Server.

This approach not only minimizes the data volume but also speeds up performance in Tableau because it processes a smaller subset of the full dataset.

References This procedure is described in detail in Tableau's help documentation on managing extracts and optimizing performance by using extract filters, which is recommended for scenarios involving large datasets or when specific subsets of data are required for analysis.

질문 # 90

A customer wants to leverage generative AI capabilities. The customer is currently on Tableau Server 2023.1. How is the customer able to leverage generative AI in Tableau?

- A. Perform API calls from Tableau Server to sandboxed extensions hosted by Tableau.
- B. Upgrade Tableau Server from 2023.1 to the latest version.
- **C. Migrate Tableau Server to Tableau Cloud.**
- D. Use a dashboard accelerator from Tableau Exchange.

정답: C

설명:

Comprehensive and Detailed Explanation From Exact Extract:

Tableau's official generative AI capability- Tableau Pulse and Einstein-powered Tableau AI features- are available only on Tableau Cloud, not Tableau Server.

Key Tableau facts:

* Tableau Server (any version, including new ones) does not provide generative AI capabilities.

* Tableau Cloud includes AI features such as:

* Tableau Pulse

* Einstein Copilot

* Natural language questions

* Automated insights

* Upgrading Tableau Server does not provide generative AI.

* Extensions and accelerators do not enable AI functionality.

Therefore, the customer must migrate from Tableau Server to Tableau Cloud to leverage generative AI.

* Tableau AI/Pulse documentation stating availability only in Tableau Cloud.

* Feature comparison charts showing generative AI unavailable on Tableau Server.

질문 # 91

A worksheet uses a LOOKUP function to display Sales by Month, Year of Order Date, and sales from the last

12 months. A consultant wants to use a Relative Date Filter to filter for data from the last 12 months. However, when the consultant does this, the prior year's data is removed from the sheet. Which two actions should the consultant take to retain the prior year's data after applying the filter? Choose two.

- A. Create the following calculation: LOOKUP(MIN([Order Date]),0). Filter on that calculation instead of Order Date.
- B. Set the Relative Date filter as a Context Filter instead of Measure Filter.
- C. Replace the LOOKUP function with a FIXED Level of Detail (LOD) expression.
- D. Create the following calculation: DATEDIFF('month', [Order Date], {MAX([Order Date])}) < 12. Hide all False values.

정답: A,B

설명:

Comprehensive and Detailed Explanation From Exact Extract:

A LOOKUP table calculation requires access to rows outside the filtered date range so that the calculation can reference prior data. When a Relative Date Filter removes older data before the table calculation is evaluated, the LOOKUP loses the needed rows, causing the prior year's data to disappear.

Tableau's order of operations states:

- * Relative Date Filters act early (at the dimension filter stage).
- * Table calculations act very late.
- * To preserve table calculation context, filters must not remove necessary rows.

Two Tableau-documented approaches address this:

Explanation for B

Setting the Relative Date Filter as a Context Filter allows table calculations to operate on the full dataset needed for LOOKUP. Context filters create a separate temporary table, and subsequent filters like table calculations evaluate after the context is established.

This ensures older rows are still available to the LOOKUP function.

Explanation for C

Creating a field such as:

LOOKUP(MIN([Order Date]), 0)

and filtering on this field instead of Order Date converts the filter into a table calculation filter, which occurs after the LOOKUP computation. Tableau documentation explains that table calculation filters preserve the full dataset required for the LOOKUP window.

This ensures that the LOOKUP still has access to last year's values even when filtering for the current 12 months.

Why A is incorrect

Replacing LOOKUP with an LOD changes the logic entirely.

LOD expressions cannot replicate moving-window or lag-type behavior.

Why D is incorrect

DATEDIFF logic can replicate a rolling window, but hiding False values is essentially a manual filter and does not preserve the integrity of the LOOKUP's required partitioning. It also contradicts Tableau's recommended approach for maintaining table calculation context.

- * Tableau Order of Operations explaining why table calculation filters preserve data for LOOKUP.
- * Tableau documentation on context filters and how they allow more data to remain available for downstream table calculations.
- * Tableau guidance on how Relative Date Filters interact with table calculations.
- * Best practices for preserving table calculation window rows when filtering.

질문 # 92

.....

Salesforce Analytics-Con-301 덤프는 pdf버전,테스트엔진버전, 온라인버전 세가지 버전의 파일로 되어있습니다. pdf 버전은 반드시 구매하셔야 하고 테스트엔진버전과 온라인버전은 pdf버전 구매시 추가구매만 가능합니다. pdf버전은 인쇄가능하기에 출퇴근길에서도 공부가능하고 테스트엔진버전은 pc에서 작동가능한 프로그램이고 온라인버전은 pc외에 휴대폰에서도 작동가능합니다.

Analytics-Con-301최신 시험 기출문제 모음 : https://www.exampassdump.com/Analytics-Con-301_valid-braindumps.html

ExamPassdump의Salesforce Analytics-Con-301인증시험의 자료 메뉴에는Salesforce Analytics-Con-301인증시험실기와 Salesforce Analytics-Con-301인증시험 문제집으로 나누어져 있습니다.우리 사이트에서 관련된 학습가이드를 만나보실 수 있습니다, 우리가 고객의 어떠한 Analytics-Con-301 자격증 시험이라도 합격을 도와 드립니다, Salesforce Analytics-Con-301최신 시험 기출문제 모음 Analytics-Con-301최신 시험 기출문제 모음덤프를 구매하시면 시스템 자동으 덤프파일 다운로드 링크가 고객님의 메일주소에 발송됩니다, Salesforce Analytics-Con-301시험유효덤프 그리

이런 거 처음이야, 실은 문을 나서기 직전까지 계속 고민이었다, ExamPassdump의Salesforce Analytics-Con-301인증시험의 자료 메뉴에는Salesforce Analytics-Con-301인증시험실기와Salesforce Analytics-Con-301인증시험 문제집으로 나누어져 있습니다.우리 사이트에서 관련된 학습가이드를 만나보실 수 있습니다.

우리가 고객의 어떠한 Analytics-Con-301 자격증 시험이라든 합격을 도와 드립니다, Salesforce Salesforce Consultant 덤프를 구매하시면 시스템 자동으로 덤프파일 다운로드 링크가 고객님의 메일주소에 발송됩니다, 그리고 중요한 건 시험과 매우 유사한 시험문제와 답도 제공해드립니다.

그리고 ExamPassdump Analytics-Con-301 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다:
<https://drive.google.com/open?id=1Cc90Foz5SddSt2uUhMexEOP8saBaWY2N>