

NSE7_EFW-7.2인기시험덤프시험준비에가장좋은시험 대비덤프공부자료

Fortinet NSE7_EFW-7.0 Practice Questions

Fortinet NSE 7 - Enterprise Firewall 7.0

Order our NSE7_EFW-7.0 Practice Questions Today and Get Ready to Pass
with Flying Colors!



NSE7_EFW-7.0 Practice Exam Features | QuestionsTube

- Latest & Updated Exam Questions
- Subscribe to FREE Updates
- Both PDF & Exam Engine
- Download Directly Without Waiting

https://www.questionstube.com/exam/nse7_efw-7-0/

At QuestionsTube, you can read NSE7_EFW-7.0 free demo questions in pdf file, so you can check the questions and answers before deciding to download the Fortinet NSE7_EFW-7.0 practice questions. These free demo questions are parts of the NSE7_EFW-7.0 exam questions. Download and read them carefully, you will find that the NSE7_EFW-7.0 test questions of QuestionsTube will be your great learning materials online. Share some NSE7_EFW-7.0 exam online questions below.

2025 ExamPassdump 최신 NSE7_EFW-7.2 PDF 버전 시험 문제집과 NSE7_EFW-7.2 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=11W9iNVtaEV0QAaVjOaRyvXcqUC4OBunS>

ExamPassdump의 Fortinet인증 NSE7_EFW-7.2덤프를 구매하여 공부한지 일주일만에 바로 시험을 보았는데 고득점으로 시험을 패스했습니다. 이는 ExamPassdump의 Fortinet인증 NSE7_EFW-7.2덤프를 구매한 분이 전해온 희소식입니다. 다른 자료 필요없이 단지 저희Fortinet인증 NSE7_EFW-7.2덤프로 이렇게 어려운 시험을 일주일만에 패스하고 자격증을 취득할수 있습니다.덤프가격도 다른 사이트보다 만만하여 부담없이 덤프마련이 가능합니다.구매전 무료샘플을 다운받아 보시면 믿음을 느낄것입니다.

Fortinet NSE7_EFW-7.2 시험요강:

주제	소개
주제 1	• Security profiles: Using FortiManager as a local FortiGuard server is discussed in this topic. Moreover, it delves into configuring web filtering, application control, and the intrusion prevention system (IPS) in an enterprise network.
주제 2	• Central management: The topic of Central management covers implementing central management.

주제 3	VPN: Implementing IPsec VPN IKE version 2 is discussed in this topic. Additionally, it delves into implementing auto-discovery VPN (ADVPN) to enable on-demand VPN tunnels between sites.
주제 4	Routing: It covers implementing OSPF to route enterprise traffic and Border Gateway Protocol (BGP) to route enterprise traffic.
주제 5	System configuration: This topic discusses Fortinet Security Fabric and hardware acceleration. Furthermore, it delves into configuring various operation modes for an HA cluster.

>> NSE7_EFW-7.2인기시험덤프 <<

Fortinet NSE7_EFW-7.2합격보장 가능 공부자료, NSE7_EFW-7.2유효한 공부문제

지난 몇년동안 IT산업의 지속적인 발전과 성장을 통해Fortinet 인증NSE7_EFW-7.2시험은 IT인증시험중의 이정표로 되어 많은 인기를 누리고 있습니다. IT인증시험을ExamPassdump덤프로 준비해야만 하는 이유는ExamPassdump덤프는 IT업계전문가들이 실제시험문제를 연구하여 시험문제에 대비하여 예상문제를 제작했다는 점에 있습니다.

최신 NSE 7 Network Security Architect NSE7_EFW-7.2 무료샘플문제 (Q36-Q41):

질문 # 36

After enabling IPS you receive feedback about traffic being dropped.
What could be the reason?

- A. Fail-open is set to disable
- B. Np-accel-mode is set to enable
- C. IPS is configured to monitor
- D. Traffic-submit is set to disable

정답: A

설명:

Fail-open is a feature that allows traffic to pass through the IPS sensor without inspection when the sensor fails or is overloaded. If fail-open is set to disable, traffic will be dropped in such scenarios1. References:

= IPS | FortiGate / FortiOS 7.2.3 - Fortinet Documentation

When IPS (Intrusion Prevention System) is configured, if fail-open is set to disable, it means that if the IPS engine fails, traffic will not be allowed to pass through, which can result in traffic being dropped (D). This is in contrast to a fail-open setting, which would allow traffic to bypass the IPS engine if it is not operational.

질문 # 37

Which statement about network processor (NP) offloading is true?

- A. The NP provides IPS signature matching.
- B. The NP checks the session key or IPsec SA.
- C. For TCP traffic, FortiGate CPU offloads the first packets of SYN/ACK and ACK of the three-way handshake to NP.
- D. You can disable the NP for each firewall policy using the command np-acceleration set to loose.

정답: B

질문 # 38

Which statement about the designated router (DR) and backup designated router (BDR) in an OSPF multi-access network is true?

- A. Non-DR and non-BDR routers form full adjacencies to DR only.

- B. Only the DR receives link state information from non-DR routers.
- C. Non-DR and non-BDR routers send link state updates and acknowledgements to 224.0.0.6.
- D. FortiGate first checks the OSPF ID to elect a DR.

정답: C

설명:

On the broadcast network, all routers that are NOT a DR or BDR are called DROTHER.

DROTHER will send their link state updates and LSack to the AllDRouter address, 224.0.0.6.

<https://community.cisco.com/t5/switching/dr-bdr-ospf/td-p/2010995>

질문 # 39

What is true about the Fitter override option in the application control profile?

- A. Helps to configure actions for predefined categories
- B. Helps to view the application control signatures for a specific category
- C. Helps to categorize applications based on behavior risk or on technology
- D. Helps to control specific signature and applications

정답: C

질문 # 40

Examine the output of the 'get router info ospf interface' command shown in the exhibit; then answer the question below.

```

# get router info ospf interface port4
port4 is up, line protocol is up
  Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
  Process ID 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
  Transmit Delay is 1 sec, State DROther, Priority 1
  Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2
  Backup Designated Router (ID) 0.0.0.1, Interface Address
  172.20.121.239
  Timer intervals configured, Hello 10.000, Dead 40, Wait 40, Retransmit
  5

  Hello due in 00:00:05
  Neighbor Count is 4, Adjacent neighbor count is 2
  Crypt Sequence Number is 411
  Hello received 106, sent 27, DD received 7 sent 9
  LS-Req received 2 sent 2, LS-Upd received 7 sent 5
  LS-Ack received 4 sent 3, Discarded 1

```

Which statements are true regarding the above output? (Choose two.)

- A. Two OSPF routers are down in the port4 network.
- B. The local FortiGate has been elected as the OSPF backup designated router
- C. There are at least 5 OSPF routers connected to the port4 network.
- D. The port4 interface is connected to the OSPF backbone area.

정답: C,D

설명:

On BROADCAST network there are 4 neighbors, among which 1*DR + 1*BDR. So our FG has 4 neighbors, but create adjacency only with 2 (with DR and BDR). 2 neighbors DROther (not down).

질문 # 41

.....

ExamPassdump는 여러 IT인증에 관심 있고 또 응시하고 싶으신 분들에게 편리를 드립니다. 그리고 많은 분들이 이미

참고: ExamPassdump에서 Google Drive로 공유하는 무료 2025 Fortinet NSE7_EFW-7.2 시험 문제집이 있습니다:
<https://drive.google.com/open?id=11W9iNVtaEV0QAaVjOaRyvXcqUC4OBunS>