

100%합격보장가능한EDGE-Expert적중율높은인증덤프 공부자료

SAP C_BW4H_211 SAP Certified Application Associate - Reporting, Modeling and Data Acquisition with SAP BW/4HANA 3

질문 # 52

What is the purpose of an architecture overview model?

- A. To identify the required data sources.
- B. To determine the sequence of projects
- C. To identify the user groups and required authorizations
- D. To automatically generate the LSA++ architecture

정답A

설명 :

An architecture overview model is a high-level diagram that shows the main components and data flows of a solution. It helps to identify the required data sources and how they are connected to the target system. An architecture overview model can also show the main business processes and scenarios that are supported by the solution. An architecture overview model is useful for scoping, planning, designing, and communicating a solution.

질문 # 53

.....

SAP C_BW4H_211 덤프는 pdf버전,테스트엔진버전, 온라인버전 세가지 버전의 파일로 되어있습니다. pdf 버전은 반드시 구매하시야 하고 테스트엔진버전과 온라인버전은 pdf버전 구매시 추가구매만 가능합니다. pdf버전은 인쇄가능하기에 출퇴근길에서도 공부가능하고 테스트엔진버전은 pc에서 작동가능한 프로그램 이고 온라인버전은 pc외에 휴대폰에서도 작동가능합니다.

C_BW4H_211최신시험: https://www.passtip.net/C_BW4H_211-pass-exam.html

C_BW4H_211시험은 멋진 IT전문가로 거듭나는 길에서 반드시 넘어야할 높은 산입니다. C_BW4H_211덤프를 패키지로 구매하시면 더 저렴한 가격에 구매하실 수 있습니다. 단기간 IT업계에 종사하신 전문가들이 자신의 노하우와 경험으로 제작한 SAP C_BW4H_211덤프는 C_BW4H_211 실제 기술문제를 기반으로 한 자료로서 C_BW4H_211시험문제의 모든 범위와 유형을 포함하고 있어 높은 적중율을 자랑하고 있습니다. 덤프구매후 불합격 받으시면 구매일로부터 60일내 주문은 덤프비용을 환불해드립니다.IT 자격증 취득은 PassTIP덤프가 정답입니다. SAP C_BW4H_211시험대비 인증덤프자료 샘플문제 무료다운: 고객님의데 대한 깊은 배려의 마음으로 고품질 최신버전 덤프를 제공드리고 디테일한 서비스를 제공해드리는데 ITExamDump 의 취지입니다.

출 일출간의 일정이었고, 회원은 가장 첫날 제작을 하게 되었다. 오해하면 안 될 텐데, C_BW4H_211시험은 멋진 IT전문가로 거듭나는 길에서 반드시 넘어야할 높은 산입니다. C_BW4H_211덤프를 패키지로 구매하시면 더 저렴한 가격에 구매하실 수 있습니다.

100% 유효한 C_BW4H_211시험대비 인증덤프자료 시험

단기간 IT업계에 종사하신 전문가들이 자신의 노하우와 경험으로 제작한 SAP C_BW4H_211덤프는 C_BW4H_211 실제 기술문제를 기반으로 한 자료로서 C_BW4H_211시험문제의 모든 범위와 유형을 포함하고 있어 높은 적중율을 자랑하고 있습니다. (https://www.passtip.net/C_BW4H_211-pass-exam.html) 덤프구매후 불합격 받으시면 구매일로부터 60일내 주문은 덤프비용을 환불해드립니다.IT 자격증 취득은 PassTIP덤프가 정답입니다.

샘플문제 무료다운: 고객님의데 대한 깊은 배려의 마음으로 고품질 최신버전 덤프를 제공드리고 디테일

100%합격보장가능한C_BW4H_211시험대비인증덤프자료덤프

그리고 PassTIP EDGE-Expert 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다:
https://drive.google.com/open?id=1yYhK14VynE0_xeXzRBn7Dk6VYjbNhUOR

PassTIP의EDGE EDGE-Expert 인증시험덤프는 자주 업데이트 되고, 오래 되고 더 이상 사용 하지 않는 문제들은 바로 삭제해버리며 새로운 최신 문제들을 추가 합니다. 이는 응시자가 확실하고도 빠르게EDGE EDGE-Expert덤프를 마스터하고EDGE EDGE-Expert시험을 패스할 수 있도록 하는 또 하나의 보장입니다. 매력만점EDGE EDGE-Expert덤프 강력 추천합니다.

꿈을 안고 사는 인생이 멋진 인생입니다. 고객님의 최근의 꿈은 승진이나 연봉인상이 아닐까 싶습니다. EDGE인증 EDGE-Expert시험은 IT인증시험중 가장 인기있는 국제승인 자격증을 취득하는데서의 필수시험과목입니다.그만큼 시험문제가 어려워 시험도전할 용기가 없다가요? 이제 이런 걱정은 버리셔도 됩니다. PassTIP의 EDGE인증 EDGE-Expert덤프는EDGE인증 EDGE-Expert시험에 대비한 공부자료로서 시험적중율 100%입니다.

>> EDGE-Expert적중율 높은 인증덤프 <<

EDGE-Expert적중율 높은 인증덤프 최신 시험은 저희 덤프로 패스가능

PassTIP의 경험이 풍부한 IT전문가들이 연구제작해낸 EDGE인증 EDGE-Expert덤프는 시험패스율이 100%에 가까워 시험의 첫번째 도전에서 한방에 시험패스하도록 도와드립니다. EDGE인증 EDGE-Expert덤프는EDGE인증 EDGE-

Expert최신 실제시험문제의 모든 시험문제를 커버하고 있어 덤프에 있는 내용만 공부하시면 아무런 걱정없이 시험에 도전할수 있습니다.

최신 GBCI EDGE EDGE-Expert 무료샘플문제 (Q49-Q54):

질문 # 49

Which of the following measures provides the most attractive solution in the EDGE software for a hospital?

- A. External shading with 7% saving and 8 years payback
- B. Water-cooled chillers with 20% energy saving and 10 years payback
- C. Insulation of external walls with 3% saving and 9 years payback
- D. Solar hot water system with a saving of 15% and payback of 6 years

정답: D

설명:

In the EDGE software, the "most attractive solution" for a project, such as a hospital, is determined by balancing resource savings (energy, water, or materials) with financial payback periods, as these metrics are key outputs in the EDGE App Results Bar. The EDGE User Guide explains how to evaluate measures: "The EDGE software prioritizes measures that offer the highest resource savings with the shortest payback periods, making them the most attractive solutions for project teams. For hospitals, where energy and water demands are high due to continuous operation, measures with significant savings and faster payback are typically preferred" (EDGE User Guide, Section 2.4: Interpreting EDGE Results). Let's evaluate the options: Option A (external shading) offers 7% savings (likely energy, as shading reduces cooling loads) with an 8-year payback. Option B (insulation of external walls) provides 3% savings (also energy) with a 9-year payback.

Option C (solar hot water system) delivers 15% savings (energy, as it reduces the need for electric or gas water heating) with a 6-year payback. Option D (water-cooled chillers) achieves 20% energy savings but with a 10-year payback. The EDGE Methodology Report further clarifies: "For hospitals, measures like solar hot water systems are often attractive because they address high hot water demands (e.g., for sterilization, showers), offering substantial energy savings with relatively short payback periods due to consistent usage" (EDGE Methodology Report Version 2.0, Section 5.3: Energy Measures). Comparing the options, Option C has the second-highest savings (15%) and the shortest payback (6 years), making it more attractive than Option D (20% savings but 10 years payback), Option A (7% savings, 8 years), and Option B (3% savings, 9 years). The EDGE User Guide also notes: "A payback period of 6 years is generally considered attractive in EDGE, especially for measures with savings above 10%, as it aligns with typical investment horizons for building owners" (EDGE User Guide, Section 2.4: Interpreting EDGE Results). Additionally, for a hospital, hot water demand is significant, making solar hot water systems particularly effective: "Hospitals benefit greatly from solar hot water systems, achieving energy savings of 10-20% with payback periods often under 7 years due to high hot water usage" (EDGE Methodology Report Version 2.0, Section 4.2: Energy Savings Calculations). Thus, the solar hot water system (Option C) is the most attractive solution due to its balanced savings and shortest payback period.

Reference:EDGE User Guide Version 2.1, Section 2.4: Interpreting EDGE Results; EDGE Methodology Report Version 2.0, Section 5.3: Energy Measures, Section 4.2: Energy Savings Calculations.

질문 # 50

Which of the following can deliver the highest efficiency in fans and pumps?

- A. Constant speed drive
- B. Variable speed drive
- C. Two speed drive
- D. Single speed drive

정답: B

설명:

Efficiency in fans and pumps is a critical aspect of green building design in EDGE, particularly for reducing energy consumption in HVAC systems. The EDGE User Guide provides detailed guidance on efficiency measures for mechanical systems: "Variable speed drives (VSDs) deliver the highest efficiency in fans and pumps by adjusting the motor speed to match the actual demand, significantly reducing energy consumption compared to fixed-speed systems. VSDs can achieve energy savings of up to 30-50% in HVAC applications by avoiding the constant operation at full speed typical of single or constant speed drives" (EDGE User Guide, Section 4.2: Energy Efficiency Measures). Option D, variable speed drive, aligns with this description as the most efficient option. Option A (two speed drive) offers some efficiency by allowing two operating speeds, but it is less flexible than VSDs: "Two speed drives provide limited efficiency gains, as they cannot continuously adjust to varying loads, unlike variable speed drives" (EDGE Methodology Report Version 2.0, Section 5.1: Energy Efficiency Metrics). Option B (single speed drive) and Option C (constant

speed drive) are essentially the same in this context, operating at a fixed speed regardless of demand, leading to energy waste: "Single speed or constant speed drives run at a fixed rate, resulting in higher energy consumption compared to variable speed drives, which modulate speed based on need" (EDGE User Guide, Section 4.2: Energy Efficiency Measures). The EDGE Methodology Report further elaborates: "Variable speed drives are the most efficient option for fans and pumps in EDGE, as they minimize energy use by matching output to demand, unlike two speed or constant speed drives, which operate inefficiently under partial loads" (EDGE Methodology Report Version 2.0, Section 5.1: Energy Efficiency Metrics). This makes variable speed drives (Option D) the clear choice for delivering the highest efficiency in fans and pumps. Reference: EDGE User Guide Version 2.1, Section 4.2: Energy Efficiency Measures; EDGE Methodology Report Version 2.0, Section 5.1: Energy Efficiency Metrics.

질문 # 51

Which of the following parameters can be found in the EDGE App Results Bar?

- A. Occupant use
- B. Building type
- C. Climate conditions
- **D. Incremental cost**

정답: D

설명:

The EDGE App Results Bar displays key outputs of the software analysis after a project is modeled. The EDGE User Guide details the contents of the Results Bar: "The EDGE App Results Bar provides a summary of the project's performance, including percentage savings in energy, water, and embodied energy in materials, as well as the incremental cost, payback period, and carbon emissions reduction" (EDGE User Guide, Section 2.4: Interpreting EDGE Results). Option C, incremental cost, is explicitly mentioned as part of the Results Bar, representing the additional cost of implementing green measures. Option A (building type) and Option B (occupant use) are inputs specified by the user during project setup, not outputs in the Results Bar, as noted: "Building type and occupant use are input parameters, not displayed in the Results Bar" (EDGE User Guide, Section 2.2: Project Setup). Option D (climate conditions) is also an input parameter (selected via location), not an output: "Climate conditions are derived from the selected location and are not shown in the Results Bar" (EDGE Methodology Report Version 2.0, Section 3.2: Climate Data Inputs). Thus, incremental cost (Option C) is the correct parameter found in the Results Bar. Reference: EDGE User Guide Version 2.1, Section 2.4: Interpreting EDGE Results, Section 2.2: Project Setup; EDGE Methodology Report Version 2.0, Section 3.2: Climate Data Inputs.

질문 # 52

To maintain their licensed status, what must EDGE Auditors do?

- A. Undertake at least one building project audit every three years.
- B. Attend refresher training for at least two hours every three years.
- **C. Undertake at least one building project audit every two years.**
- D. Attend refresher training for at least two hours every two years.

정답: C

설명:

EDGE Auditors must meet specific requirements to maintain their licensed status, ensuring they remain active and competent in their role. The EDGE Expert and Auditor Protocols provide detailed guidance: "To maintain their licensed status, EDGE Auditors must undertake at least one building project audit every two years. This requirement ensures that Auditors remain actively engaged in the certification process and maintain their practical experience in verifying EDGE projects" (EDGE Expert and Auditor Protocols, Section 5.1: Maintaining Auditor Status). Option A, undertake at least one building project audit every two years, directly aligns with this requirement. Option B (attend refresher training for at least two hours every two years) and Option C (attend refresher training for at least two hours every three years) are incorrect, as the protocols specify a different training requirement: "EDGE Auditors must attend refresher training as required by IFC, typically every three years, but the duration is not specified as a minimum of two hours; the focus is on completing the training, not the exact hours" (EDGE Expert and Auditor Protocols, Section 5.1: Maintaining Auditor Status). Option D (undertake at least one building project audit every three years) is also incorrect, as the required frequency is every two years, not three: "A three-year interval for audits does not meet the requirement of one audit every two years, which is necessary to ensure ongoing competence" (EDGE Expert and Auditor Protocols, Section 5.1: Maintaining Auditor Status). The EDGE User Guide supports this by stating: "Auditors maintain their status by conducting at least one audit every two years, ensuring

they stay familiar with EDGE standards and procedures through active practice" (EDGE User Guide, Section 6.5: Working with EDGE Auditors). Additionally, the protocols note: "Failure to conduct an audit within two years may result in a lapse of Auditor status, requiring recertification through additional training or re- examination" (EDGE Expert and Auditor Protocols, Section 5.2: Recertification Conditions). Thus, undertaking at least one audit every two years (Option A) is the correct requirement for maintaining EDGE Auditor status.

Reference:EDGE Expert and Auditor Protocols, Section 5.1: Maintaining Auditor Status, Section 5.2: Recertification Conditions; EDGE User Guide Version 2.1, Section 6.5: Working with EDGE Auditors.

질문 # 53

Which of the following heating systems uses Coefficient of Performance (COP) as a measure of efficiency in the EDGE software?

- A. Ground source heat pump
- B. Condensing boiler
- C. Electric heater
- D. Sensible heat recovery from exhaust air

정답: A

설명:

In EDGE, the Coefficient of Performance (COP) is used to measure the efficiency of heating systems that produce heat using a refrigeration cycle, such as heat pumps. The EDGE Methodology Report specifies: "The Coefficient of Performance (COP) is used in EDGE to evaluate the efficiency of heat pumps, including ground source heat pumps, where it is defined as the ratio of thermal output to electrical input. This metric is not applied to direct heating systems like electric heaters or boilers" (EDGE Methodology Report Version 2.0, Section 5.1: Energy Efficiency Metrics). Option C, ground source heat pump, fits this description as it operates using a refrigeration cycle to transfer heat, and its efficiency is measured by COP in EDGE. Option A (electric heater) has an efficiency typically measured as 100% (or COP of 1), but EDGE does not use COP for such systems, as noted: "Electric heaters are assumed to have a fixed efficiency in EDGE, not evaluated via COP" (EDGE User Guide, Section 4.2: Energy Efficiency Measures). Option B (condensing boiler) uses thermal efficiency (%), not COP, as per: "Boilers in EDGE are assessed by their thermal efficiency, not COP" (EDGE Methodology Report Version 2.0, Section 5.2: Heating Systems). Option D (sensible heat recovery from exhaust air) is a heat recovery method, not a heating system, and does not use COP: "Heat recovery systems are evaluated by their heat recovery effectiveness, not COP" (EDGE User Guide, Section 4.3: Ventilation Measures). Thus, ground source heat pump (Option C) is the correct choice.

Reference: EDGE Methodology Report Version 2.0, Section 5.1: Energy Efficiency Metrics, Section 5.2: Heating Systems; EDGE User Guide Version 2.1, Section 4.2: Energy Efficiency Measures, Section 4.3: Ventilation Measures.

질문 # 54

.....

PassTIP의 높은 적응율을 보장하는 최고품질의EDGE EDGE-Expert덤프는 최근EDGE EDGE-Expert실제인증시험에 대비하여 제작된것으로 엘리트한 전문가들이 실제시험문제를 분석하여 답을 작성한 만큼 시험문제 적응율이 아주 높습니다. PassTIP의 EDGE EDGE-Expert 덤프는EDGE EDGE-Expert시험을 패스하는데 가장 좋은 선택이기도 하고EDGE EDGE-Expert인증시험을 패스하기 위한 가장 힘이 되어드리는 자료입니다.

EDGE-Expert최고품질 인증시험 대비자료 : <https://www.passtip.net/EDGE-Expert-pass-exam.html>

예를 들어EDGE EDGE-Expert 덤프를 보면 어떤 덤프제공사이트에서는 문항수가 아주 많은 자료를 제공해드리지만 저희EDGE EDGE-Expert덤프는 문항수가 적은 편입니다.왜냐하면 저희는 더 이상 출제되지 않는 오래된 문제들을 삭제해버리기 때문입니다, 우리는 꼭 한번에EDGE EDGE-Expert시험을 패스할 수 있도록 도와드릴 것입니다, EDGE EDGE-Expert적응율 높은 인증덤프 Pass4Test에서는 한국어로 온라인서비스와 메일서비스를 제공해드립니다, 그렇게 많은 IT인증덤프공부자료를 제공하는 사이트중PassTIP EDGE-Expert최고품질 인증시험 대비자료의 인지도가 제일 높은 원인은 무엇일까요?그건PassTIP EDGE-Expert최고품질 인증시험 대비자료의 제품이 가장 좋다는 것을 의미합니다, PassTIP EDGE-Expert최고품질 인증시험 대비자료는 IT인증시험 자격증 공부자료를 제공해드리는 전문적인 사이트입니다.

잘 모르겠네, 그녀에게 내린 것은 단순히 흥비가 아니었다, 예를 들어EDGE EDGE-Expert 덤프를 보면 어떤 덤프제공사이트에서는 문항수가 아주 많은 자료를 제공해드리지만 저희EDGE EDGE-Expert덤프는 문항수가 적은 편입니다.왜냐하면 저희는 더 이상 출제되지 않는 오래된 문제들을 삭제해버리기 때문입니다.

2026 PassTIP 최신 EDGE-Expert PDF 버전 시험 문제집과 EDGE-Expert 시험 문제 및 답변 무료 공유:
https://drive.google.com/open?id=1yYhK14VynE0_xeXzRBn7Dk6VYjbNhUOR