

1Z0-083日本語解説集 & 1Z0-083関連資格知識

Oracle 1Z0-083

Oracle Database Administration II

1



献身と熱意を持って1Z0-083ガイド資料を段階的に学習する場合Oracle必死に試験に合格することを保証します。学習資料の権威あるプロバイダーとして、潜在顧客からより多くの注目を集めるために、常に同等のテストと比較して1Z0-083模擬テストの高い合格率を追求しています。それ以外の場合、残念ながら、1Z0-083学習教材で試験に合格しなかった場合、製品費用はすぐに全額返金されます。1Z0-083研究トレンドは、高い合格率でより魅力的で素晴らしいものになります。

Oracle 1Z0-083試験は、Oracleデータベースでの作業経験を持ち、データベース管理のキャリアを推進したいプロフェッショナルに最適です。この試験は、Oracle 1Z0-082試験を修了し、データベースの概念[SQL/PL/SQLについて強い理解を持っている個人を対象としています。この試験に合格することで、候補者が大規模なOracleデータベースを管理し、可用性、セキュリティ、パフォーマンスを確保するために必要なスキルと知識を持っていることが証明されます。さらに[Oracle Database Administrator Certified Professionalになることで、新しい仕事の機会が開かれ、フィールドでの高い給与を得ることができます。

Oracle 1Z0-083試験ではOracleデータベース管理に関連する幅広いトピックをカバーしています。これらには、バックアップと回復戦略、データベースのチューニングとパフォーマンスの最適化、データベースセキュリティ、および高度なデータベース管理タスクが含まれます。候補者は、これらのトピックを完全に理解し、実際のシナリオに知識を適用できる必要があります。

>> 1Z0-083試験勉強過去問 <<

信頼的な1Z0-083試験勉強過去問 | 最初の試行で簡単に勉強して試験に合格する & よくできたOracle Oracle Database

1Z0-083試験勉強過去問 & 1Z0-083無料模擬試験

さらに、MogiExam 1Z0-083ダンプの一部が現在無料で提供されています: https://drive.google.com/open?id=138xi5R_4TLCHEt2PJ9AAXKYoGBM93QbO

すべてのお客様に24時間のオンラインアフターサービスを提供します。1Z0-083の実際の試験のインストールまたは使用について質問がある場合は、専門のアフターサービススタッフがウォームリモートサービスを提供します。1Z0-083学習教材に関する限り、解決することができます。メールでお問い合わせいただく場合でも、オンラインでお問い合わせいただく場合でも、できるだけ早く問題を解決できるようサポートいたします。心配する必要はまったくありません。1Z0-083トレーニングの質問のインストールまたは使用を懸念しているお客様がいるかもしれませんが、これについて心配する必要はありません。

試験は85問の択一式問題からなり、105分以内に解答する必要があります。試験料は245ドルで、ピアソンVUEテストセンターでの受験またはPearson VUE OnVUEプラットフォームを通じてオンラインで受験することができます。試験に備えて、オラクルの推奨トレーニングコースを受講し、オラクルの学習ガイドを利用し、オラクルのサンプル問題で練習することができます。Oracle 1Z0-083試験に合格することは、Oracleデータベース管理における高度なスキルと知識を持つことを証明するものであり、データベース管理者にとって貴重な実績となります。

Oracle 1Z1-083認定試験に合格すると、データベース管理者がOracleデータベース管理を完全に理解しており、バックアップおよび回復手順の管理、データベースのパフォーマンスの最適化、データベースのセキュリティの確保などの複雑なタスクを実行できることが示されています。この認定は雇用主によって高く評価されており、より良い雇用機会とより高い給与につながる可能性があります。

1Z0-083資格試験、1Z0-083日本語対策問題集、Oracle Database Administration II試験問題

高賃金の仕事には、優れた労働能力と深い知識が必要です。1Z0-083試験に合格すると、夢の仕事を見つけるのに役立ちます。最高の1Z0-083質問トレントをクライアントに提供します。Oracle受験者が1Z0-083試験に簡単に合格できることを目指しています。私たちが提供する1Z0-083学習教材は合格率とヒット率を高めるためのものです。準備と確認に少し時間をかけるだけで、1Z0-083試験に合格できます。時間と労力はほとんどかかりません。ソフトウェアを無料でダウンロードして、購入する前に試用できます。

Oracle 1Z0-083試験に合格することは、データベース管理分野のプロフェッショナルにとって重要な達成感です。これは、Oracleデータベースの管理と管理における高度な知識とスキルを示し、キャリアアップの機会と収益増加の可能性をもたらすためです。さらに、Oracle認定資格は、世界的に認められ、雇用主から高く評価されるため、あなたの職業的な成長のための価値ある投資となります。

Oracle Database Administration II 認定 1Z0-083 試験問題 (Q254-Q259):

質問 # 254

You plan to install Oracle Grid Infrastructure for a Standalone Server and Oracle Database for the first time on a server. Examine this command and its outcome: Which two are true? (Choose two.)

- A. oracle can own an Oracle Database installation but not an Oracle Grid Infrastructure installation.
- B. oracle will be an owner of the Oracle Inventory.
- C. oracle must be the owner of every Oracle Database installation.
- D. oracle will be granted the SYSASM privilege when installing the Oracle Database software.
- E. The user account, oracle, and group, oinstall, can be used for all Oracle software installations.

正解: A、E

質問 # 255

Which two are true about instance recovery? (Choose two.)

- A. Setting FAST_START_MTTR_TARGET to a lower value reduces instance recovery time by causing dirty buffers to be written to disk more frequently, thereby reducing the number of I/Os needed during instance recovery.
- B. It is performed automatically after the database is opened; however, blocks requiring recovery are not available until they are recovered.
- C. It is not possible if an archived log is missing.
- D. Setting FAST_START_MTTR_TARGET to a higher value reduces instance recovery time by causing The log writer to write more frequently, thereby reducing the number of I/Os needed during instance recovery.
- E. It is performed by the Recovery Writer (RVWR) background process.
- F. It is performed automatically while the database remains in MOUNT state. Then the database is opened.

正解: A、F

質問 # 256

Which two are true about the character sets used in an Oracle database? (Choose two.)

- A. Single-byte character sets always use 7-bit encoding schemes.
- B. Multibyte character sets allow more efficient space utilization than single byte character sets.
- C. Single-byte character sets always use 8-bit encoding schemes.
- D. Single-byte character sets provide better performance than multibyte character sets.
- E. Unicode is the only supported character set for Oracle databases created using Database Configuration Assistant (DBCA).
- F. Unicode enables information from any language to be stored using a single character set.

正解: D、F

解説:

A - Single-byte character sets result in better performance than multibyte character sets, and they also are the most efficient in terms of space requirements.

Ref: <https://docs.oracle.com/en/database/oracle/oracle-database/19/nlspg/choosing-character-set.html#GUID-BF26E01D-AB92-48FC-855A-69A5B3AF9A92> B - Unicode is a universal encoded character set that enables information from any language to be stored using a single character set.

Ref:

https://docs.oracle.com/cd/B19306_01/server.102/b14225/ch6unicode.htm#~:text=Unicode%20is%20a%20universal%20encoded%20character%20set%20that,been%20adopted%20by%20many%20software%20and%20hardware%20vendors.

質問 # 257

A container database (CDB) contains two pluggable databases PDB1 and PDB2.

The LOCAL_UNDO_ENABLED database property is set to FALSE in the CDB.

Data file 24 of PDB2 was deleted and you need to restore and recover it.

The only RMAN backup that exists was created with the BACKUP DATABASE command while connected to CDB\$ROOT.

Which three are true? (Choose three.)

- A. Data file 24 can be restored only while connected to CDB\$ROOT.
- B. Data file 24 can be recovered only while connected to PDB2.
- C. Data file 24 can be recovered while connected to PDB2.
- D. Data file 24 can be recovered while connected to CDB\$ROOT.
- E. Data file 24 can be restored only while connected to PDB2.
- F. Data file 24 can be restored and recovered while connected to CDB\$ROOT.

正解: C、D、F

解説:

Restoration AND recovery can be done by CDB\$ROOT. Recovery can be done by CDB\$ROOT or the PDB in question.

<https://oracle-base.com/articles/12c/multitenant-rman-backup-recovery-cdb-and-pdb-12cr1#tablespace-and-datafile-backups>

質問 # 258

Which three are true about Rapid Home Provisioning (RHP), which has been available since Oracle 18c?

- A. It cannot be used to provision applications.
- B. It cannot be used to provision middleware.
- C. It can be used to deploy Grid Infrastructure homes, including Oracle Restart.
- D. It is an Oracle Database service.
- E. It is an Oracle Grid Infrastructure service.
- F. It can be used to deploy Oracle Database homes.

正解: C、E、F

解説:

The architecture within a data center consists of an Oracle Grid Infrastructure (12.2 or later) deployment running the Rapid Home Provisioning centralized Service (also referred to as the RHP Server, but in fact merely a service of the Grid Infrastructure) Rapid Home Provisioning and Maintenance enables you to install clusters, and provision, patch, scale, and upgrade Oracle Grid Infrastructure, Oracle Restart, and Oracle Database homes. The supported versions are 11.2, 12.1, 12.2, and 18c. You can also provision applications and middleware using Rapid Home Provisioning.

質問 # 259

.....

1Z0-083関連資格知識: <https://www.mogiexam.com/1Z0-083-exam.html>

- 素敵Oracle 1Z0-083 | 素晴らしい1Z0-083日本語解説集試験 | 試験の準備方法Oracle Database Administration II 関連資格知識 □ サイト □ www.passtest.jp □ で 【 1Z0-083 】 問題集をダウンロード1Z0-083受験体験

- P.S.MogExamがGoogle Driveで共有している無料の2026 Oracle 1Z0-083ダンプ: https://drive.google.com/open?id=138xi5R_4TLCHEt2PJ9AAXKYoGBM93QbO