

Exam CWAP-404 Tips | Latest CWAP-404 Test Cram



P.S. Free 2026 CWNP CWAP-404 dumps are available on Google Drive shared by RealValidExam:
<https://drive.google.com/open?id=15FfOF8PQOoVbETaSGU3ffuzs6cQi-gic>

To upgrade skills, hundreds of candidates attempt the Certified Wireless Analysis Professional (CWAP-404) certification exam and try to be smart and more efficient than the rest. In that case, they are now finding ways by which they can get help to crack the Certified Wireless Analysis Professional (CWAP-404) certification exams. Let's discuss the sources that can prove to be a major help if you are planning to take the exam.

Many people want to be the competent people which can excel in the job in some area and be skillful in applying the knowledge to the practical working in some industry. But the thing is not so easy for them they need many efforts to achieve their goals. Passing the test CWAP-404 Certification can make them become that kind of people and if you are one of them buying our CWAP-404 study materials will help you pass the CWAP-404 test smoothly with few efforts needed.

>> Exam CWAP-404 Tips <<

Latest CWAP-404 Test Cram & Reliable CWAP-404 Study Plan

RealValidExam is one of the trusted and reliable platforms that is committed to offering quick Certified Wireless Analysis Professional (CWAP-404) exam preparation. To achieve this objective RealValidExam is offering valid, updated, and Real CWAP-404 Exam Questions. These RealValidExam CWAP-404 exam dumps will provide you with everything that you need to prepare and pass the final CWAP-404 exam with flying colors.

CWNP CWAP-404 Exam Topics:

Section	Objectives
Protocol Analysis - 15%	

<p>Capture 802.11 frames using the appropriate methods</p>	<ul style="list-style-type: none"> - Select capture devices <ul style="list-style-type: none"> • Laptop protocol analyzers • APs, controllers, and other management solutions • Specialty devices (hand-held analyzers and custom-built devices) - Install monitor mode drivers - Select capture location(s) - Capture sufficient data for analysis - Capture all channels or capture on a single channel as needed - Capture roaming events
<p>Understand and apply the common capture configuration parameters available in protocol analysis tools</p>	<ul style="list-style-type: none"> - Save to disk - Packet slicing - Event triggers - Buffer options - Channels and channel widths - Capture filters - Channel scanning and dwell time
<p>Analyze 802.11 frame captures to discover problems and find solutions</p>	<ul style="list-style-type: none"> - Use appropriate display filters to view relevant frames and packets - Use colorization to highlight important frames and packets - Configure and display columns for analysis purposes - View frame and packet decodes while understanding the information shown and applying it to the analysis process - Use multiple adapters and channel aggregation to view captures from multiple channels - Implement protocol analyzer decryption procedures - View and use a capture's statistical information for analysis - Use expert mode for analysis - View and understand peer maps as they relate to communications analysis
<p>Utilize additional tools that capture 802.11 frames for analysis and troubleshooting</p>	<ul style="list-style-type: none"> - WLAN scanners and discovery tools - Protocol capture visualization and analysis tools - Centralized monitoring, alerting, and forensic tools
<p>Ensure appropriate troubleshooting methods are used with all analysis types</p>	<ul style="list-style-type: none"> - Define the problem - Determine the scale of the problem - Identify probable causes - Capture and analyze the data - Observe the problem - Choose appropriate remediation steps - Document the problem and resolution
<p>Spectrum Analysis - 10%</p>	

<p>Capture RF spectrum data and understand the common views available in spectrum analyzers</p>	<ul style="list-style-type: none"> - Install, configure, and use spectrum analysis software and hardware - Capture RF spectrum data using handheld, laptop-based, and infrastructure spectrum capture solutions - Understand and use spectrum analyzer views <ul style="list-style-type: none"> • Real-time FFT • Waterfall, swept spectrogram, density, and historic views • Utilization and duty cycle • Detected devices • WLAN integration views
<p>Analyze spectrum captures to identify relevant RF information and issues</p>	<ul style="list-style-type: none"> - RF noise floor in an environment - Signal-to-Noise Ratio (SNR) for a given signal - Sources of RF interference and their locations - RF channel utilization - Non-Wi-Fi transmitters and their impact on WLAN communications - Overlapping and non-overlapping adjacent channel interference - Poor performing or faulty radios
<p>Analyze spectrum captures to identify various device signatures</p>	<ul style="list-style-type: none"> - Identify various 802.11 PHYs <ul style="list-style-type: none"> • DSSS • OFDM • OFDMA • Channel widths • Primary channel - Identify non-802.11 devices based on RF behaviors and signatures <ul style="list-style-type: none"> • Frequency hopping devices • IoT devices • Microwave ovens • Video devices • RF Jammers • Cordless phones
<p>Use centralized spectrum analysis solutions</p>	<ul style="list-style-type: none"> - AP-based spectrum analysis - Sensor-based spectrum analysis
<p>PHY Layers and Technologies - 10%</p>	
<p>Understand and describe the functions of the PHY layer and the PHY protocol data units (PPDUs)</p>	<ul style="list-style-type: none"> - DSSS (Direct Sequence Spread Spectrum) - HR/DSSS (High Rate/Direct Sequence Spread Spectrum) - OFDM (Orthogonal Frequency Division Multiplexing) - ERP (Extended Rate PHY) - HT (High Throughput) - VHT (Very High Throughput) - HE (High Efficiency) <ul style="list-style-type: none"> • HE SU PPDU • HE MU PPDU • HE ER SU PPDU • HE TB PPDU • HE NULL data packets

Apply the understanding of PHY technologies, including PHY headers, preambles, training fields, frame aggregation, and data rates, to captured data	
Identify and use PHY information provided within pseudo-headers in protocol analyzers	<ul style="list-style-type: none"> - Pseudo-Header formats <ul style="list-style-type: none"> • Radiotap • Per Packet Information (PPI) - Key pseudo-header content <ul style="list-style-type: none"> • Guard intervals • Resource units allocation • PPDU formats • Signal strength • Noise • Data rate and MCS index • Length information • Channel center frequency or received channel • Channel properties
Recognize the limits of protocol analyzers to capture PHY information including NULL data packets and PHY headers	
Use appropriate capture devices based on proper understanding of PHY types	<ul style="list-style-type: none"> - Supported PHYs - Supported spatial streams
MAC Sublayer and Functions - 25%	
Understand frame encapsulation and frame aggregation	<ul style="list-style-type: none"> - Frame aggregation (A-MSDU and A-MPDU)
Identify and use MAC information in captured data for analysis	<ul style="list-style-type: none"> - Management, Control, and Data frames - MAC frame formats and contents <ul style="list-style-type: none"> • Frame Control field • To DS and From DS fields • Address fields • Frame Check Sequence (FCS) field - 802.11 Management frame formats <ul style="list-style-type: none"> • Information Elements • Authentication • Association and Reassociation • Beacon • Probe Request and Probe Response - Data and QoS Data frame formats - 802.11 Control frame formats <ul style="list-style-type: none"> • Acknowledgement (ACK) • Request to Send/Clear to Send (RTS/CTS) • Block Acknowledgement and related frames • Trigger frames • VHT/HE NDP announcements • Multiuser RTS

Validate BSS configuration through protocol analysis	<ul style="list-style-type: none"> - Country code - Minimum basic rate - Supported rates and coding schemes - Beacon interval - WMM settings - RSN settings - HT/VHT/HE operations - Channel width - Primary channel - Hidden or non-broadcast SSIDs
Identify and analyze CRC error frames and retransmitted frames	
WLAN Medium Access - 10%	
Understand 802.11 contention algorithms in-depth and know how they impact WLANs	<ul style="list-style-type: none"> - Distributed Coordination Function (DCF) <ul style="list-style-type: none"> • Carrier Sense (CS) and Energy Detect (ED) • Network Allocation Vector (NAV) • Contention Windows (CW) and random backoff • Interframe spacing - Enhanced Distributed Channel Access (EDCA) <ul style="list-style-type: none"> • EDCA Function (EDCAF) • Access Categories and Queues • Arbitration Interframe Space Number (AIFSN) - Wi-Fi Multimedia (WMM) <ul style="list-style-type: none"> • WMM parameters • WMM-Power Save • WMM-Admission Control

CWNP Certified Wireless Analysis Professional Sample Questions (Q143-Q148):

NEW QUESTION # 143

Which statements are true regarding Beacons from an AP in an HT infrastructure BSS that is configured with multiple WLAN profiles? (Choose 3)

- A. The Destination Address is always FF:FF:FF:FF:FF:FF.
- B. All Beacons generated by APs contain a TIM information element.
- C. The Receiver address and the BSSID are always the same.
- D. The Beacon interval must be the same for all WLANs (SSIDs) supported by a single AP
- E. When the SSID is "hidden," the ESS subfield of the Capability Information field distinguishes one BSS from another.
- F. Beacons can be disabled for security purposes.
- G. The BSSID and Source Address are always the same.

Answer: A,B,G

NEW QUESTION # 144

Given: Shown are frames captured from an IEEE 802.1X/LEAP authentication.
This WLAN is a Robust Security Network (RSN) using the CCMP cipher suite.

Packet	Dest. Physical	Source Physical	BSSID	Absolute Time	Delta Time	Relative Time	Protocol
1	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.727946		0.000000	802.11 Probe Req
2	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.728260	0.000314	0.000314	802.11 Ack
3	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.730018	0.001758	0.002072	802.11 Probe Rsp
4	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.730330	0.000312	0.002384	802.11 Ack
5	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.730830	0.000500	0.002884	802.11 Auth
6	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.731138	0.000308	0.003192	802.11 Ack
7	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.731390	0.000252	0.003444	802.11 Auth
8	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.731598	0.000208	0.003652	802.11 Ack
9	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.733010	0.001412	0.005064	802.11 Assoc Req
10	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.733324	0.000314	0.005378	802.11 Ack
11	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.733808	0.000484	0.005862	802.11 Assoc Rsp
12	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.733848	0.000040	0.005902	802.11 Ack
13	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.734450	0.000602	0.006504	EAP Request
14	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.734355	-0.000095	0.006409	802.11 Ack
15	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.939073	0.204718	0.211127	EAP Response
16	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.939385	0.000312	0.211439	802.11 Ack
17	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.942649	0.003264	0.214703	EAP Request
18	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.942695	0.000046	0.214749	802.11 Ack
19	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.944581	0.001886	0.216635	EAP Response
20	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.944893	0.000312	0.216947	802.11 Ack
21	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.957283	0.012390	0.229337	EAP Success
22	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.957329	0.000046	0.229383	802.11 Ack
23	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.958951	0.001622	0.231005	EAP Request
24	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.959273	0.000322	0.231327	802.11 Ack
25	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.972157	0.012884	0.244211	EAP Response
26	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.972203	0.000046	0.244257	802.11 Ack
27	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.973373	0.000170	0.244427	802.11 Ack
28	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.974213	0.000040	0.244467	802.11 Ack
29	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.974511	0.002098	0.246565	EAPOL-Key
30	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70		12:10:20.974831	0.000320	0.246885	802.11 Ack
31	00:40:96:A1:9A:F9	00:0D:ED:A5:4F:70	Cisco:A5:4F:70	12:10:20.976199	0.001368	0.248253	802.11 Ack
32	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9		12:10:20.976243	0.000044	0.248297	802.11 Ack
33	00:0D:ED:A5:4F:70	00:40:96:A1:9A:F9	Cisco:A5:4F:70	12:10:20.977877	0.001634	0.249931	EAPOL-Key

Using the information given in the screenshot, calculate how long it takes for only the frames that are part of the 4-Way handshake to complete.

- A. 237.753 ms
- B. 3.018 ms
- C. 5.820 ms
- D. 243.743 ms
- E. 210.443 ms

Answer: C

NEW QUESTION # 145

What is the function of the PMD sub-layer?

- A. Adds a PHY preamble and header to a PSDU
- B. Converts 1s and 0s given to it by the PLCP sub-layer into the appropriate RF signals
- C. Provides framing
- D. Performs A-MPDU

Answer: B

NEW QUESTION # 146

Which one of the following is not a valid acknowledgement frame?

- A. Block Ack
- B. CTS
- C. Ack
- D. RTS

Answer: D

Explanation:

Explanation

RTS is not a valid acknowledgement frame. RTS stands for Request To Send, and it is a control frame that is used to initiate an RTS/CTS exchange before sending a data frame. The purpose of an RTS/CTS exchange is to reserve the medium for a data transmission and avoid collisions with hidden nodes. An acknowledgement frame is a control frame that is used to confirm the successful reception of a data frame or a block of data frames. The valid acknowledgement frames are CTS (Clear To Send), Ack

(Acknowledgement), and Block Ack (Block Acknowledgement) . References: CWAP-404 Certified Wireless Analysis Professional Study and Reference Guide, Chapter 6: MAC Sublayer Frame Exchanges, page 186; CWAP-404 Certified Wireless Analysis Professional Study and Reference Guide, Chapter 6: MAC Sublayer Frame Exchanges, page 187; CWAP-404 Certified Wireless Analysis Professional Study and Reference Guide, Chapter 6: MAC Sublayer Frame Exchanges, page 189; CWAP-404 Certified Wireless Analysis Professional Study and Reference Guide, Chapter 6: MAC Sublayer Frame Exchanges, page 190.

NEW QUESTION # 147

Given: There are many differences between analyzing wireless and wired networks. In a wireless network, there is no guarantee that one station can hear another station's transmissions.

If no corrective actions are taken nor corrective mechanisms implemented when a "hidden node" problem exists, which measurable statistics parameter will likely increase in a wireless protocol analyzer?

- A. BlockAck Reset
- **B. Retransmission Count**
- C. ACK Timeout
- D. Contention Window
- E. Duration value
- F. Authentication Failure

Answer: B

NEW QUESTION # 148

.....

We are leading company and innovator in this CWAP-404 exam area. We are grimly determined and confident in helping you pass the CWAP-404 exam. With professional experts and brilliant teamwork, our CWAP-404 exam dumps have helped exam candidates succeed since the beginning. To make our CWAP-404 Practice Engine more precise, we do not mind splurge heavy money and effort to invite the most professional teams into our group. They are the core value and truly helpful with the greatest skills.

Latest CWAP-404 Test Cram: <https://www.realvalidexam.com/CWAP-404-real-exam-dumps.html>

- CWNP CWAP-404 PDF Dumps - Effective Preparation Material [2026] Enter (www.vce4dumps.com) and search for CWAP-404 to download for free CWAP-404 Certification Materials
- 2026 100% Free CWAP-404 –High-quality 100% Free Exam Tips | Latest Certified Wireless Analysis Professional Test Cram Copy URL \Rightarrow www.pdfvce.com \Leftarrow open and search for CWAP-404 to download for free Sample CWAP-404 Test Online
- CWNP CWAP-404 PDF Dumps - Effective Preparation Material [2026] Download \blacktriangleright CWAP-404 for free by simply entering “www.vce4dumps.com” website CWAP-404 Valid Exam Answers
- CWNP CWAP-404 PDF Dumps - Effective Preparation Material [2026] (www.pdfvce.com) is best website to obtain [CWAP-404] for free download CWAP-404 Valid Exam Answers
- CWNP CWAP-404 Dumps - A Way To Prepare Quickly For Exam Search for { CWAP-404 } and download it for free immediately on (www.vce4dumps.com) CWAP-404 Latest Test Simulations
- Pass Guaranteed Quiz 2026 CWNP CWAP-404 – High-quality Exam Tips Search for CWAP-404 and download it for free immediately on www.pdfvce.com CWAP-404 Certification Materials
- Unparalleled CWAP-404 Training Quiz: Certified Wireless Analysis Professional Carry You Outstanding Exam Dumps - www.examdiscuss.com Download \blacktriangleright CWAP-404 for free by simply searching on \blacktriangleright www.examdiscuss.com Test CWAP-404 Simulator Online
- Questions CWAP-404 Pdf CWAP-404 Dumps Questions Valid CWAP-404 Test Questions Easily obtain [CWAP-404] for free download through **【 www.pdfvce.com 】** Questions CWAP-404 Pdf
- CWAP-404 Valid Exam Answers CWAP-404 Latest Cram Materials Reliable CWAP-404 Test Tips Copy URL \ll www.examdiscuss.com \gg open and search for CWAP-404 to download for free CWAP-404 Test Passing Score
- CWAP-404 Certificate Exam Reliable CWAP-404 Test Tips CWAP-404 Valid Mock Exam Search for \blacktriangleright CWAP-404 \blacktriangleleft on \blacktriangleright www.pdfvce.com immediately to obtain a free download Customized CWAP-404 Lab Simulation
- Valid CWAP-404 Test Questions CWAP-404 Latest Cram Materials Questions CWAP-404 Pdf Download \blacktriangleright CWAP-404 for free by simply entering { www.practicevce.com } website CWAP-404 Exam Fee
- marathigruhini.in, pct.edu.pk, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, Disposable vapes

BONUS!!! Download part of RealValidExam CWAP-404 dumps for free: <https://drive.google.com/open?id=15FfOF8PQOoVbETaSGU3ffuzs6cQi-gjc>