

Hohe Qualität von JN0-232 Prüfung und Antworten



Prüfprotokoll für die Sicherheitsprüfung elektrischer Geräte gemäß DIN VDE 0701-0702

Auftrag Nummer:		Auftragnehmer:	
Auftraggeber (Kunde):		Auftragnehmer:	
Muster AG Musterstr. 1 64189 Musterstadt EG / Showroom		Riedle-Bertsch GmbH Carl-Zeiss-Straße 4 74172 Neckarsulm	
Geräteart: Monitor	Hersteller: LG	Type: Gefährdungs-Kl.4	
Fabr. Nr.: 1600011903	Schutzkl.: I	Baujahr:	
Nennstr. (A):	Nennspg. (V):	Nennleistg. (W):	
Prüfung am: 13.01.2020			
Prüfung nach DIN VDE 0701-0702			
Besichtigung:			
☐ Schutzleiter in Ordnung (nur bei Schutzklasse I) ☐ Gehäuse und mechanische Teile in Ordnung ☐ Isoliereteile in Ordnung ☐ Geräte-Anschlussleitungen einschließlich Steckvorrichtungen mangelfrei ☐ Aufschriften vorhanden bzw. vervollständigt, Typschild korrekt ☐ Sonstiges			
Prüfungspunkt		Messwert	Grenzwert
Sichtprüfung nach Checkliste			OK
Schutzleiterwiderstand	R _{SE} [Ohm]	+0.284 Ohm	<1.000 Ohm
Differenzieller Schutzleiterwiderstand	R _{DEL} [Ohm]		
Isolationswiderstand			
• Primär/Sekundär (500V)	R _{INS} [MOhm]		
• Primär/ Erde, Gehäuse (500V)	R _{IPPE} [MOhm]		
• Sekundär/ Erde, Gehäuse (500V)	R _{ISPE} [MOhm]		
Schutzleiterstrom	I _{SE} [mA]		<3.500 mA
Differenz Ersatz	I _Δ [mA]	+0.002 mA	<0.500 mA
Berührungstrom	I _B [mA]		
Leerlaufspannung Sekundär AC	U _L [Vac]		
Leerlaufspannung Sekundär DC	U _L [Vdc]		
Hochspannungsprüfung []			
Funktionstest			
☐ Funktions- und Sicherheitsprüfung mangelfrei ☐ Das Gerät kann nicht mehr instandgesetzt werden Das Gerät hat erhebliche sicherheitstechnische Mängel, es besteht ☐ Brandgefahr ☐ Gefahr durch elektrischen Schlag ☐ mechanische Gefahr			
Gemäß Unfallverhütungsvorschrift DGUV Vorschrift 3:			
Prüfzyklus 12 Monate Nächster Prüftermin : 13.01.2021			
Verwendete Messgeräte			
Fabrikat	Typ		
GOSSSEN-METRAWATT	SECUTEST ...		
Dieses Dokument wurde maschinell erstellt und ist auch ohne Unterschrift gültig.			
Prüfer: M. Mustermann		Verantwortliches Unternehmen:	
		Riedle + Bertsch GmbH	
Ort: Neckarsulm	Datum: 25.05.2020	Ort: Neckarsulm	Datum: 25.05.2020

Prüfinstitut Bertsch GmbH
Carl-Zeiss-Str. 4, 74172 Neckarsulm Tel.: 07132 / 34 77 330 Fax: 07132 / 34 77 339
USt-IDNr.: DE282155895 | Amtsgericht Stuttgart HRB 759135 | Geschäftsführer: Tim Bertsch

Blatt 1 von 1

Laden Sie die neuesten EchteFrage JN0-232 PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
<https://drive.google.com/open?id=18O8mqFojkDlyFAYfMD4CAW4H2I5u2E-z>

Wenn Sie unsere Prüfungsmaterialien zur Juniper JN0-232 Zertifizierungsprüfung kaufen, wird EchteFrage Ihnen den besten Service und die beste Qualität bieten. Unsere Juniper JN0-232 Zertifizierungssoftware wird schon von dem Anbieter und dem Dritten autorisiert. Außerdem haben wir auch viele IT-Experten, die nach den Bedürfnissen der Kunden eine Serie von Produkten laut dem Kompendium bearbeitet. Die Materialien zur Juniper JN0-232 Zertifizierungsprüfung haben einen hohen Goldgehalt. Sie können von den Experten und Gelehrte für Forschung benutzt werden. Sie können alle unseren Produkte teilweise als Probe vorm Kauf umsonst benutzen, so dass Sie die Qualität sowie die Anwendbarkeit testen können.

Unser EchteFrage verspricht, dass Sie die Juniper JN0-232 Prüfung einmalig bestehen und das Zertifikat von den Experten bekommen können. Denn unser EchteFrage stellt Ihnen die besten Prüfungsfragen und Antworten zur Juniper JN0-232 zur Verfügung. Und Sie können sich schrittweise auf die Prüfung gut vorbereiten. Unser EchteFrage verspricht, dass die Fragen und Antworten zur Juniper JN0-232 Zertifizierungsprüfung von EchteFrage Ihren Erfolg garantiert.

>> JN0-232 Fragenpool <<

Reliable JN0-232 training materials bring you the best JN0-232 guide exam: Security, Associate (JNCIA-SEC)

IT-Fachleute sind sehr beliebt. Aber die Konkurrenz ist zugleich auch sehr heftig. So beteiligen sich viele IT-Fachleute an der autoritären Juniper JN0-232 IT-Zertifizierungsprüfung, um Ihre Position zu konsolidieren. Und unser EchteFrage bietet speziell Bequemlichkeiten für den Juniper JN0-232 Kandidaten.

Juniper Security, Associate (JNCIA-SEC) JN0-232 Prüfungsfragen mit Lösungen (Q42-Q47):

42. Frage

When a new traffic flow enters an SRX Series device, in which order are these processes performed?

- A. routes # zones # screens # security policies
- B. screens # security policies # zones # routes
- C. screens # zones # security policies # routes
- **D. screens # routes # zones # security policies**

Antwort: D

Begründung:

The packet flow for new traffic on SRX is processed in a defined order:

* Screens (Option B, Step 1): Packets are first checked by screens for anomalies such as floods, malformed packets, or protocol violations.

* Route Lookup (Step 2): The destination IP is checked in the routing table to determine the egress interface.

* Zone Determination (Step 3): Once the ingress and egress interfaces are known, their associated zones are identified.

* Security Policies (Step 4): With both zones determined, the packet is evaluated against the configured security policies.

Other options list incorrect sequences, either moving routing later or placing policies before zone determination, which is not possible.

Correct Processing Order: screens # routes # zones # security policies

Reference: Juniper Networks - Packet Flow and Security Processing Order, Junos OS Security Fundamentals.

43. Frage

Which two statements are correct about unified security policies on SRX Series Firewalls? (Choose two.)

- **A. Unified security policies can be zone-based or global.**
- **B. Unified security policies use the application identification (AppID) engine.**
- C. Unified security policies with multiple matches use the most restrictive match.
- D. Unified security policies match applications before processing policy statements.

Antwort: A,B

Begründung:

Unified security policies integrate traditional zone-based policies with application-based policies. Their characteristics include:

* Zone-based or global (Option B): Unified policies can be applied as either zone-specific or global policies.

* AppID engine (Option C): They leverage the AppID engine for application identification, enabling fine-grained control at the application layer.

* Policy matching (Option A): Policies are evaluated sequentially like standard security policies; applications are not matched before policy processing.

* Multiple matches (Option D): If multiple policies could match, the first match applies (sequential order), not the "most restrictive."

Correct Statements: B and C Reference: Juniper Networks - Unified Security Policies and AppSecure Integration, Junos OS Security Fundamentals.

44. Frage

You want to confirm that your SRX Series Firewall is connected to the SBL server.

Which operational mode command would you use in this scenario?

- **A. show security web filtering status**
- B. show security utm anti-spam status
- C. show security utm content-filtering statistics
- D. show security utm anti-virus status

Antwort: A

Begründung:

The SBL (SurfControl Web Filtering) server integration is part of UTM web filtering on SRX. To confirm that the firewall is properly connected and communicating with the SBL server, the command used is:

show security web filtering status

This command displays connectivity information with the SBL server, license status, and filtering operations.

Other options:

- * Anti-virus (Option A) checks antivirus engine status.
- * Content-filtering statistics (Option C) shows local content filtering counters.
- * Anti-spam status (Option D) checks spam engine connectivity.

Correct Command: show security web filtering status

Reference: Juniper Networks - UTM Web Filtering Operational Commands, Junos OS Security Fundamentals.

45. Frage

When traffic enters an interface, which two results does a route lookup determine? (Choose two.)

- A. DNS name
- B. ingress interface
- C. egress interface
- D. egress security zone

Antwort: C,D

Begründung:

When a packet enters an SRX interface, a route lookup is performed:

- * It determines the egress interface (Option B) by checking the destination IP against the routing table.
- * Once the egress interface is known, its associated egress security zone (Option D) is also determined.
- * The ingress interface (Option A) is already known when the packet arrives, so the route lookup does not determine it.
- * DNS name (Option C): DNS is unrelated to routing lookups.

Correct Results: egress interface, egress security zone

Reference: Juniper Networks - Packet Flow and Route Lookup, Junos OS Security Fundamentals.

46. Frage

Which statement is correct about exception traffic?

- A. Exception traffic refers to malformed IP packets received on the Packet Forwarding Engine.
- B. Exception traffic is only handled on the Packet Forwarding Engine.
- C. Exception traffic is anything that is rejected by security policies and requires additional processing.
- D. Exception traffic is rate-limited on the connection between the Packet Forwarding Engine and the Routing Engine.

Antwort: D

Begründung:

Exception traffic refers to traffic that must be sent from the Packet Forwarding Engine (PFE) to the Routing Engine (RE) for processing, such as routing protocol updates, management traffic, and control-plane destined packets.

* Option B: Correct. Exception traffic is rate-limited on the internal connection between the PFE and RE to protect the Routing Engine from denial-of-service attacks.

* Option A: Incorrect. Exception traffic is not handled only on the PFE; it requires RE involvement.

* Option C: Incorrect. Rejected traffic by security policies is simply dropped, not classified as exception traffic.

* Option D: Incorrect. Malformed packets are dropped, not considered exception traffic.

Correct Statement: Exception traffic is rate-limited between the PFE and RE.

Reference: Juniper Networks - Exception Traffic and RE Protection, Junos OS Security Fundamentals.

47. Frage

.....

Sie können Prüfungsfragen und Antworten zur Juniper JN0-232 Zertifizierungsprüfung teilweise umsonst als Probe herunterladen.

BONUS!!! Laden Sie die vollständige Version der EchteFrage JN0-232 Prüfungsfragen kostenlos herunter:
<https://drive.google.com/open?id=18O8mqFojkDIvFAYfMD4CAW4H2I5u2E-z>