

FCP_FGT_AD-7.6시험패스가능한공부하기 - FCP_FGT_AD-7.6퍼펙트최신버전덤프



참고: KoreaDumps에서 Google Drive로 공유하는 무료 2026 Fortinet FCP_FGT_AD-7.6 시험 문제집이 있습니다:
https://drive.google.com/open?id=1mp-zoH18k9Q3tNMSZIG_ZmBIOdz0GR2a

여러분은 Fortinet FCP_FGT_AD-7.6인증 시험을 패스함으로 IT업계관련 직업을 찾고자하는 분들에게는 아주 큰 가산점이 될수 있으며, 성당한 IT업계사업자와 한걸음 가까워 집니다.

Fortinet FCP_FGT_AD-7.6 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none">Deployment and system configuration: This section of the exam measures the skills of network security engineers and covers essential tasks for setting up a FortiGate device in a production environment. Candidates are expected to perform the initial configuration, establish basic connectivity, and integrate the device within the Fortinet Security Fabric. They must also be able to configure a FortiGate Cluster Protocol (FGCP) high availability setup and troubleshoot resource and connectivity issues to ensure system readiness and network uptime.
주제 2	<ul style="list-style-type: none">Firewall policies and authentication: This section of the exam measures the skills of firewall administrators and covers the implementation and management of security policies. It involves configuring basic and advanced firewall rules, applying Source NAT (SNAT) and Destination NAT (DNAT) options, and enforcing various firewall authentication methods. The section also includes deploying and configuring Fortinet Single Sign-On (FSSO) to streamline user access across the network.
주제 3	<ul style="list-style-type: none">Routing: This section of the exam measures the skills of firewall administrators and covers the configuration of routing features on FortiGate devices. It includes defining and applying static routes for directing traffic within and outside the network, as well as setting up Software-Defined WAN (SD-WAN) to distribute and balance traffic loads across multiple WAN connections efficiently.
주제 4	<ul style="list-style-type: none">Content inspection: This section of the exam measures the skills of network security engineers and covers the setup and management of content inspection features on FortiGate. Candidates must demonstrate an understanding of encrypted traffic inspection using digital certificates, identify and apply FortiGate inspection modes, and configure web filtering policies. The ability to implement application control for monitoring and regulating network application usage, configure antivirus profiles to detect and block malware, and set up Intrusion Prevention Systems (IPS) to shield the network from threats and vulnerabilities is also assessed.

주제 5

- VPN: This section of the exam measures the skills of network security engineers and covers the configuration and deployment of Virtual Private Network (VPN) solutions. Candidates are required to implement SSL VPNs to grant secure remote access to internal resources and configure IPsec VPNs in either meshed or partially redundant topologies to ensure encrypted communication between distributed network locations.

>> FCP_FGT_AD-7.6시험패스 가능한 공부하기 <<

FCP_FGT_AD-7.6퍼펙트 최신버전 덤프 - FCP_FGT_AD-7.6덤프데모문제 다운

우리KoreaDumps에서 제공하는 학습가이드에는 IT전문가들이 만들어낸 시험대비 자료들과 Fortinet FCP_FGT_AD-7.6인증 시험의 완벽한 문제와 답들입니다. 그리고 우리KoreaDumps에서는 IT업계에서의 높은 신뢰감으로 여러분들한테 100%보장을 드립니다. 우리에 믿음을 드리기 위하여 Fortinet FCP_FGT_AD-7.6관련자료의 일부분 문제와 답 등 샘플을 무료로 다운받아 체험해볼수 있게 제공합니다.


최신 Network Security FCP_FGT_AD-7.6 무료샘플문제 (Q46-Q51):

질문 # 46

Refer to the exhibits. An administrator creates a new address object on the root FortiGate (HQ- NGFW-1) in the Security Fabric. After synchronization, this object is not available on the downstream FortiGate (HQ-ISFW).

What must the administrator do to synchronize the address object?

Security Fabric physical topology view



Edit Address

Name	Net_Add_1
Color	<input type="button" value="Change"/>
Interface	<input type="checkbox"/> any
Type	Subnet
IP/Netmask	10.10.10.0 255.255.255.0
Fabric global object	<input checked="" type="checkbox"/>
Routing configuration	<input type="checkbox"/>
Comments	Write a comment... 0/255

Security Fabric configuration on HQ-NGFW-1

```
HQ-NGFW-1 # show full-configuration system csf
config system csf
    set status enable
    set uid "10e202dad887c02ac8bafa024228d86d"
    set upstream ''
    set source-ip 0.0.0.0
    set upstream-interface-select-method auto
    set upstream-port 8013
    set-group-name "Fortinet"
    set group-password ENC M8h5eGm9sVzi555Pp5y
    YEaCjk/95p0MH1lmMjY3dkVA
    set accept-auth-by-cert enable
    set log-unification enable
    set authorization-request-type serial
    set fabric-workers 2
    set downstream-access disable
    set configuration-sync default
    set fabric-object-unification local
    set saml-configuration-sync default
```

Security Fabric configuration on HQ-ISFW

```
HQ-NGFW-1 # show full-configuration system csf
config system csf
    set status enable
    set uid "dd0263000fa8209fc0d99a40faf9c818"
    set upstream "10.0.11.254"
    set source-ip 0.0.0.0
    set upstream-interface-select-method auto
    set upstream-port 8013
    set-group-name ''
    set accept-auth-by-cert enable
    set log-unification enable
    set authorization-request-type serial
    set fabric-workers 2
    set downstream-access disable
    set configuration-sync default
    set saml-configuration-sync local
    set file-mgmt enable
    set file-quota 0
    set file-quota-warning 90
end
```

- A. Change the csfsetting on HQ-ISFW (downstream) to set configuration-sync local.
- **B. Change the csfsetting on HQ-NGFW-1 (root) to set fabric-object-unification default.**
- C. Change the csfsetting on both devices to set downstream-access enable.
- D. Change the csfsetting on HQ-ISFW (downstream) to set saml-configuration-sync default.

정답: B

설명:

On HQ-NGFW-1 (the root FortiGate), the setting set fabric-object-unification local prevents address objects created on the root from synchronizing downstream. To propagate objects across the Security Fabric, this must be set to default. Changing the root's csf configuration to set fabric-object-unification default ensures that new address objects are synchronized to HQ-ISFW and other

downstream devices.

질문 # 47

Refer to the exhibit.

Application and Filter Overrides			
Priority	Details	Type	Action
1	ABC.Com	Application	Allow
2	Excessive-Bandwidth	Filter	Block

An administrator has configured an Application Overrides for the ABC.Com application signature and set the Action to Allow. This application control profile is then applied to a firewall policy that is scanning all outbound traffic. Logging is enabled in the firewall policy. To test the configuration, the administrator accessed the ABC.Com web site several times.

Why are there no logs generated under security logs for ABC.Com?

- A. The ABC.Com is configured under application profile, which must be configured as a web filter profile.
- B. The ABC.Com Type is set as Application instead of Filter.
- C. The ABC.Com Action is set to Allow.**
- D. The ABC.Com is hitting the category Excessive-Bandwidth.


정답: C

설명:

When the action is set to Allow in an application override, traffic matching this override is allowed without generating security logs because it bypasses deeper inspection and blocking.

질문 # 48

Refer to the exhibits.



Current HA status

```
# get system ha status
...
Configuration Status:
  FGVM010000064692(updated 4 seconds ago): in-sync
  FGVM010000064692 checksum dump: 13 8b 52 c7 59 2a 9a 5c 5f
  FGVM010000065036(updated 4 seconds ago): in-sync
  FGVM010000065036 checksum dump: 13 8b 52 c7 59 2a 9a 5c 5f
...
Primary      : FGT-1, FGVM010000064692, HA cluster index = 1
Secondary    : FGT-2, FGVM010000065036, HA cluster index = 0
number of vcluster: 1
vcluster 1: work 169.254.0.2
Primary: FGVM010000064692, HA operating index = 0
Secondary: FGVM010000065036, HA operating index = 1
```

New FortiGate HA configuration

FGT-1

```
#config system ha
  set group-id 3
  set group-name "Fortinet"
  set mode a-p
  set password *
  set hbdev "port9" 50 "port10" 50
  set session-pickup enable
  set override disable
  set priority 90
  set monitor port3
```

FGT-2

```
#config system ha
  set group-id 3
  set group-name "Fortinet"
  set mode a-p
  set password *
  set hbdev "port9" 50 "port10" 50
  set session-pickup enable
  set override enable
  set priority 110
  set monitor port3
```

FGT-1 and FGT-2 are updated with HA configuration commands shown in the exhibit.

What would be the expected outcome in the HA cluster?

- A. FGT-1 will synchronize the override disable setting with FGT-2.
- B. FGT-2 will take over as the primary because it has the override enable setting and higher priority than FGT-1.
- C. FGT-1 will remain the primary because FGT-2 has lower priority.
- D. The HA cluster will become out of sync because the override setting must match on all HA members.

정답: D

설명:

The override setting must be identical on all FortiGate devices in an HA cluster. In the exhibit, FGT-1 has set override disable, while FGT-2 has set override enable. Because of this mismatch, the HA members will fail to synchronize properly, and the cluster will become out of sync until the override configuration is made consistent across both FortiGates.

질문 #49

A network administrator is reviewing firewall policies in both Interface Pair View and By Sequence View. The policies appear in a different order in each view.

Why is the policy order different in these two views?

- A. Interface Pair View sorts policies based on matching interfaces, while By Sequence View shows the actual processing order of rules.
- B. The firewall dynamically reorders policies in Interface Pair View based on recent traffic patterns, but By Sequence View remains static.
- C. By Sequence View groups policies based on rule priority, while Interface Pair View always follows the order of traffic logs.
- D. Policies in Interface Pair View are prioritized by security levels, while By Sequence View strictly follows the administrator's manual ordering.


정답: A

설명:

Interface Pair View organizes policies grouped by source and destination interfaces, whereas By Sequence View displays policies in the exact order they are processed by the firewall.

질문 #50

Refer to the exhibit. The NOC team connects to the FortiGate GUI with the NOC_Access admin profile. They request that their GUI sessions do not disconnect too early during inactivity. What must the administrator configure to answer this specific request from the NOC team?



- A. Increase the offline value of the Override Idle Timeout parameter in the NOC_Access admin profile.
- B. Move NOC_Access to the top of the list to ensure all profile settings take effect.
- C. Increase the admintimeout value under config system accprofile NOC_Access.
- D. Ensure that all NOC_Access users are assigned the super_admin role to guarantee access

정답: C

설명:

The admintimeout setting in the admin access profile controls the inactivity timeout for GUI sessions. Increasing this value will extend the session duration before automatic disconnection.

질문 #51

.....

KoreaDumps의 Fortinet인증 FCP_FGT_AD-7.6덤프는 최근 유행인 PDF버전과 소프트웨어버전 두 가지 버전으로 제공됩니다. PDF버전을 먼저 공부하고 소프트웨어번으로 PDF버전의 내용을 얼마나 기억하였는지 테스트할 수 있습니다.

니다. 두 버전을 모두 구입하시면 시험에서 고득점으로 패스 가능합니다.

FCP_FGT_AD-7.6퍼펙트 최신버전 덤프: https://www.koreadumps.com/FCP_FGT_AD-7.6_exam-braindumps.html

- FCP_FGT_AD-7.6덤프샘플문제 □ FCP_FGT_AD-7.6 Dump □ FCP_FGT_AD-7.6 PDF □ ➡ www.dumpstop.com □ 웹사이트에서 □ FCP_FGT_AD-7.6 □ 를 열고 검색하여 무료 다운로드 FCP_FGT_AD-7.6 Dump
- FCP_FGT_AD-7.6인증시험 인기 덤프문제 □ FCP_FGT_AD-7.6시험대비 공부자료 □ FCP_FGT_AD-7.6 높은 통과율 인기 덤프문제 □ 검색만 하면 { www.itdumpskr.com }에서 ➡ FCP_FGT_AD-7.6 □ 무료 다운로드 FCP_FGT_AD-7.6 PDF
- FCP_FGT_AD-7.6시험대비 공부자료 □ FCP_FGT_AD-7.6 높은 통과율 인기 덤프문제 □ FCP_FGT_AD-7.6 높은 통과율 덤프자료 □ 무료로 쉽게 다운로드하려면 (www.itdumpskr.com)에서 ⚫ FCP_FGT_AD-7.6 □ * □ 를 검색하세요 FCP_FGT_AD-7.6합격보장 가능 덤프자료
- FCP_FGT_AD-7.6합격보장 가능 시험덤프 □ FCP_FGT_AD-7.6완벽한 시험덤프공부 □ FCP_FGT_AD-7.6 완벽한 인증자료 □ 지금 ➤ www.itdumpskr.com <에서 【 FCP_FGT_AD-7.6 】 를 검색하고 무료로 다운로드하세요 FCP_FGT_AD-7.6 Dump
- FCP_FGT_AD-7.6시험패스 가능한 공부하기최신버전 덤프문제 □ 【 www.pass4test.net 】 은 ➤ FCP_FGT_AD-7.6 □ 무료 다운로드를 받을 수 있는 최고의 사이트입니다 FCP_FGT_AD-7.6자격증문제
- FCP_FGT_AD-7.6퍼펙트 공부문제 □ FCP_FGT_AD-7.6퍼펙트 최신버전 자료 □ FCP_FGT_AD-7.6 높은 통과율 덤프자료 □ 【 www.itdumpskr.com 】 을(를) 열고 (FCP_FGT_AD-7.6) 를 검색하여 시험 자료를 무료로 다운로드하십시오 FCP_FGT_AD-7.6최고품질 덤프데모 다운
- Fortinet 자격증 FCP_FGT_AD-7.6 시험덤프 □ * □ www.passtip.net □ * □ 의 무료 다운로드 《 FCP_FGT_AD-7.6 》 페이지가 지금 열립니다 FCP_FGT_AD-7.6완벽한 인증자료
- FCP_FGT_AD-7.6합격보장 가능 덤프자료 □ FCP_FGT_AD-7.6퍼펙트 공부문제 □ FCP_FGT_AD-7.6퍼펙트 최신버전 자료 □ * □ www.itdumpskr.com □ * □ 웹사이트를 열고 ➤ FCP_FGT_AD-7.6 < 를 검색하여 무료 다운로드 FCP_FGT_AD-7.6시험덤프자료
- FCP_FGT_AD-7.6시험대비 최신버전 덤프샘플 □ FCP_FGT_AD-7.6합격보장 가능 덤프자료 □ FCP_FGT_AD-7.6퍼펙트 공부문제 □ * □ www.exampassdump.com □ * □ 를 통해 쉽게 ✓ FCP_FGT_AD-7.6 □ ✓ □ 무료 다운로드 받기 FCP_FGT_AD-7.6합격보장 가능 덤프자료
- FCP_FGT_AD-7.6 PDF □ FCP_FGT_AD-7.6 Dump □ FCP_FGT_AD-7.6덤프샘플문제 □ 무료로 쉽게 다운로드하려면 ➤ www.itdumpskr.com □ 에서 “FCP_FGT_AD-7.6 ” 를 검색하세요 FCP_FGT_AD-7.6덤프샘플문제
- 높은 통과율 FCP_FGT_AD-7.6시험패스 가능한 공부하기 시험덤프로 시험패스 가능 □ ➤ www.koreadumps.com < 을(를) 열고 《 FCP_FGT_AD-7.6 》 를 검색하여 시험 자료를 무료로 다운로드하십시오 FCP_FGT_AD-7.6 높은 통과율 시험대비자료
- dl.instructure.com, www.stes.tyc.edu.tw, github.com, www.stes.tyc.edu.tw, themilitarymortgageadvisors.com, www.stes.tyc.edu.tw, getclientbylinkedin.com, lms.ait.edu.za, www.medicalup.net, pct.edu.pk, Disposable vapes

그리고 KoreaDumps FCP_FGT_AD-7.6 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다:
https://drive.google.com/open?id=1mp-zoH18k9Q3tNMSZIG_ZmB1Odz0GR2a