

# ISO-45001-Lead-Auditor최신덤프문제보기, ISO-45001-Lead-Auditor인기자격증시험덤프



참고: DumpTOP에서 Google Drive로 공유하는 무료 2026 PECB ISO-45001-Lead-Auditor 시험 문제집이 있습니다:  
[https://drive.google.com/open?id=1HZMYw-Yy\\_zMY84e9qi39YFwflhJPT4YL](https://drive.google.com/open?id=1HZMYw-Yy_zMY84e9qi39YFwflhJPT4YL)

PECB ISO-45001-Lead-Auditor인증시험패스 하는 동시에 여러분의 인생에는 획기적인 일 발생한것이죠, 사업에서의 상승세는 당연한것입니다. IT업계종사자라면 누구나 이런 자격증을 취득하고 싶어하리라고 믿습니다. 많은 분들이 이렇게 좋은 인증시험은 아주 어렵다고 생각합니다. 네 맞습니다. 패스할확율은 아주 낮습니다. 노력하지않고야 당연히 불가능하죠.PECB ISO-45001-Lead-Auditor시험은 기초지식 그리고 능숙한 전업지식이 필요요 합니다. 우리DumpTOP는 여러분들한테PECB ISO-45001-Lead-Auditor시험을 쉽게 빨리 패스할 수 있도록 도와주는 사이트입니다. 우리DumpTOP의PECB ISO-45001-Lead-Auditor시험관련자료로 여러분은 짧은시간내에 간단하게 시험을 패스할수 있습니다. 시간도 절약하고 돈도 적게 들이는 이런 제안은 여러분들한테 딱 좋은 해결책이라고 봅니다.

PECB인증ISO-45001-Lead-Auditor시험을 패스하여 자격증을 취득한다면 여러분의 미래에 많은 도움이 될 것입니다.PECB인증ISO-45001-Lead-Auditor시험자격증은 it업계에서도 아주 인지도가 높고 또한 알아주는 시험이며 자격증 하나로도 취직은 문제없다고 볼만큼 가치가 있는 자격증이죠.PECB인증ISO-45001-Lead-Auditor시험은 여러분이 it지식테스트시험입니다.

>> ISO-45001-Lead-Auditor최신 덤프문제보기 <<

## 완벽한 ISO-45001-Lead-Auditor최신 덤프문제보기 덤프샘플문제 다운로드

많은 분들이PECB ISO-45001-Lead-Auditor시험을 패스하려고 하는데 시험대비방법을 찾지 못하고 계십니다. PECB ISO-45001-Lead-Auditor덤프를 구매하려면 먼저PECB ISO-45001-Lead-Auditor샘플문제를 다운받아 덤프품질을 검증후 주문하시면 믿음이 생길것입니다. PECB ISO-45001-Lead-Auditor시험대비덤프는 IT업계에 오랜 시간동안 종사한 전문가들의 노하우로 연구해낸 최고의 자료입니다.

## 최신 ISO 45001 ISO-45001-Lead-Auditor 무료샘플문제 (Q85-Q90):

질문 # 85

What does ISO 45001 say are the hazards that have to be considered when planning a health and safety management system?  
Select the ONE best answer.

- A. Work activities where there is the possibility of danger
- B. Work hazards and environmental factors such as bad weather
- C. Hot-work, working at height, enclosed space entry, and work on electrical equipment
- **D. Work activities, workplace design, and human factors such as hours of work and bullying and harassment**

**정답 : D**

**설명:**

ISO 45001:2018 requires a holistic approach to occupational health and safety. This means considering all aspects that could impact worker well-being, not just obvious physical hazards. The correct answer encompasses work activities (the tasks themselves), workplace design (the physical environment), and human factors (psychological and social aspects like working hours and harassment). It 's the most comprehensive and aligned with the standard 's philosophy ISO 45001:2018, Clause 6.1.2, outlines requirements for hazard identification . Hazards to consider include work activities, workplace design, human factors, and social factors that may impact OH and S. These go beyond traditional physical risks and include psychosocial and organizational hazards.

Analysis of Options:

\* A. Work activities, workplace design, and human factors such as hours of work and bullying and harassment: Correct. This comprehensively addresses hazard categories outlined in ISO 45001, Clause 6.1.2.

\* B. Work activities where there is the possibility of danger: Too general. ISO 45001 includes broader categories of hazards, including those related to organizational and social factors.

\* C. Hot-work, working at height, enclosed space entry, and work on electrical equipment: Too narrow. These are specific hazards but do not encompass the full range outlined in ISO 45001.

\* D. Work hazards and environmental factors such as bad weather: Incomplete. While environmental factors are relevant, ISO 45001 also includes workplace design, human factors, and psychosocial hazards.

ISO References:

\* Clause 6.1.2.1: Hazard identification.

\* Annex A.6.1.2: Examples of hazard categories, including workplace design and human factors.

### **질문 # 86**

In the initial communication by the audit team leader for a certification audit, the OHSMS Manager asks that the audit includes detailed coverage of the OHSMS legislation of the local authority, which has been specified in a recent customer contract. Which two of the following responses should the audit team leader make?

- A. Suggest that the OHSMS Manager cancels the audit contract and reapplies to include the additional criteria.
- **B. Advise the OHSMS Manager that the audit criteria has been set as ISO 45001 and the audit programme for certification will need to proceed as planned.**
- **C. Ask the individual(s) managing the programme whether the audit criteria can be revised to include the new request.**
- D. Advise the OHSMS Manager that the new criteria can be included without any problem.
- E. Add a legal expert to the audit team in order to accept the request.
- F. Inform the OHSMS Manager that an audit against the regulatory criteria may be possible but will require a new audit team.

**정답 : B,C**

### **질문 # 87**

Whistleklean is a national dry cleaning and laundry organization with 50 shops. You are conducting an OHSMS surveillance audit of the head office and are sampling health and safety performance monitoring.

You find that 80 per cent of incident originate from five shops in the same region. Most of these relate to staff and customer feeling unwell due to breathing in the pungent atmosphere. Some required to be hospitalized.

The OHS Manager tells you that these are the oldest shops in the organization. The cleaning equipment emits Volatile Organic Compounds (VOCs) and needs replacing but the organisation cannot afford it at the moment.

You raise the following nonconformity against clause 10.2 of ISO 45001.

"The organization failed to act after incidents in the five old shops involving the release of VOCs from laundry operations, which resulted in injury in some instances. The equipment used was not capable of consistently operating to the required level of safety"  
Select one of the options which would constitute the most effective corrective action for the nonconformity.

- **A. Reassess the OH and S risks associated with the laundry process in the five old shops.**

- B. Evaluate and update the Personal protective equipment (PPE) requirements for employees working with strong chemicals such as face masks and gloves.
- C. Display on emergency phone number in a prominent place to ensure that injured workers and shoppers
- D. Review the current safety procedures related to handling and use of chemicals In the laundry process to ensure their effectiveness.

**정답: A**

**설명:**

Clause 10.2 of ISO 45001 pertains to Nonconformity and Corrective Action . Organizations are required to evaluate incidents, investigate their causes, and implement effective corrective actions to prevent recurrence.

\* Issue Identified: The incidents in the five old shops are related to VOC emissions from outdated equipment, leading to staff and customer health concerns. This indicates inadequate risk management and failure to act on known safety issues.

\* Analysis of Options:

\* A. Display an emergency phone number. This is a reactive approach and does not address the root cause of the issue, i.e., VOC emissions. It also does not align with ISO 45001's emphasis on preventive measures.

\* B. Evaluate and update the PPE requirements. While PPE is important, relying solely on PPE without addressing the root cause (emission of VOCs) is insufficient. PPE is considered the last line of defense under the hierarchy of controls.

\* C. Reassess the OH and S risks associated with the laundry process in the five old shops.

This option aligns with ISO 45001, Clause 8.1.2, and Clause 10.2, as it emphasizes reassessing risks and taking steps to mitigate them. A thorough risk assessment could lead to interim measures such as process improvements or administrative controls until the equipment is replaced.

\* D. Review the current safety procedures. While reviewing safety procedures is useful, it does not address the specific nonconformity related to the equipment's inability to operate safely.

\* Best Action: Reassessing the risks in the five shops (Option C) ensures a comprehensive review of the hazards posed by outdated equipment, leading to appropriate preventive and corrective actions.

ISO References:

\* Clause 10.2: Requires identifying and addressing nonconformities to prevent recurrence.

\* Clause 8.1.2: Emphasizes the hierarchy of controls and risk assessment as a foundation for mitigating hazards.

**질문 # 88**

A trainee audit team leader Is being coached by an experienced audit team leader prior to carrying out his first Stage 2 certification audit in the team leader role. They are discussing the typical contents of audit reports and the experienced audit team leader is keen to ensure the trainee understands what such reports should contain.

Which three of the trainee's responses are incorrect?

- A. A statement of the audit objectives
- **B. Contact details for all members of the audit team**
- C. Confirmation of the audit scope
- D. A reference to the audit criteria used
- E. Audit findings and any related evidence
- **F. A copy of the certification body Invoice for the audit**
- **G. A corrective action plan that add-cross the identified nonconformities**
- H. The audit conclusions reached

**정답: B,F,G**

**설명:**

Audit reports should provide a clear summary of the audit process, findings, and conclusions based on the defined scope, objectives, and criteria. They do not include administrative details (e.g., invoices) or operational aspects (e.g., corrective action plans).

Analysis of Options:

\* A. A copy of the certification body invoice for the audit:Incorrect. Invoices are unrelated to the content of audit reports and are handled separately.

\* B. A reference to the audit criteria used:Correct. Audit criteria (e.g., ISO 45001 standards) must be included in the report to define the basis for the audit.

\* C. A statement of the audit objectives:Correct. The report must outline the objectives to ensure clarity on the purpose of the audit.

\* D. Audit findings and any related evidence:Correct. Findings and evidence are essential to support conclusions and recommendations.

\* E. Confirmation of the audit scope:Correct. The scope defines the boundaries of the audit and must be documented in the report.

\* F. Contact details for all members of the audit team:Incorrect. Personal contact details are unnecessary and not typically included

in reports.

\* G. The audit conclusions reached:Correct. Conclusions summarize the outcomes of the audit, such as conformity, nonconformities, or recommendations.

\* H. A corrective action plan that addresses the identified nonconformities:Incorrect. Corrective action plans are the auditee's responsibility and not included in the audit report.

ISO References:

\* ISO 19011:2018, Clause 6.7.3: Content of audit reports.

### 질문 # 89

ISO 45001 requires the organisation to retain OHSMS documented information. From the following list of documented information, which four examples must be retained by the organisation?

- A. Workers' current level of competency
- B. Results of compliance evaluation
- C. Effectiveness of corrective actions
- D. The relevant requirements of workers
- E. Results of management review
- F. Assigned responsibilities and authorities
- G. Risks and opportunities
- H. OH&S Policy

정답: B,C,E,H

설명:

Analysis of Options:

\* A. Results of management review:Correct. Clause 9.3 requires retention of management review results as documented information.

\* B. Risks and opportunities:Incorrect. Risks and opportunities must be considered and managed, but retaining this as documented information is not mandatory.

\* C. Results of compliance evaluation:Correct. Clause 9.1.2 requires retention of compliance evaluation results.

\* D. Workers' current level of competency:Incorrect. Competency must be ensured, but retaining specific competency records is not explicitly required.

\* E. Assigned responsibilities and authorities:Incorrect. These must be defined and communicated but are not required to be retained as documented information.

\* F. The relevant requirements of workers:Incorrect. Relevant worker requirements must be considered but not retained as documented information.

\* G. Effectiveness of corrective actions:Correct. Clause 10.2 requires retention of evidence of corrective actions taken.

\* H. OH&S Policy:Correct. Clause 5.2 requires the OH&S policy to be maintained as documented information.

ISO References:

\* Clause 5.2: OH&S policy.

\* Clause 9.1.2: Compliance evaluation.

\* Clause 9.3: Management review.

\* Clause 10.2: Corrective actions.

### 질문 # 90

.....

여러분은 아직도PECB ISO-45001-Lead-Auditor인증시험의 난이도에 대하여 고민 중입니까? 아직도PECB ISO-45001-Lead-Auditor시험 때문에 밤잠도 제대로 이루지 못하면서 시험공부를 하고 있습니까? 빨리빨리DumpTOP를 선택하여 주세요. 그럼 빠른 시일내에 많은 공을 들이지 않고 여러분의 꿈을 이룰수 있습니다.

**ISO-45001-Lead-Auditor인기자격증 시험덤프** : <https://www.dumptop.com/PECB/ISO-45001-Lead-Auditor-dump.html>

PECB ISO-45001-Lead-Auditor최신 덤프문제보기 환불해드린후에는 무료업데이트 서비스가 종료됩니다, PECB ISO-45001-Lead-Auditor최신 덤프문제보기 여러분은 열악한 취업환경속에서 치열한 경쟁을 많이 느낄것입니다, DumpTOP의 높은 적응율을 보장하는 최고품질의PECB ISO-45001-Lead-Auditor덤프는 최근PECB ISO-45001-Lead-Auditor실제인증시험에 대비하여 제작된것으로 엘리트한 전문가들이 실제시험문제를 분석하여 답을 작성한 만큼 시험문제 적응율이 아주 높습니다, PECB ISO-45001-Lead-Auditor 인증시험 최신버전덤프만 마련하시면PECB ISO-45001-Lead-Auditor시험패스는 바로 눈앞에 있습니다, PECB ISO-45001-Lead-Auditor최신 덤프문제보기 ITCertKR는 여러분의 고민종결자로 되어드릴것입니다.

