

FCSS_SDW_AR-7.6 Bestehen Sie FCSS - SD-WAN 7.6 Architect! - mit höhere Effizienz und weniger Mühen



Wollen Sie den Plan machen, dass Sie Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung ablegen, um Ihre Fähigkeit zu entwickeln. Wenn Sie Fortinet FCSS_SDW_AR-7.6 Prüfung ablegen, ob Sie die geeigneten Lernhilfe finden? Und welche Unterlage sind wertvoll? Haben Sie Fortinet FCSS_SDW_AR-7.6 Dumps gewählt? Wenn ja, sorgen Sie sich bitte nicht um den Misserfolg.

Viele Webseiten bieten Fortinet FCSS_SDW_AR-7.6 Zertifizierungsunterlagen. Aber können sie die Qualität der Prüfungsunterlagen garantieren. Und es kann auch Ihnen nicht garantieren, volle Rückerstattung für den Durchfall. Verglichen zu originalen Prüfungsunterlagen, sind Fortinet FCSS_SDW_AR-7.6 Dumps von ZertPruefung sehr preiswert. Bei der Hilfe von ZertPruefung, können Sie sich auf die Fortinet FCSS_SDW_AR-7.6 Prüfungen gut vorbereiten und leicht die Fortinet FCSS_SDW_AR-7.6 Prüfung bestehen. Wenn Sie Ihre IT-zertifizierungsprüfungen bestehen wollen, sollen Sie die ZertPruefung Dumps benutzen.

>> FCSS_SDW_AR-7.6 Übungsmaterialien <<

Die anspruchsvolle FCSS_SDW_AR-7.6 echte Prüfungsfragen von uns garantiert Ihre bessere Berufsaussichten!

Jeder hat seinen eigenen Lebensplan. Wenn Sie andere Wahle treffen, bekommen Sie sicher etwas Anderes. So ist die Wahl serh wichtig. Die Schulungsunterlagen zur Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung von ZertPruefung ist eine beste Methode, die den IT-Fachleuten helfen, ihr Ziel zu erreichen. Sie enthalten Prüfungsfragen und Antworten zur Fortinet FCSS_SDW_AR-7.6 Zertifizierung. Und sie sind den echten Prüfungen ähnlich. Es ist wirklich die besten Schulungsunterlagen.

Fortinet FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 Prüfungsfragen mit Lösungen (Q62-Q67):

62. Frage

When a customer delegate the installation and management of its SD-WAN infrastructure to an MSSP, the MSSP usually keeps the hub within its infrastructure for ease of management and to share costly resources.

In which two situations will the MSSP install the hub in customer premises? (Choose two.)

- A. The majority of the branch traffic is directed to a corporate data center.
- B. The customer expects a large amount of VoIP traffic.
- C. The administrator expects a large volume of traffic between the branches.
- D. The customer requires SIA with centralized breakout.

Antwort: A,D


Begründung:

Placing the hub at the customer premises enables direct access and centralizes breakout or connectivity close to critical corporate resources, meeting these requirements. High-volume, high-profile traffic scenarios like SIA or central data center uplink benefit from a local hub for efficiency and control.

63. Frage

Refer to the exhibit. Two hub-and-spoke groups are connected through redundant site-to-site IPsec VPNs between Hub 1 and Hub 2.

Which two configuration settings are required for the spoke A1 to establish an ADVPN shortcut with the spoke B2? (Choose two.)



- A. On hubs, auto-discovery-sender must be enabled on the IPsec VPNs to spokes.
- B. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to spokes.
- C. On hubs, auto-discovery-receiver must be enabled on the IPsec VPNs to spokes.
- D. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to hubs.

Antwort: A,D

Begründung:


Summary for Basic SD-WAN + ADVPN Deployment

• Hub

- net-device: disable
- Route reflector enabled (IBGP)
- Overlay stickiness configured (policy route)
- auto-discovery-sender: enable

• Spokes

- Overlays are members of SD-WAN
- Manual SD-WAN rule ID 1 steers traffic between spokes
- Performance SLA
- net-device: enable
- auto-discovery-receiver: enable
- allowaccess: ping
- mode-cfg: enable



64. Frage

Refer to the exhibit.

FortiGate policy route

```
branch_fgt # diagnose firewall proute list
list route policy info(vf=root):

id=1(0x01) dscp_tag=0xfc flags=0x0 tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0)
iif=7(port5)
path(1): oif=5(port3) gwy=10.0.1.255
source wildcard(1) : 10.0.1.128/255.255.255.128
destination wildcard(1): 0.0.0.0/0.0.0.0
hit_count=0 rule_last_used=2024-12-13 01:40:44

id=2131427329(0x7f0b0001) vwl_service=1(Critical-DIA), vwl_mbr_seq=2 1 dscp_tag=0xfc 0xfc flags=
0x0 tos=0x0
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(2): oif=4(port2), oif=3(port1)
source(1) : 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Salesforce(16920,0) SMTP_Signed.Email(28991,0)
hit_count=732 rule_last_used=2024-12-12 12:30:16

id=2131427329(0x7f070003) vwl_service=3(Corp), vwl_mbr_seq=4 5 6 dscp_tag=0xfc 0xfc flags=0x0
tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(3): oif=20(HUB1-VPN1), oif=21(HUB1-VPN2), oif=22(HUB1-VPN3)
source(1) : 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=0 rule_last_used=2024-12-12 02:29:25

id=2131165188(0x7f070004) vwl_service=4(LAN-to-Corp2), vwl_mbr_seq=1 2 dscp_tag=0xfc 0xfc flags=
0x10 load-balance hash-mode=round-robin tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->
0) iif=0(any)
path(2): oif=3(port1) num_pass=1, oif=4(port2) num_pass=1
source(1) : 10.0.1.0-10.0.1.255
destination (1): 10.66.0.0-10.66.0.255
hit_count=0 rule_last_used=2024-12-13 01:43:31
```

What conclusions can you draw about the traffic received by FortiGate originating from the source LAN device 10.0.1.133 and destined for the company's SMTP mail server at 10.66.0.125?

- A. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through the SD-WAN member ID 4.
- B. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through port2.
- **C. FortiGate steers the traffic from the LAN device 10.0.1.133 to the SMTP mail server 10.66.0.125 through the SD-WAN member ID 1 or 2.**
- D. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through port3.

Antwort: C

Begründung:

The policy-route output shows the matching SD-WAN service for destination 10.66.0.0/24 is vwl_service=4 (LAN-to-Corp2) with vwl_mbr_seq=1 2 and paths oif=3(port1) and oif=4(port2). Therefore, traffic from 10.0.1.133 to 10.66.0.125 is steered via SD-WAN member ID 1 or 2.

65. Frage

(You want to configure two static routes: one that references an SD-WAN zone and a second one that references an SD-WAN member that belongs to that zone.

Which statement about this scenario is true? Choose one answer.)

- A. You cannot create static routes that reference an SD-WAN zone.
- B. You cannot create static routes for individual SD-WAN members.

- C. The source subnets must be different.
- D. The destination subnets must be different.

Antwort: D

Begründung:

In FortiOS 7.6, static routes can reference either:

an SD-WAN zone (for example, virtual-wan-link or a user-defined SD-WAN zone), or a specific SD-WAN member interface that belongs to that zone.

However, FortiOS enforces a routing constraint to avoid ambiguity during route resolution. Two static routes cannot have the same destination prefix if one points to an SD-WAN zone and the other points to an SD-WAN member within that zone. This would create an overlapping and conflicting forwarding decision.

Therefore, if you configure:

one static route that references an SD-WAN zone, and

another static route that references an SD-WAN member belonging to that same zone, the destination subnets of the two static routes must be different.

Why the other options are incorrect:

Option A is incorrect because FortiOS does allow static routes that reference individual SD-WAN members.

Option B is incorrect because static routes can reference SD-WAN zones.

Option D is incorrect because static routing decisions in FortiOS are based on destination prefixes, not source prefixes.

Thus, the correct answer is C.

66. Frage

(Refer to the exhibits.

SD-WAN overlay template advanced settings

Advanced ▾

Loopback IP Address	10.200.99.252/255.255.255.0
Overlay Network	10.200.99.0/255.255.255.0
BGP-AS Number	65000
BGP on Loopback	☐
Dynamic BGP	☒
Route Reflection	☐
Auto-Discovery VPN	Disable Legacy ADVPN 2.0
Segmentation Over Single Overlay	☐

Underlay and network advertisement configuration

FORTINET

Secondary HUB

Underlay

#	Private Link	Override IP	Action
WAN Underlay 1	☐ port1	☐	x +
WAN Underlay 2	☒ port2	☐	x +

Network Advertisement

Connected Static

#	Interface	Action
Interface 1	port5	x +

The SD-WAN overlay template advanced settings and the underlay and network advertisement settings are shown. These are the

configurations for the secondary hub of a dual-hub SD-WAN topology created with the FortiManager SD-WAN overlay orchestrator.

Which two conclusions can you draw from the information shown in the exhibits? Choose two answers.)

- A. FortiManager will define port5 as a BGP neighbor.
- **B. FortiManager will create an overlay tunnel on the port1 interface.**
- **C. FortiManager will create an overlay tunnel on the port2 interface.**
- D. FortiManager will define port2 as a BGP neighbor.

Antwort: B,C

Begründung:

From the Underlay and network advertisement configuration exhibit for the Secondary HUB:

Under Underlay, the template explicitly lists:

WAN Underlay 1 = port1

WAN Underlay 2 = port2

In FortiManager SD-WAN Overlay Orchestrator, underlay interfaces selected for a hub are the transports used to build the overlay IPsec tunnels (one overlay per underlay, per peer as defined by the template). Because both port1 and port2 are configured as underlays, FortiManager will build overlay tunnels over both underlay links. That supports:

Option C (overlay tunnel on port1)

Option B (overlay tunnel on port2)

For the BGP neighbor options:

The Network Advertisement section shows Interface 1 = port5, which indicates a LAN/internal interface whose connected or static networks may be advertised into the overlay routing domain. This does not make port5 a BGP neighbor interface; it is the interface whose routes are being advertised.

The template indicates Dynamic BGP is enabled. In Overlay Orchestrator designs, BGP neighbor relationships are formed across the overlay tunnel interfaces / overlay endpoints, not directly on the raw underlay interfaces (port1/port2) and not on the advertised LAN interface (port5). Therefore, options A and D are not valid conclusions from what is shown.

So, the two correct conclusions are B and C.

67. Frage

.....

Ich glaube, egal in welcher Branche erwarten alle Beschäftigte eine gute Berufsaussichten. In der konkurrenzfähigen IT-Branche gilt es auch. Die Fachleute in der IT-Branche erwarten eine gute Beförderungsmöglichkeit. Viele IT-Fachleute sind sich klar, dass die Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung Ihren Traum verwirklichen kann. Und ZertPruefung ist solch eine Website, die Ihnen zum Bestehen der Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung verhilft.

FCSS_SDW_AR-7.6 Kostenlos Downloaden: https://www.zertpruefung.ch/FCSS_SDW_AR-7.6_exam.html

ZertPruefung ist eine geeignete Website für die Kandidaten, die sich an der Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung beteiligen. Wenn Sie Anfänger sind oder Ihre berufliche Fertigkeiten verbessern wollen, wird ZertPruefung FCSS_SDW_AR-7.6 Kostenlos Downloaden Ihnen helfen, Ihrem Traum Schritt für Schritt zu ernähern. Deshalb ist ZertPruefung FCSS_SDW_AR-7.6 Kostenlos Downloaden eine erstklassige Website von guter Qualität.

Sie waren noch zudringlicher als Weinhandlungsreisende, so FCSS_SDW_AR-7.6 Übungsmaterialien dass sie von manchen Gemeinden, den Pfarrer an der Spitze, zum Dorf hinausgeprügelt wurden, Was führt Sie her?

ZertPruefung ist eine geeignete Website für die Kandidaten, die sich an der Fortinet FCSS_SDW_AR-7.6 Zertifizierungsprüfung beteiligen. Wenn Sie Anfänger sind oder Ihre berufliche Fertigkeiten **FCSS_SDW_AR-7.6 Übungsmaterialien** verbessern wollen, wird ZertPruefung Ihnen helfen, Ihrem Traum Schritt für Schritt zu ernähern.

FCSS - SD-WAN 7.6 Architect cexamkiller Praxis Dumps & FCSS_SDW_AR-7.6 Test Training Überprüfungen

Deshalb ist ZertPruefung eine erstklassige Website FCSS_SDW_AR-7.6 Übungsmaterialien von guter Qualität, Die zweite Garantie ist, wenn unsere Software für Sie wirklich nicht geeignet ist und Sie die Fortinet FCSS_SDW_AR-7.6 Prüfung nicht bestehen, geben wir Ihnen die vollständigen Gebühren zurück.

Laut Statistiken ist das Lernen FCSS_SDW_AR-7.6 auf dieser traditionellen Weise am effizientesten.

- FCSS_SDW_AR-7.6 Fragen Beantworten □ FCSS_SDW_AR-7.6 Testengine □ FCSS_SDW_AR-7.6 Dumps Deutsch □ Öffnen Sie die Webseite ⇒ www.zertsoft.com ⇐ und suchen Sie nach kostenloser Download von [FCSS_SDW_AR-7.6] □ FCSS_SDW_AR-7.6 Examengine
- FCSS_SDW_AR-7.6 Schulungsangebot □ FCSS_SDW_AR-7.6 Deutsche Prüfungsfragen □ FCSS_SDW_AR-7.6 Fragenpool □ URL kopieren ▷ www.itzert.com ◁ Öffnen und suchen Sie ⇒ FCSS_SDW_AR-7.6 ⇐ Kostenloser Download □ FCSS_SDW_AR-7.6 Testengine
- Aktuelle Fortinet FCSS_SDW_AR-7.6 Prüfung pdf Torrent für FCSS_SDW_AR-7.6 Examen Erfolg prep 🍌 Suchen Sie jetzt auf 【 www.zertpruefung.ch 】 nach “FCSS_SDW_AR-7.6 ” um den kostenlosen Download zu erhalten □ □ FCSS_SDW_AR-7.6 Probesfragen
- FCSS_SDW_AR-7.6 Prüfungsguide: FCSS - SD-WAN 7.6 Architect - FCSS_SDW_AR-7.6 echter Test - FCSS_SDW_AR-7.6 sicherlich-zu-bestehen □ Öffnen Sie die Website 【 www.itzert.com 】 Suchen Sie □ FCSS_SDW_AR-7.6 □ Kostenloser Download □ FCSS_SDW_AR-7.6 Lernressourcen
- FCSS_SDW_AR-7.6 Trainingsmaterialien: FCSS - SD-WAN 7.6 Architect - FCSS_SDW_AR-7.6 Lernmittel - Fortinet FCSS_SDW_AR-7.6 Quiz □ Sie müssen nur zu 「 www.zertpruefung.ch 」 gehen um nach kostenloser Download von ➡ FCSS_SDW_AR-7.6 □ zu suchen □ FCSS_SDW_AR-7.6 Prüfungsfrage
- FCSS_SDW_AR-7.6 Deutsche □ FCSS_SDW_AR-7.6 Deutsche Prüfungsfragen □ FCSS_SDW_AR-7.6 Schulungsangebot □ Sie müssen nur zu { www.itzert.com } gehen um nach kostenloser Download von □ FCSS_SDW_AR-7.6 □ zu suchen □ FCSS_SDW_AR-7.6 Fragenpool
- FCSS_SDW_AR-7.6 Deutsch □ FCSS_SDW_AR-7.6 Unterlage □ FCSS_SDW_AR-7.6 Probesfragen □ Suchen Sie auf ⇒ www.deutschpruefung.com ⇐ nach kostenlosem Download von (FCSS_SDW_AR-7.6) □ □ FCSS_SDW_AR-7.6 Prüfungs-Guide
- FCSS_SDW_AR-7.6 Schulungsangebot □ FCSS_SDW_AR-7.6 Pruefungssimulationen □ FCSS_SDW_AR-7.6 Zertifikatsfragen □ Suchen Sie auf ➡ www.itzert.com □ nach ✓ FCSS_SDW_AR-7.6 □ ✓ □ und erhalten Sie den kostenlosen Download mühelos ⇌ FCSS_SDW_AR-7.6 Testengine
- FCSS_SDW_AR-7.6 Probesfragen □ FCSS_SDW_AR-7.6 Unterlage □ FCSS_SDW_AR-7.6 Schulungsangebot □ Suchen Sie jetzt auf ✓ www.zertpruefung.ch □ ✓ □ nach ➡ FCSS_SDW_AR-7.6 □ um den kostenlosen Download zu erhalten □ FCSS_SDW_AR-7.6 Unterlage
- FCSS_SDW_AR-7.6 Probesfragen □ FCSS_SDW_AR-7.6 Deutsche □ FCSS_SDW_AR-7.6 Probesfragen □ Öffnen Sie die Webseite 🌟 www.itzert.com □ 🌟 □ und suchen Sie nach kostenloser Download von ➤ FCSS_SDW_AR-7.6 □ □ FCSS_SDW_AR-7.6 Zertifikatsfragen
- FCSS_SDW_AR-7.6 aktueller Test, Test VCE-Dumps für FCSS - SD-WAN 7.6 Architect □ 《 www.zertpruefung.ch 》 ist die beste Webseite um den kostenlosen Download von ✓ FCSS_SDW_AR-7.6 □ ✓ □ zu erhalten □ □ FCSS_SDW_AR-7.6 Testengine
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, iachm.com, logintoskills.com, Disposable vapes