

# FCSS\_NST\_SE-7.4 Reliable Exam Answers, Updated FCSS\_NST\_SE-7.4 Dumps



DOWNLOAD the newest TestSimulate FCSS\_NST\_SE-7.4 PDF dumps from Cloud Storage for free:  
[https://drive.google.com/open?id=1GmMgK8\\_cyY1BfPT9N940pWnymm9Cv\\_3S](https://drive.google.com/open?id=1GmMgK8_cyY1BfPT9N940pWnymm9Cv_3S)

It doesn't matter if it's your first time to attend FCSS\_NST\_SE-7.4 practice test or if you are freshman in the IT certification test, our latest FCSS\_NST\_SE-7.4 dumps guide will boost you confidence to face the challenge. Our dumps collection will save you much time and ensure you get high mark in FCSS\_NST\_SE-7.4 Actual Test with less effort. Come and check the free demo in our website you won't regret it.

## Fortinet FCSS\_NST\_SE-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Routing: This part of the exam examines the expertise of Fortinet network and security professionals, in routing enterprise traffic effectively.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Authentication: This section evaluates the proficiency of Fortinet network and security professionals in resolving both local and remote authentication issues.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>Security Profiles: This segment of the exam tests the skills of IT professionals, such as network administrators in handling and troubleshooting security profile-related challenges.</li></ul>
Topic 4	<ul style="list-style-type: none"><li>VPN: This section tests the knowledge of IT professionals, such as system engineers in diagnosing and resolving VPN-related issues. It emphasizes troubleshooting IPsec IKE versions 1 and 2 to ensure secure and reliable communication between networks or remote users.</li></ul>
Topic 5	<ul style="list-style-type: none"><li>System Troubleshooting: This part of the exam assesses the ability of Fortinet network and security professionals to diagnose and fix typical system-related problems within Fortinet solutions. It involves troubleshooting FortiGate-to-FortiGate Security Fabric issues, addressing automation stitch concerns, and detecting resource-related problems using integrated tools.</li></ul>

>> FCSS\_NST\_SE-7.4 Reliable Exam Answers <<

## Updated FCSS\_NST\_SE-7.4 Dumps, FCSS\_NST\_SE-7.4 Reliable Exam Registration

By browsing this website, all there versions of FCSS\_NST\_SE-7.4 practice materials can be chosen according to your taste or preference. In addition, we provide free updates to users for one year long. If the user finds anything unclear in the FCSS\_NST\_SE-7.4 practice materials exam, we will send email to fix it, and our team will answer all of your questions related to the

FCSS\_NST\_SE-7.4 practice materials. If the user fails in the FCSS\_NST\_SE-7.4 practice exam for any reason, we will refund the money after this process. We promise that you can get through the challenge within a week.

## Fortinet FCSS - Network Security 7.4 Support Engineer Sample Questions (Q83-Q88):

### NEW QUESTION # 83

Refer to the exhibit, which displays the output of a real-time debug.

```
FGT # diagnose debug application urlfilter -1
FGT # diagnose debug enable

msg="received a request /tmp/.wad512_0_0.url.socket, addr_len=30:
d=training. fortinet.com:443, id=687, cat=255, vfname='root', vfid=0,
profile='default', type=0, client=10.1.10.1, url_source=1, url=("/")
action=9 (ftgd-allow) wf-act=5 (ALLOW) user="N/A" src=10.1.10.1 sport=58334
dst=13.226.142.41 dport=443 service="https" cat=52 url_cat=52 ip_cat=0
hostname="training.fortinet.com" url="/"
```

Which statement accurately describes this output?

- A. Access to the requested website was allowed by web filter profile ftgd-allow.
- B. The URL requested was detected to belong to FortiGuard category ID 255.
- C. The urlfilterdebug detected a category mismatch.
- D. The server hostname was extracted either from the common name (CN) in the server certificate or the server name indication (SNI) in the client request.

### Answer: D

Explanation:

The hostname="training.fortinet.com" field only appears when FortiGate learns the HTTPS hostname via SNI (in the TLS Client Hello) or by parsing the server certificate's CN-it isn't gleaned from any HTTP headers over an encrypted tunnel.

### NEW QUESTION # 84

Refer to the exhibit, which shows the output of diagnose sys session list.

```
# diagnose sys session list
session info: proto=6 proto_state=01 duration=73 expire=3597 timeout=3600
flags=00000000 sockflag=00000000 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=may_dirty synced none app_ntf
statistic {bytes/packets/allow err}: org=822/11/1 reply=9037/15/1 tuples=2
origin->sink: org pre->post, reply pre->post dev=4->2/2->4
gwy=100.64.1.254/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:65464->54.192.15.182:80 (100.64.1.1:65464)
hook=pre dir=reply act=dnat 54.192.15.182:80->100.64.1.1:65464(10.0.1.10:65464)
pos/ (before, after) 0/ (0,0), 0/ (0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000098 tos=ff/if ips view=0 app_list=0 app=0
dd_type=0 dd_mode=0
```

If the HA ID for the primary device is 0, what happens if the primary fails and the secondary becomes the primary?

- A. The session state is preserved but the kernel will need to re-evaluate the session because NAT was applied.
- B. The session will be removed from the session table of the secondary device because of the presence of allowed error packets, which will force the client to restart the session with the server.
- C. The secondary device has this session synchronized; however, because application control is applied, the session is marked dirty and has to be re-evaluated after failover.
- D. Traffic for this session continues to be permitted on the new primary device after failover, without requiring the client to

restart the session with the server.

**Answer: D**

### NEW QUESTION # 85

Refer to the exhibit, which shows the output of a debug command.

```
FGT # get router info ospf interface port4
port4 is up, line protocol is up
  Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
  Process ID 0, VRF 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
  Transmit Delay is 1 sec, State DROther, Priority 1

  Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2

  Backup Designated Router (ID) 0.0.0.1, Interface Address 172.20.121.239
  Timer intervals configured, Hello 0.000, Dead 40, Retransmit 5

  Hello due in 00:00:05
  Neighbor Count is 4, Adjacent neighbor count is 2
  Crypt Sequence Number is 411
  Hello received 106 sent 27, DD received 6 sent 3
  LS-Req received 2 sent 2, LS-Upd received 7 sent 17
  LS-Ack received 4 sent 3, Discarded 1
```

Which two statements about the output are true? (Choose two.)

- A. In the network connected to port4, two OSPF routers are down.
- B. One of the neighbors has a router ID of 0.0.0.4.
- C. The interface is part of the OSPF backbone area.
- D. There are a total of five OSPF routers attached to the vorz4 network segment

**Answer: A,C**

### NEW QUESTION # 86

Exhibit.

```
NGFW-1 # get sys ha status
HA Health Status: OK
Model: FortiGate-VM64
Mode: HA A-P
Group: 0
Debug: 0
Cluster Uptime: 0 days 0:1:25
Cluster state change time: 2023-04-18 12:07:47
Primary selected using:
  <2023/04/18 12:07:47> FGVM010000077649 is selected as the primary because its override priority is larger than peer member FGVM010000077650.
ses_pickup: disable
override: disable
Configuration Status:
  FGVM010000077649(updated 4 seconds ago): in-sync
  FGVM010000077650(updated 1 seconds ago): out-of-sync
System Usage stats:
  FGVM010000077649(updated 4 seconds ago):
    sessions=166, average-cpu-user/nice/system idle=11.0%/0%/99%, memory=45%
  FGVM010000077650(updated 1 seconds ago):
    sessions=3, average-cpu-user/nice/system idle=0%/0%/100%, memory=44%
HBDEV stats:
  FGVM010000077649(updated 4 seconds ago):
    port7: physical/1000auto, up, rx-bytes/packets/dropped/errors=167663/567/0/0, tx=262623/656/0/0
  FGVM010000077650(updated 1 seconds ago):
    port7: physical/1000auto, up, rx-bytes/packets/dropped/errors=271373/680/0/0, tx=176013/592/0/0
Primary : NGFW-1      , FGVM010000077649, HA cluster index = 1
Secondary : NGFW-2      , FGVM010000077650, HA cluster index = 0
number of vcluster: 1
vcluster 1: work 169.254.0.2
Primary: FGVM010000077649, HA operating index = 0
Secondary: FGVM010000077650, HA operating index = 1
```

Refer to the exhibit, which shows the output of get system ha status.

NGFW-1 and NGFW-2 have been up for a week.

Which two statements about the output are true? (Choose two.)

- A. If FGVM...649 is rebooted, FGVM...650 will become the primary and retain that role, even after FGVM...649 rejoins the cluster.
- B. If port 7 becomes disconnected on the secondary, both FortiGate devices will elect itself as primary.
- C. If no action is taken, the primary FortiGate will leave the cluster because of the current sync status.
- D. If a configuration change is made to the primary FortiGate at this time, the secondary will initiate a synchronization reset.

## Answer: A,B

### NEW QUESTION # 87

Refer to the exhibit, which shows the output of the command get router info bgp neighbors 100.64.2.254 advertised-routes.

```
# get router info bgp neighbors 100.64.2.254 advertised-routes
VRF 0 BGP table version is 3, local router ID is 172.16.1.254
Status codes: s suppressed, d damped, h history, > valid, > best, i - internal
Origin codes: i - IGP, e - EGP, ? - incomplete

Network          Next Hop    Metric LocPrf  Weight RouteTag Path
*> 10.20.30.40/24 100.64.2.1      xxx      0        0      100 i <-/->
Total number of prefixes 1
```



What can you conclude from the output?

- A. The BGP state of the two BGP participants is OpenConfirm.
- B. The local router is advertising the 10.20.30.40/24 network to its BGP neighbor.
- C. The BGP neighbor is advertising the 10.20.30.40/24 network to the local router.
- D. The router ID of the neighbor is 100.64.2.254.

## Answer: B

### NEW QUESTION # 88

.....

If you are curious or doubtful about the proficiency of our FCSS\_NST\_SE-7.4 preparation quiz, we can explain the painstakingly word we did behind the light. By abstracting most useful content into the FCSS\_NST\_SE-7.4 exam materials, they have helped former customers gain success easily and smoothly. The most important part is that all contents were being sifted with diligent attention. No errors or mistakes will be found within our FCSS\_NST\_SE-7.4 Study Guide.

**Updated FCSS\_NST\_SE-7.4 Dumps:** [https://www.testsimulate.com/FCSS\\_NST\\_SE-7.4-study-materials.html](https://www.testsimulate.com/FCSS_NST_SE-7.4-study-materials.html)

- Latest FCSS\_NST\_SE-7.4 Exam Torrent Must Be a Great Beginning to Prepare for Your Exam - [www.pass4test.com](http://www.pass4test.com) □ Search for « FCSS\_NST\_SE-7.4 » on ➡ [www.pass4test.com](http://www.pass4test.com) □ immediately to obtain a free download □ □FCSS\_NST\_SE-7.4 Valid Exam Sims
- Exam FCSS\_NST\_SE-7.4 Cost □ FCSS\_NST\_SE-7.4 Exams □ FCSS\_NST\_SE-7.4 Reliable Torrent □ Search for ➡ FCSS\_NST\_SE-7.4 □ on 「 [www.pdfvce.com](http://www.pdfvce.com) 」 immediately to obtain a free download □FCSS\_NST\_SE-7.4 New Real Exam
- FCSS\_NST\_SE-7.4 Latest Practice Questions □ Customized FCSS\_NST\_SE-7.4 Lab Simulation □ Top FCSS\_NST\_SE-7.4 Dumps □ Easily obtain free download of 【 FCSS\_NST\_SE-7.4 】 by searching on “ [www.prep4away.com](http://www.prep4away.com) ” □Reliable FCSS\_NST\_SE-7.4 Exam Tutorial
- FCSS\_NST\_SE-7.4 Dumps Download □ FCSS\_NST\_SE-7.4 Dumps Download □ FCSS\_NST\_SE-7.4 Exams □ Easily obtain free download of □ FCSS\_NST\_SE-7.4 □ by searching on « [www.pdfvce.com](http://www.pdfvce.com) » □Exam FCSS\_NST\_SE-7.4 Cost
- FCSS\_NST\_SE-7.4 Reliable Torrent □ Exam FCSS\_NST\_SE-7.4 Simulator □ FCSS\_NST\_SE-7.4 Valid Exam Sims □ Search for ( FCSS\_NST\_SE-7.4 ) on ➡ [www.dumpsmaterials.com](http://www.dumpsmaterials.com) ⇄ immediately to obtain a free download □ □Exam FCSS\_NST\_SE-7.4 Simulator
- FCSS\_NST\_SE-7.4 New Real Exam □ Reliable FCSS\_NST\_SE-7.4 Test Questions □ FCSS\_NST\_SE-7.4 Reliable Torrent □ Open website [ [www.pdfvce.com](http://www.pdfvce.com) ] and search for ➡ FCSS\_NST\_SE-7.4 ⇄ for free download ➤FCSS\_NST\_SE-7.4 Dumps Download
- FCSS\_NST\_SE-7.4 New Real Exam □ Exam FCSS\_NST\_SE-7.4 Price □ Exam FCSS\_NST\_SE-7.4 Cost ✕ Search for □ FCSS\_NST\_SE-7.4 □ and obtain a free download on { [www.verifieddumps.com](http://www.verifieddumps.com) } □FCSS\_NST\_SE-7.4 Exam Fees
- FCSS\_NST\_SE-7.4 Exam Cram Questions □ Top FCSS\_NST\_SE-7.4 Dumps □ FCSS\_NST\_SE-7.4 Latest Practice Questions □ Search for □ FCSS\_NST\_SE-7.4 □ and download exam materials for free through 【 [www.pdfvce.com](http://www.pdfvce.com) 】 □FCSS\_NST\_SE-7.4 Valid Exam Sims
- FCSS\_NST\_SE-7.4 Dumps Download □ Exam FCSS\_NST\_SE-7.4 Simulator □ FCSS\_NST\_SE-7.4 Valid Exam Sims □ The page for free download of ➡ FCSS\_NST\_SE-7.4 □ on ➤ [www.verifieddumps.com](http://www.verifieddumps.com) ⇣ will open immediately □FCSS\_NST\_SE-7.4 Dumps Download
- How Fortinet FCSS\_NST\_SE-7.4 PDF Dumps is essential on your FCSS\_NST\_SE-7.4 Exam Questions Certain Success

What's more, part of that TestSimulate FCSS\_NST\_SE-7.4 dumps now are free: [https://drive.google.com/open?id=1GmMgK8\\_cyY1BPT9N940pWnymm9Cv\\_3S](https://drive.google.com/open?id=1GmMgK8_cyY1BPT9N940pWnymm9Cv_3S)