

Free PDF 2026 Pass-Sure C_ADBTP_2601: New Adminstrating SAP Business Technology Platform(C_ADBTP_2601) Exam Test



It is quite clear that let the facts speak for themselves is more convincing than any word, therefore, we have prepared free demo in this website for our customers to have a taste of the C_ADBTP_2601 test torrent compiled by our company. You will understand the reason why we are so confident to say that the C_ADBTP_2601 Exam Torrent compiled by our company is the top-notch C_ADBTP_2601 exam torrent for you to prepare for the exam. You can choose to download our free demo at any time as you like, you are always welcome to have a try, and we trust that our C_ADBTP_2601 exam materials will never let you down.

SAP C_ADBTP_2601 Exam Syllabus Topics:

Section	Objectives
Topic 1: Security and Identity Management	- Authentication and authorization concepts - Role collections and role management - Trust configuration (IAS / Identity Providers)
Topic 2: SAP Business Technology Platform (BTP) Fundamentals	- Core concepts of SAP BTP - Entitlements and quotas - Global account, subaccount, and directory structure
Topic 3: Administration and Operations	- Monitoring and logging - Subaccount administration - User and role management
Topic 4: Runtime and Environment Management	- Cloud Foundry environment administration - Service instance lifecycle management - Kyma runtime basics
Topic 5: Connectivity and Integration	- Cloud Connector configuration - On-premise connectivity - API and service connectivity

>> New C_ADBTP_2601 Exam Test <<

SAP C_ADBTP_2601 VCE & C_ADBTP_2601 exam simulator

This pdf covers all of the C_ADBTP_2601 Exam Questions from the previous exams as well as those that will appear in the upcoming SAP C_ADBTP_2601 exam. The C_ADBTP_2601 PDF exam questions are compiled according to the latest exam syllabus to ensure your success. The SAP C_ADBTP_2601 PDF exam questions are also printable to make handy notes.

SAP Adminstrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1
Basic Info

Enter basic info for your environment instance.

Environment: * Can't find what you're looking for?
Cloud Foundry Runtime

Plan: *
standard

Landscape: *
cf-eu10-005

Instance Name: *
cf-eu-hcm-dev

Org Name: *
btpops -eu-hcm-dev

1 Cloud Foundry API endpoints may differ between subaccounts in the same region.
The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create **Cancel**

Subaccount: EU HCM Dev - Overview

BTP Admin Certification / Eureka / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

General

37 Entitlements 1 Instances and Subscriptions

Subdomain: btpops3451-eu-hcm-dev
Tenant ID: da5ded59-37be-400b-99b5-7ca1757cc3f5
Subaccount ID: da5ded59-37be-400b-99b5-7ca1757cc3f5

Provider: Amazon Web Services (AWS)
Region: Europe (Frankfurt) - AWS
Environment: Multi-Environment

Label for production: No
Beta Features: Disabled

Created By:
Created On: March 27, 2026, 11:21:55 PM GMT+05:00
Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

[Open in Audit Log Viewer](#)

Cloud Foundry Environment

Information not available to you. You must be an org member. [Go to KBA](#)

API Endpoint: <https://api.cf.eu10-005.hana.ondemand.com>

Org Name: btpops3451-eu-hcm-dev
Org ID: e982d08f-3148-4146-ac98-f73b323123c6
Org Memory Limit: 1.624MB

[Manage environment instance](#)

[Disable Cloud Foundry](#)

Spaces (0)

Name	Applications	Service Instances
No spaces defined in this subaccount		

[Create Space](#)

Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.



Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: *

Space Memory (MB): *
Org Quota: 1024 MB (1GB)

Routes: *
Org Quota: 10

Service Instances: *
Org Quota: 500

Memory per Instance (MB): *
Org Quota: 16384 MB (16GB)

App Instances: *
Org Quota: Unlimited

Allow Paid Services: ☐



Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Subaccount: EU HCM Dev - Space Quotas

Space Quotas

Quota Assignments

Space Quotas (1)

half-org-quota

Not assigned

Space Memory:
512MBRoutes:
5Service Instances:
250Paid Services:
Not AllowedApp Instances:
UnlimitedMemory per Instance:
8GB

Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



Edit Quota Assignment

Space:
activity-recording

Quota:
☐ Org Quota
☒ Space Quota

Name: *
 half-org-quota

Save Cancel

Subaccount: EU HCM Dev

Space Quotas

Space	Space Quota	Actions
activity-recording	half-org-quota	

Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is bt pops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording

Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly bt pops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 11

SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev


Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.



Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.


Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.



This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.


Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.




Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.



Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

New Instance or Subscription

1 Basic Info

SAP

Enter basic info for your instance or subscription.

Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: * Can't find what you're looking for?

SAP Build Work Zone, advanced edition

Plan: *

standard

Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid

Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition
Choosing the wrong plan; the entitlement must be standard (Application)
Forgetting the trust step to agvlamkzw.accounts.ondemand.com
Trying to subscribe before the entitlement exists


Subaccount: SH Dev - Instances and Subscriptions

Subscriptions (1)

Application	Plan	Changed On	Status
SAP Build Work Zone, advanced edition	standard	Mar 28, 2028	Processing

Instances (0)

Instance	Plan	Entitlements	Status
----------	------	--------------	--------



NEW QUESTION # 12

SIMULATION

Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 - Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 - Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 - Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 - Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

Subaccount EU HCM Dev: Add Service Plans

Services

Solutions:

Services available to this subaccount

- Cloud Foundry Environment
- Cloud Foundry Runtime**
- Cloud Identity Services
- Cloud Integration Automation
- Cloud Management Service
- SAP Task Center

1 selected plan
Services: Cloud Foundry Runtime (1 plan)

Service Details: Cloud Foundry Runtime

name: APPLICATION_RUNTIME ⓘ

Available Plans

☒ **MEMORY**

Provision application runtime memory (GB) to your Cloud Foundry org to start developing polyglot cloud-native applications. NOTE: This plan does not apply to Cloud Foundry orgs that are created with the Free plan.

Entitlement Sources

SAP

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 - Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.

NEW QUESTION # 13

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name *
EU HCM Dev

Description
Human Resources Development

Region *
Europe (Frankfurt) - AWS

Subdomain * ⓘ
btpops xxxx-eu-hcm-dev

Parent *
Eurasia

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Create Subaccount

Display Name *
EU HCM Test

Description
Human Resources Testing

Region *
Europe (Frankfurt) - AWS

Subdomain *
btpops####-eu-hcm-test

Parent *
Eurasia

☒ Advanced

☐ Used for production

☐ Enable beta features

Add labels to this subaccount.

Name:	Values:
Enter label name	

Create **Cancel**

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.



Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification XXXX	Global Account				March 25, 2026, 5:11:15
Americas	Directory				
Partner	Directory				
HR P4 Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (SRG)	March 25, 2026, 5:11:15
HR P4 Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (SRG)	March 25, 2026, 5:11:15
Europe	Directory				
Human Resources	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 25, 2026, 5:11:15
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 25, 2026, 5:11:15
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 25, 2026, 5:11:15

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name *

EU HCM Prod

Description

Human Resources Production

Region *

Europe (Frankfurt) - AWS

Subdomain *

btpops xxxx-eu-hcm-prod

Parent *

Human Resources

Advanced

Used for production

Enable beta features

Add labels to this subaccount

Name:

Enter label name

Values:



Create

Cancel

Final Expected Result for Task 3

1

- ## 1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

- ## 2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

- ### 3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Directories and Subaccounts

Directories and Subaccounts		Subaccounts (1)				Expand All	Collapse All		
Name	Type	Environment	Provider	Changed On					
- STP Admin Certification	Global Account			March 25, 2024, 9:12:2...					
- Americas	Directory			March 26, 2024, 9:27:5...					
- Partner	Directory			March 26, 2024, 9:30:3...					
- AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2024, 9:30:3...				
- AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2024, 9:30:3...				
- Europe	Directory			March 26, 2024, 9:28:2...					
- Human Resources	Directory			March 26, 2024, 9:43:0...					
- EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2024, 9:43:4...				
- EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2024, 9:48:3...				
- EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2024, 9:48:5...				

Common Mistakes to Avoid

- ### 1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

- ## 2. Wrong subdomain values

Use exactly:

btpops####-eu-hcm-dev

btpops####-eu-hcm-test

btpops####-eu-hcm-prod

Only replace ##### with your global account number.

- ### 3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

- #### 4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

- ## 5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 14

• • • • •

To some extent, to pass the C_ADBTP_2601 exam means that you can get a good job. The C_ADBTP_2601 exam materials you master will be applied to your job. The possibility to enter in big and famous companies is also raised because they need outstanding talents to serve for them. Our C_ADBTP_2601 Test Prep is compiled elaborately and will help the client a lot. To get a better and

full understanding of our C_ADBTP_2601 quiz torrent, please read the introduction of the features and the advantages of our product as follow.

Latest C_ADBTP_2601 Exam Duration: https://www.preppdf.com/SAP/C_ADBTP_2601-prepaway-exam-dumps.html

- 2026 New C_ADBTP_2601 Exam Test | Latest 100% Free Latest C_ADBTP_2601 Exam Duration ☐ Immediately open
▶ www.prepawayexam.com ◀ and search for ⇒ C_ADBTP_2601 ⇐ to obtain a free download ♣ C_ADBTP_2601 Reliable Test Tutorial
- C_ADBTP_2601 New Question ☐ C_ADBTP_2601 Reliable Exam Tutorial ☐ New C_ADBTP_2601 Test Sims ☐ Search for 《 C_ADBTP_2601 》 and obtain a free download on ▷ www.pdfvce.com ◁ ☐ C_ADBTP_2601 Study Tool
- Pass Guaranteed C_ADBTP_2601 - Useful New Adminstrating SAP Business Technology Platform(C_ADBTP_2601) Exam Test ☐ Search for [C_ADBTP_2601] on ☐ www.testkingpass.com ☐ immediately to obtain a free download ☐ ☐ Exam C_ADBTP_2601 Torrent
- Exam C_ADBTP_2601 Questions Fee ☐ Exam C_ADBTP_2601 Questions Fee ☐ C_ADBTP_2601 Reliable Test Tutorial ☐ Easily obtain ▶ C_ADBTP_2601 ◀ for free download through 《 www.pdfvce.com 》 ☐ C_ADBTP_2601 New Question
- SAP C_ADBTP_2601 Exam Dumps - Pass Exam and Boost Your Career ☐ Open website (www.examcollectionpass.com) and search for 「 C_ADBTP_2601 」 for free download ☐ C_ADBTP_2601 Reliable Test Notes
- Pass Guaranteed Quiz Marvelous SAP C_ADBTP_2601 - New Adminstrating SAP Business Technology Platform(C_ADBTP_2601) Exam Test ☐ Search for ⇒ C_ADBTP_2601 ⇐ and download it for free immediately on ☐ www.pdfvce.com ☐ ☐ C_ADBTP_2601 Study Guides
- Provides you with an exam-simulated environment to relieve SAP C_ADBTP_2601 exam stress ☐ Open website ➡ www.examcollectionpass.com ☐ ☐ and search for { C_ADBTP_2601 } for free download ☐ C_ADBTP_2601 Reliable Test Tutorial
- C_ADBTP_2601 Reliable Test Sample ☐ Exam C_ADBTP_2601 Price ☐ C_ADBTP_2601 Reliable Test Notes ☐ Open website ✓ www.pdfvce.com ☐ ✓ ☐ and search for ➡ C_ADBTP_2601 ☐ for free download ☐ Authorized C_ADBTP_2601 Pdf
- Perfect C_ADBTP_2601 Prep Guide will be Changed According to The New Policy Every Year - www.examcollectionpass.com ☐ Go to website 「 www.examcollectionpass.com 」 open and search for ➡ C_ADBTP_2601 ☐ to download for free ☐ C_ADBTP_2601 Exam Collection
- New C_ADBTP_2601 Braindumps Free ☐ C_ADBTP_2601 Study Guides ☐ Exam C_ADBTP_2601 Questions Fee ☐ Easily obtain free download of (C_ADBTP_2601) by searching on ✓ www.pdfvce.com ☐ ✓ ☐ ☐ New Braindumps C_ADBTP_2601 Book
- Provides you with an exam-simulated environment to relieve SAP C_ADBTP_2601 exam stress ☐ Copy URL ➡ www.practicevce.com ☐ open and search for ➤ C_ADBTP_2601 ☐ to download for free ☐ New Braindumps C_ADBTP_2601 Book
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.chordie.com, startupxplore.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes