

UiPath-ADPv1 Valid Exam Cram - New UiPath-ADPv1 Exam Question

UiPath UIPATH-ADPV1 Practice Questions

UiPath (ADPv1) Automation Developer Professional Exam

Order our UIPATH-ADPV1 Practice Questions Today and Get Ready to Pass with Flying Colors!



UIPATH-ADPV1 Practice Exam Features | QuestionsTube

- Latest & Updated Exam Questions
- Subscribe to FREE Updates
- Both PDF & Exam Engine
- Download Directly Without Waiting

<https://www.questionstube.com/exam/ui-path-adpv1/>

At QuestionsTube, you can read UIPATH-ADPV1 free demo questions in pdf file, so you can check the questions and answers before deciding to download the UiPath UIPATH-ADPV1 practice questions. These free demo questions are parts of the UIPATH-ADPV1 exam questions. Download and read them carefully, you will find that the UIPATH-ADPV1 test questions of QuestionsTube will be your great learning materials online. Share some UIPATH-ADPV1 exam online questions below.

DOWNLOAD the newest Prep4King UiPath-ADPv1 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1MH1sTxS4z3-SiO6zOPoZEqxc79pN7Hq>

With the help of our UiPath-ADPv1 study guide, you can adjust yourself to the exam speed and stay alert according to the time-keeper that we set on our UiPath-ADPv1 training materials. Therefore, you can trust on our UiPath-ADPv1 exam materials for this effective simulation function will eventually improve your efficiency and assist you to succeed in the UiPath-ADPv1 Exam. And we believe you will pass the UiPath-ADPv1 exam just like the other people!

UiPath UiPath-ADPv1 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• Debugging and Testing: This section is about utilizing logging and debugging tools and adopting unit testing and test automation strategies.
Topic 2	<ul style="list-style-type: none">• UiPath Studio Fundamentals: In this section, the focus is given to the understanding of Robotic Process Automation (RPA) concepts; it covers UiPath Studio and its components, Working with the UiPath user interface, project creation, management, and version control.

Topic 3	<ul style="list-style-type: none"> • Design and Development: This section covers designing workflows using sequences, flowcharts, and state machines, building reusable components with libraries, exception handling and debugging techniques, etc.
Topic 4	<ul style="list-style-type: none"> • UiPath Activities: In this section, the discussion is related to various UiPath activities for UI interaction, data manipulation, control flow, and more.

>> UiPath-ADPv1 Valid Exam Cram <<

New UiPath-ADPv1 Exam Question & UiPath-ADPv1 Valid Torrent

Customer first, service first is our principle of service. If you buy our UiPath-ADPv1 study guide, you will find our after sale service is so considerate for you. We are glad to meet your all demands and answer your all question about our UiPath-ADPv1 Training Materials. So do not hesitate and buy our UiPath-ADPv1 study guide, we believe you will find surprise from our products. you should have the right to enjoy the perfect after sale service and the high quality products!

UiPath (ADPv1) Automation Developer Professional Sample Questions (Q70-Q75):

NEW QUESTION # 70

In UiPath Studio, how can a specific amount of time be subtracted from the current date using DateTime and TimeSpan variables in the VB.NET?

- A. Assign the subtraction result to a DateTime variable with the following syntax Today.Subtract(Span).
- **B. Use the Add method on the DateTime variable and pass a negative TimeSpan value.**
- C. Multiply the TimeSpan variable by -1 and then add it to the DateTime variable.
- D. Call Now.Subtract(Span) directly, without using a DateTime variable.

Answer: B

Explanation:

In UiPath Studio, you can use DateTime and TimeSpan variables to store and manipulate date and time values. A DateTime variable represents a specific point in time, such as the current date and time, or a date in the past or future. A TimeSpan variable represents a time interval, such as one hour, two days, or three weeks.

To subtract a specific amount of time from the current date using DateTime and TimeSpan variables in VB.

NET, you can use the Add method on the DateTime variable and pass a negative TimeSpan value. For example, if you have a DateTime variable called Today that stores the current date and time, and a TimeSpan variable called Span that stores the time interval you want to subtract, you can write:

```
Today.Add(-Span)
```

This expression returns a new DateTime value that is the result of subtracting the Span value from the Today value. For example, if Today is 2024-02-08 10:51:49 and Span is 1.02:10:04, then the expression returns 2024-02-07 08:41:45.

The other options are not correct ways of subtracting a TimeSpan value from a DateTime value in VB.NET.

Option A is invalid, because you cannot multiply a TimeSpan value by a number. Option B is incorrect, because the Subtract method on the DateTime variable returns a TimeSpan value, not a DateTime value.

Option D is incorrect, because the Now property is not a method, and it cannot take a TimeSpan value as an argument.

References: Variables - Date and Time Variables - UiPath Documentation Portal, DateTime.Add Method (System) - Microsoft Docs, DateTime.Subtract Method (System) - Microsoft Docs, Date and Time Arithmetic

- UiPath Community Forum

NEW QUESTION # 71

Considering a process developed using REFramework, if the status of a transaction was set to "Failed" with the ErrorType specified as "Business", the process will transition to which state?

- A. End Process
- **B. Get Transaction Data**
- C. Process Transaction

- D. Initialization

Answer: B

Explanation:

The REFramework is a project template based on State Machines, which follows the best practices regarding logging, exception handling, application initialization, and others¹. The REFramework uses a queue in Orchestrator to store the transaction items, which are the units of data that need to be processed by the automation process¹. The status of a transaction item can be set to Failed or Successful using the Set Transaction Status activity, which also allows specifying the ErrorType as Business or Application². A Business ErrorType indicates that the transaction failed due to a business rule exception, such as invalid or incomplete data². An Application ErrorType indicates that the transaction failed due to an application exception, such as a system error or a timeout². The REFramework has four main states: Init, Get Transaction Data, Process Transaction, and End Process¹.

The process transitions between these states based on the conditions and triggers defined in the state machine¹. The process starts with the Init state, where the application is initialized and the Config file is read¹. Then, the process moves to the Get Transaction Data state, where the next transaction item is retrieved from the queue¹. If there is a transaction item available, the process moves to the Process Transaction state, where the main logic of the automation is executed¹. If the transaction is processed successfully, the status is set to Successful and the process returns to the Get Transaction Data state¹. If the transaction fails due to a Business ErrorType, the status is set to Failed and the process also returns to the Get Transaction Data state, without retrying the transaction¹. If the transaction fails due to an Application ErrorType, the status is set to Failed and the process retries the transaction until the maximum number of retries is reached¹. If there is no transaction item available, or if the maximum number of retries is reached, or if a System Error occurs, the process moves to the End Process state, where the application is closed and the final report is generated¹.

Therefore, considering a process developed using REFramework, if the status of a transaction was set to "Failed" with the ErrorType specified as "Business", the process will transition to the Get Transaction Data state, where it will fetch the next transaction item from the queue.

NEW QUESTION # 72

A developer is building a process that needs to click an element which requires a mouse hover to become visible. However, the element does not appear with the default click setting. The input method for the Click activity is Send Window Message. Which property should the developer configure to be able to click the element?

- A. The property AlterIfDisabled should be set to False.
- B. The property AlterIfDisabled should be set to True.
- **C. The developer should change the input method to Hardware Events and the CursorMotionType to Smooth.**
- D. The developer should change the input method to Simulate and the CursorMotionType to Instant.

Answer: C

NEW QUESTION # 73

A developer needs to design a process using the REFramework, but without Orchestrator Queues. Which is the correct order of actions the developer needs to do in the Get Transaction Data state in this case?

- A. 1. Remove the Get Transaction Item activity from GetTransactionData workflow.2. Add a Read Row activity in GetTransactionData workflow to read the data from a local Excel file.3. Add the logic required to read the data source only one time.4. Add the logic required to check if all rows/transaction items from the read data have been processed
- B. 1. Remove the Get Transaction Item activity from GetTransactionData workflow.2. Add a Read Range activity in GetTransactionData workflow to read the data from a local Excel file.3. Add the logic required to read the data source only one time.4. Add the logic required to retrieve only one row from read data each time.
- **C. 1. Remove the Get Transaction Item activity from GetTransactionData workflow.2. Add a Read Range activity in GetTransactionData workflow to read the data from a local Excel file.3. Add the logic required to read the data source only one time.4. Add the logic required to retrieve only one row from read data each time.5. Add the logic required to check if all rows/transaction items from the read data have been processed.**
- D. 1. Remove the Get Transaction Item activity from GetTransactionData workflow.2. Add a Read Row activity in GetTransactionData workflow to read the data from a local Excel file.3. Add the logic required to read the data source only one time.4. Add the logic required to retrieve only one row from read data each time.5. Add the logic required to check if all rows/transaction items from the read data have been processed.

Answer: C

NEW QUESTION # 74

A developer plans to create a process to automate a web application using the Firefox browser. The goal is to have the robot work with the web application without relying on visual elements on screen.

To achieve this goal, what option should the developer use for the Use Application/Browser activity?

- A. User Data Folder Mode = CustomFolder
- B. Input mode = Chromium API
- C. Input mode = Simulate
- D. WebDriver mode = Headless

Answer: C

Explanation:

To work with a web application in Firefox without relying on visual elements, the developer should use the 'Input mode = Chromium API'. This option enables the robot to interact with the web elements directly, without the need for visual screen elements.

NEW QUESTION # 75

.....

The passing rate of our UiPath-ADPv1 test torrent is high but if you fail in the exam we will refund you in full immediately. Some people may worry that the refund procedure is complicated but we guarantee to the client that the refund procedure is very simple. If only you provide the screenshot or the scanning copy of UiPath-ADPv1 Exam failure marks list we will refund you immediately and the process is really simple. It is very worthy for you to buy our UiPath-ADPv1 guide questions and we can help you pass the exam successfully.

New UiPath-ADPv1 Exam Question: <https://www.prep4king.com/UiPath-ADPv1-exam-prep-material.html>

- Reliable UiPath-ADPv1 Exam Prep Exam Dumps UiPath-ADPv1 Provider Exam UiPath-ADPv1 Collection Search for « UiPath-ADPv1 » and download it for free on www.prep4away.com website UiPath-ADPv1 New Practice Materials
- UiPath - UiPath-ADPv1 - UiPath (ADPv1) Automation Developer Professional –Efficient Valid Exam Cram Download UiPath-ADPv1 for free by simply searching on www.pdfvce.com UiPath-ADPv1 Reliable Exam Cost
- UiPath-ADPv1 exam dumps - UiPath-ADPv1 torrent pdf - UiPath-ADPv1 training guide * Open website www.pdfdumps.com and search for UiPath-ADPv1 for free download UiPath-ADPv1 Practice Braindumps
- Latest UiPath-ADPv1 Study Guide UiPath-ADPv1 Real Question UiPath-ADPv1 Practice Braindumps Search for { UiPath-ADPv1 } and download it for free immediately on [www.pdfvce.com] UiPath-ADPv1 Detailed Study Dumps
- Dumps UiPath-ADPv1 Collection Dumps UiPath-ADPv1 Collection Real UiPath-ADPv1 Exams www.prepawayexam.com is best website to obtain « UiPath-ADPv1 » for free download UiPath-ADPv1 Valid Test Forum
- Don't Fail UiPath-ADPv1 Exam - Verified By Pdfvce Search for UiPath-ADPv1 and download exam materials for free through www.pdfvce.com Valid Real UiPath-ADPv1 Exam
- Exam UiPath-ADPv1 Collection UiPath-ADPv1 Reliable Exam Cost Dumps UiPath-ADPv1 Collection Search for UiPath-ADPv1 and download it for free on “www.pdfdumps.com” website Latest UiPath-ADPv1 Test Guide
- UiPath-ADPv1 Exam Valid Exam Cram - Reliable New UiPath-ADPv1 Exam Question Pass Success Search for [UiPath-ADPv1] on [www.pdfvce.com] immediately to obtain a free download UiPath-ADPv1 Reasonable Exam Price
- Valid UiPath-ADPv1 Valid Exam Cram bring you Fantastic New UiPath-ADPv1 Exam Question for UiPath UiPath (ADPv1) Automation Developer Professional Easily obtain free download of UiPath-ADPv1 by searching on www.vceengine.com Exam Dumps UiPath-ADPv1 Provider
- Latest UiPath-ADPv1 Test Guide Exam UiPath-ADPv1 Collection Book UiPath-ADPv1 Free Search on www.pdfvce.com for [UiPath-ADPv1] to obtain exam materials for free download UiPath-ADPv1 Braindump Pdf
- Valid Real UiPath-ADPv1 Exam Real UiPath-ADPv1 Exams Dumps UiPath-ADPv1 Collection Open www.vce4dumps.com and search for UiPath-ADPv1 to download exam materials for free Exam UiPath-ADPv1 Tests

