

C_S43テスト問題集 & C_S43資格問題対応



あなたはIT業界の玄人になりたいですか？ここでSAP C_S43認定試験の問題集をお勧めします。C_S43認定試験の問題集は大勢の人の注目を集め、とても人気がある商品です。C_S43認定試験の問題集はなぜそんなに人気がありますか？C_S43認定試験の問題集は最も全面的なIT知識を提供できるからです。では、躊躇しなくて、SAP C_S43認定試験の問題集を早く購入しましょう！

GoShikenのC_S43試験の教材では、98%~100%の合格率を得ることができます。試験を受ける前に20~30時間で練習できます。24の無料オンラインカスタマーサービスを提供します。専門家のリモートアシスタンスを提供します。C_S43試験に合格しなかった場合、全額払い戻します。C_S43の実際のテストは、最高の誠実さでお客様をサポートします。非常に多くの利点を備えたこのような優れた製品に直面していますが、今、C_S43のSAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)学習教材に恋をしていますか？答えが「はい」の場合は、今すぐC_S43試験問題を購入してください。

>> C_S43テスト問題集 <<

一番優秀なC_S43テスト問題集 & 合格スムーズC_S43資格問題対応 | 素晴らしいC_S43過去問

弊社のC_S43問題集は大好評を博しました。専門家たちの整理と分析を通して、問題集の質量はよくなりました。だから、お客様は我々のC_S43問題集を安心して利用することができます。弊社の商品の質量に疑問がありましたら、我々のサイトで無料のC_S43デモをダウンロードして見るすることができます。

SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601) 認定 C_S43 試験問題 (Q11-Q16):

質問 # 11

Task 11: Classify a piece of Equipment

The project team evaluates during the implementation project the classification of Technical Objects in order to use Checklists in SAP S/4HANA Asset Management. The following features need to be checked:

- * Assign a class to a Technical Object
- * Assign characteristic values to a class
- * Assign class EQ11 value to Technical Object T-PA##.
- * Assign a characteristic value, so that Inspection Plan Q / CL-DE-00 / 1 is automatically found during the checklist process

正解:

解説:

See the Explanation for complete Solution of this Task.

Explanation:

Task 11 Overview

This task involves classifying a piece of equipment so it can be used in the Checklist process . By assigning a specific class and characteristic values, you enable the system to automatically find the correct inspection plan when a maintenance order is created.

Step 1: Access the Equipment Master Record

To classify the equipment, you must first open its master record in "Change" mode.

* Transaction Code : Enter IE02 (Change Equipment) in the command field and press Enter .

* Equipment : Enter T-PA48 .

* Action : Press Enter to open the record.

Step 2: Assign the Class to the Equipment

Now you will link the equipment to a class that contains the required technical characteristics.

* Navigate : Click the Classification button in the top toolbar (or go to the Classes tab if available).

* Class Assignment :

* Class Type : Ensure this is set to 002 (Equipment Class).

* Class : Enter EQ11 .

* Action : Press Enter . The system will now display the characteristics associated with class EQ11 in the bottom half of the screen.

Explanation : Assigning a class is like giving the equipment a "category". Class EQ11 is specifically configured in this system to hold the data needed for checklist processing.

Step 3: Assign Characteristic Values

This is the critical step that tells the system exactly which inspection plan to use for this specific pump.

* Locate the Characteristic : In the values table, look for a characteristic related to "Inspection Plan" or "Checklist Group."

* Enter the Value : Assign the value so that Inspection Plan CL-DE-00 / 1 is automatically found.

* Note: Typically, you will enter CL-DE-00 in the "Inspection Plan Group" field and 1 in the "Group Counter" field.

* Action : Press Enter to validate the values.

Explanation : Characteristic values are the specific details for this asset. By entering these values, you "tag" the equipment so that whenever it is added to a maintenance order, the system knows to look for the CL-DE-00 checklist automatically.

Step 4: Save

* Action : Click the Save (floppy disk) icon.

* Confirmation : The system should display a message at the bottom saying: "Equipment T-PA48 changed."

質問 # 12

Check Inspection Lot and record Inspection Results

The project team evaluates during the implementation project the checking of Inspection Lots Checklist processing including result recording. The following features need to be checked:

* Display the automatically created Inspection Lot

* Record Inspection Results

* Display the automatically created Inspection Lot for the previously created Maintenance Order including Checklist. The Inspection Lot comprises the following data:

Field	Value
Material	T-PM1100
Plant	1010
Inspection Lot Origin	89 Miscellaneous
Group	CL-DE-00
Group Counter	1

* Record Inspection Results for the previously created Inspection Lot so that the Usage Decision is automatically set to Can be used

正解:

解説:

See the Explanation for complete Solution of this Task.

Explanation:

Task 13 Overview

This task focuses on the quality management (QM) integration with maintenance. You will verify the inspection lot that was automatically triggered by your maintenance order and then record the results to confirm the technical object is fit for use.

Step 1: Display the Automatically Created Inspection Lot

Before recording results, you must verify that the system generated the correct inspection lot for your maintenance order.

- * Access the Transaction : Enter QA03 (Display Inspection Lot) in the command field and press Enter .
- * Locate the Lot : Search for the inspection lot associated with the maintenance order you created in Task 12.
- * Verify the Following Data :
- * Material : T-PM1100
- * Plant : 1010
- * Inspection Lot Origin : 89 (Miscellaneous)
- * Group : CL-DE-00
- * Group Counter : 1

Explanation : The inspection lot is the central record for quality testing. Seeing these specific values (Group CL-DE-00) confirms that the classification you set up in Task 11 correctly triggered the intended inspection plan.

Step 2: Record Inspection Results

This is the process of entering the actual findings from the checklist inspection.

- * Access the Transaction : You can navigate directly from the Inspection Lot in QA03 or use transaction QE51N (Results Recording Selection).
- * Select the Lot : Enter your inspection lot number and click Execute .
- * Record Results :
- * Enter the inspection values for each characteristic listed in the checklist.
- * Ensure the values you enter are within the "Acceptable" range or marked as "Pass".
- * Automatic Usage Decision : Record the results such that the Usage Decision (UD) is automatically set to "Can be used" .
- * Save : Click the Save (floppy disk) icon.

Explanation : By recording positive results, you satisfy the quality requirements for the maintenance task.

The automatic transition to "Can be used" status tells the system the pump has passed inspection and the maintenance order can proceed toward completion.

質問 # 13

Use Phase-Based Maintenance Processing

The project team evaluates during the implementation project Phase-Based Maintenance Processing in SAP S/4HANA Asset Management. The following features need to be checked:

- * Initiate and screen a Maintenance Notification
- * Plan Maintenance Order and send it for approval
- * Create a Maintenance Notification using an already available notification type which is suitable for phase-based maintenance and save it.

Use the following data:

Field	Value
Technical Object	T-PB##
Current Location	Production Line 1
Detection Method	Continuous Condition Monitoring
Operational Effect	Production restricted
Description	Defective pump (phase-based)

- * Screen and accept the just created Maintenance Notification.
- * Create an Order (Phase-based) for your accepted notification and submit it for approval.

Use the following data:

Field	Value
Technical Object	T-PB##
Operation 0010 - Description	Repair damage
Operation 0010 - Work	2 h

正解:

解説:

See the Explanation for complete Solution of this Task.

Explanation:

Task 10 Overview

This task evaluates your ability to manage the newer, phase-led maintenance workflow in SAP S/4HANA.

Unlike the traditional "emergency" repair you did earlier, this process includes formal screening and approval steps Step 1: Create a Phase-Based Maintenance Notification In this step, you initiate the request.

* Access the Transaction : Use transaction IW21 or the Fiori app Create Maintenance Request .

* Select Notification Type : Use a type configured for phase-based maintenance (typically Y1 - Maintenance Request).

* Enter the Following Data :

* Technical Object : T-PB48

* Description : Defective pump (phase-based)

* Current Location : Production Line 1

* Detection Method : Continuous Condition Monitoring

* Operational Effect : Production restricted

* Save : Note the notification number generated.

Explanation : This step "initiates" the maintenance process. In phase-based maintenance, the notification starts in the Initiation phase, where it must be reviewed before any work is planned.

Step 2: Screen and Accept the Notification

As a "Maintenance Coordinator," you must now review the request.

* Access the Fiori App : Open Screen Maintenance Requests .

* Locate Your Notification : Find the notification you just created for T-PB48.

* Perform Screening :

* Review the details to ensure they are complete.

* Click Accept to move it to the next phase.

Explanation : "Screening" is a quality gate. It ensures that the maintenance team only spends time planning valid, well-described issues. Once accepted, the notification moves from the Initiation phase to the Screening phase and finally becomes available for planning.

Step 3: Create and Plan the Phase-Based Order

Now you will create the formal work order for the accepted request.

* Create Order : From within the accepted notification, or using the Manage Maintenance Backlog app, choose to Create Order .

* Enter Planning Data :

* Technical Object : T-PB48

* Operation 0010 Description : Repair damage

* Operation 0010 Work : 2 h

* Submit for Approval : Look for the Submit for Approval button at the top of the order screen.

Explanation : This step moves the order into the Planning phase. By submitting it for approval, you are requesting the budget and resources to perform the work. The order status will change to indicate it is

"Waiting for Approval"

質問 # 14

Create a Maintenance Plan

The project team evaluates during the implementation project Maintenance Plans in SAP S/4HANA Asset Management. The following features need to be checked:

Create a Maintenance Plan

Create a Maintenance Plan and save it. Use the following information:

Field	Value
Maint. Plan cat. (via SAP GUI) Maintenance Plan for (via FLP)	Maintenance Order
Maintenance Strategy	Z##
Description	Regular pump maintenance - Z##
Equipment	T-PA##
Order Type	PM02
Task List Type	A
Group	TL-##
Counter	1

正解:

解説:

See the Explanation for complete Solution of this Task.

Explanation:

Task 8: Create a Maintenance Plan

The objective of this task is to create a strategy-based maintenance plan that will automatically generate work orders for your pump based on the frequencies defined in your task list.

Step 1: Access the Transaction

* Transaction Code : Enter IP42 in the command field and press Enter .

* Initial Screen :

* Maintenance Plan Category : Select Maintenance Order (or "Maintenance plan for Maintenance Order" if using the Fiori Launchpad).

* Maintenance Strategy : Enter Z48 .

* Press Enter .

Step 2: Enter Header and Maintenance Item Data

Once you are on the main creation screen, fill in the "Maintenance Item" section to define what is being maintained and how the orders should look:

* Description : Enter Regular pump maintenance Z48 .

* Equipment : Enter T-PA48 .

* Planning Plant : This should default to 1010 based on the equipment, but ensure it is correct.

* Order Type : Enter PM02 .

Explanation : By assigning Equipment T-PA48 and Order Type PM02 , you are telling SAP to generate a specific "Planned" maintenance order every time this schedule is triggered.

Step 3: Link the Task List

This step connects the plan to the specific maintenance steps (operations) you created in Task 7.

* Look for the Task List section at the bottom of the screen.

* Task List Type : Enter A (General Task List).

* Group : Enter TL-48 .

* Counter : Enter 1 .

* Press Enter to validate the connection. You should see the description "Regular Maintenance GR48" appear.

Explanation : Linking the Task List ensures that when the maintenance plan generates an order, it automatically copies the 30-minute operations you defined earlier into that order.

Step 4: Set Scheduling Parameters (Optional but Recommended)

While the table in your document focuses on the data above, typically you would click the Maintenance Plan Scheduling Parameters tab to ensure the "Scheduling Period" and "Start Date" are set. However, for the assessment, the mandatory data is what we entered in Steps 1-3.

Step 5: Save

* Click the Save (floppy disk) icon.

* Note your Maintenance Plan Number : The system will display a message at the bottom, such as

"Maintenance plan 123 saved." Write this number down , as you will need it for Task 9: Schedule a Maintenance Plan .

Task 8 is now complete! You have built the automated "brain" that will handle the recurring maintenance for your pump.

質問 # 15

Task 6: Configure Maintenance Order Types and work with Maintenance Orders The project team evaluates during the implementation project Maintenance Orders in SAP S/4HANA Asset Management. The following features need to be checked:

- * Configure a Maintenance Order Type and create a Maintenance Order
- * Create a Time Confirmation a Maintenance Order
- * Prepare a Maintenance Order for Completion
- * Create a Maintenance Order and save it.

Note:

Make sure that you have maintained all required customizing settings for the Maintenance Order Type.

Use the following information at header level:

Field	Value
Order Type	ZZ##
Description	Repair pump
Priority	Medium
Equipment	T-PA##
Planning Plant	1010
Maintenance activity type	003 Repair
Plnd Costing Va	ZZ01
Act. Costing Va	ZZ01
Priority Type	PM [®]

Plan a Maintenance Order Operation and use the following information:

Field	Value
WkCtr	T-ME##
Plnt	1010
Ctrl key	PM01

Work durtn	2 HR
------------	------

* Create a Time Confirmation for the just created Maintenance Order. Use the following information:

Field	Value
Work Center	T-ME##
Work Center Plant	1010
Actual Work	2 HR
Activity Type	1410
Final Confirmtn	x (select indicator)

* Display the Actual Costs assigned to the just created Maintenance Order and set it to Technically Completed. Display the Settlement Rule.

Note:

The following information is displayed:

Field	Value
Actual Costs / Internal Labor	60,00 EUR
Sys.Status	TECO CNF JBFI NMAT PRC SETC
Acct Assignment Cat. (via SAP GUI)	CTR
Settlement Category (via FLP)	Cost Center
Settlement Receiver	4110

正解:

解説:

See the Explanation for complete Solution of this Task.

Explanation:

Task 6 Overview

The goal of this task is to process a repair from start to finish. You will convert the "leaking pump" notification into a work order, plan the labor, record the work performed, and technically close the file.

Step 1: Create the Maintenance Order from Notification

Instead of starting from scratch, we link the order to the notification you created in Task 5.

* Access the Transaction : Use transaction code IW31 .

* Initial Screen :

* Order Type : PM01.

* Notification : Enter your notification number (e.g., 10000147).

* Press Enter .

* Header Data :

* The description "Pump is leaking" should pull in automatically.

* Main Work Center : Ensure it is T-ME48.

Explanation : By entering the notification number, SAP automatically pulls in the equipment, functional location, and problem description, ensuring "data integrity" across the maintenance process.

Step 2: Plan the Operations (Labor)

You must tell the system how much effort the repair requires.

* Go to the Operations Tab .

* Enter Planning Data :

* Work : 2.

* Unit (Un) : H (Hours).

* Number : 1 (One person).

* Duration (Dur.) : 2 / Unit : H.

* Add Enhancement Data :

* Click the Additional Data tab -> Enhancement sub-tab.

* In the Field Key box, use the search (F4) to select 0000001 (User-defined fields).

* In the first text box (Text 1), type: Industrial Z48.

Explanation : Planning the work allows the system to calculate the estimated cost of the repair. The

"Enhancement" data is used to store specific technical details (like the motor type) that aren't in the standard SAP fields.

Step 3: Release the Order

An order in "Created" (CRTD) status is just a plan. To start work, it must be "Released" (REL).

* Release : Look at the top toolbar and click the Green Flag icon .

* Verify Status : The "Sys.Status" field should now include REL.

* Save : Click the Save (floppy disk) icon.

Explanation : Releasing the order is the "Green Light" for the shop floor. It allows technicians to charge time to the job and warehouse staff to issue parts.

Step 4: Time Confirmation (Recording the Work)

Now we record that the repair is physically finished.

* Access the Transaction : Use transaction code IW41 .

* Enter Data :

* Order : Enter your order number (e.g., 4000395).

* Actual Work : 2 H.

* Check the boxes for Final Confirmation and No Remaining Work .

* Confirmation Text : Pump repaired and tested.

* Save : Click the Save icon.

Explanation : This step captures the "Actual Cost." SAP multiplies the 2 hours of labor by the hourly rate of work center T-ME48 to calculate exactly how much this repair cost the company.

Step 5: Technical Completion (TECO)

The final administrative step to close the repair file.

* Access the Transaction : Use transaction code IW32 .

* Complete Technically :

* Go to menu: Order > Functions > Complete > Complete (technically) .

* Click the Green Checkmark on the popup window.

* Save : Click the Save icon.

Explanation : TECO (Technical Completion) locks the order. It tells the system the asset is back in service and prevents any further labor or parts from being charged to this specific job.

質問 # 16

.....

C_S43認定試験に合格したいのは簡単ではなく、いい復習方法は必要です。我々はあなたに詳しい問題と答えがあるC_S43問題集を提供します。この問題集は我々の経験がある専門家たちによって開発されています。我々のすばらしいC_S43問題集はお客様の試験への成功を確保することができます。

C_S43資格問題対応: https://www.goshiken.com/SAP/C_S43-mondaishu.html

私たちのC_S43資格問題対応 - SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)試験準備pdf版は、さまざまな学習者を対象とした質問パターンを研究するチームがあります。C_S43ガイドトレントは、専門家によって編集され、豊富な経験を持つ専門家によって承認されています。C_S43認定試験は専門知識と情報技術を検査する試験で、GoShikenが一日早くSAPのC_S43認定試験「SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)」に合格させるのサイトで試験の前に弊社が提供する訓練練習問題をテストして、短い時間であなたの収穫が大きいのです。それでは、C_S43試験に参加しよう人々は弊社GoShikenのC_S43問題集を選らんで勉強して、一発合格して、SAPIT資格証明書を受け取れます。C_S43練習教材が試験受験者の98%以上が夢の証明書を取得するのに役立つ理由を説明しています。

20~30時間の練習は試験に十分です、さらに黄色の文字で、危険 関係者以外絶対立入禁止とある、私たちのSAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)試験準備pdf版は、さまざまな学習者を対象とした質問パターンを研究するチームがあります。C_S43ガイドトレントは、専門家によって編集され、豊富な経験を持つ専門家によって承認されています。

C_S43テスト問題集 & 優秀な 資格問題対応 確実にSAP SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)をクリアするのに役立ちます

C_S43認定試験は専門知識と情報技術を検査する試験で、GoShikenが一日早くSAPのC_S43認定試験「SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)」に合格させるのサイトで試験の前に弊社が提供する訓練練習問題をテストして、短い時間であなたの収穫が大きいのです。

それでは、C_S43試験に参加しよう人々は弊社GoShikenのC_S43問題集を選らんで勉強して、一発合格して、SAPIT資格証明書を受け取れます。C_S43練習教材が試験受験者の98%以上が夢の証明書を取得するのに役立つ理由を説明しています。

- C_S43試験の準備方法 | 有難いC_S43テスト問題集試験 | 100%合格率のSAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601)資格問題対応 最新 C_S43 問題集ファイルは (jp.fast2test.com) にて検索C_S43日本語版問題解説
- 最高-ユニークなC_S43テスト問題集試験-試験の準備方法C_S43資格問題対応 “C_S43”の試験問題は▶ www.goshiken.com ◀で無料配信中C_S43日本語認定
- 信頼できるC_S43テスト問題集 - 合格スムーズC_S43資格問題対応 | 100%合格率のC_S43過去問 * www.passtest.jp で▶ C_S43 を検索し、無料でダウンロードしてくださいC_S43資格勉強
- 信頼できるC_S43テスト問題集 - 合格スムーズC_S43資格問題対応 | 100%合格率のC_S43過去問 ▶

- C_S43 ◀の試験問題は ✓ www.goshiken.com □✓□で無料配信中C_S43試験解答
- C_S43試験解答 □ C_S43シュミレーション問題集 □ C_S43資格勉強 □ ➡ C_S43 □□□を無料でダウンロード ➡ www.mogicexam.com □で検索するだけC_S43日本語認定
 - 更新するC_S43テスト問題集と権威のあるC_S43資格問題対応 □ □ www.goshiken.com □にて限定無料の「C_S43」問題集をダウンロードせよC_S43ダウンロード
 - 素晴らしいSAP C_S43テスト問題集 - 合格スムーズC_S43資格問題対応 | 素敵なC_S43過去問 ☑ ➡ www.passtest.jp □には無料の□ C_S43 □問題集がありますC_S43勉強の資料
 - C_S43シュミレーション問題集 □ C_S43最新試験 □ C_S43的中関連問題 □ ➡ www.goshiken.com □□□で“C_S43”を検索して、無料で簡単にダウンロードできますC_S43的中関連問題
 - C_S43試験解答 □ C_S43日本語サンプル □ C_S43的中関連問題 □ □ www.xhs1991.com □を開き、《C_S43》を入力して、無料でダウンロードしてくださいC_S43日本語認定対策
 - C_S43的中関連問題 □ C_S43最新な問題集 ▶ C_S43シュミレーション問題集 □ 最新「C_S43」問題集ファイルは ➡ www.goshiken.com □にて検索C_S43試験復習
 - C_S43シュミレーション問題集 □ C_S43日本語サンプル □ C_S43日本語認定 □ ➡ www.shikenpass.com □□□サイトで▶ C_S43 ◀の最新問題が使えるC_S43日本語認定
 - www.stes.tyc.edu.tw, estellebca1280254.blogspot.com, maeyjwv895733.wikifiltraciones.com, penmytys624544.thenerdsblog.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, aliciagzab425268.wikifiltraciones.com, setbookmarks.com, ticketsbookmarks.com, atozbookmark.com, Disposable vapes