

>> Plat-Dev-210퍼펙트 덤프 최신 데모 <<

비스를 제공해드려 아무런 걱정없이 Plat-Dev-210시험에 도전하도록 힘이 되어드립니다. Itcertkr덤프를 사용하여 시험에서 통과하신 분이 전해주시는 희소식이 Itcertkr덤프품질을 증명해드립니다.

최신 Salesforce Developer Plat-Dev-210 무료샘플문제 (Q102-Q107):

질문 # 102

Why would a developer clone an Integration Procedure instead of versioning it?

- A. The new Integration Procedure is replacing stub data.
- B. The new Integration Procedure is Chainable.
- **C. The new Integration Procedure will be used independently.**
- D. The new Integration Procedure uses a Cache Block.

정답: C

설명:

OmniStudio best practices dictate that versioning is used when enhancements are required within the same logical flow, while cloning is preferred when the new flow is functionally different and used separately.

* B. The new Integration Procedure will be used independently - Correct. Cloning creates an entirely new IP definition, ideal for building a similar but standalone process, rather than altering behavior for an existing process.

Incorrect Options:

- * A. Using a Cache Block is unrelated to cloning vs. versioning.
- * C. Replacing stub data does not require cloning; could be done in a version.
- * D. Chainability does not influence whether you should clone or version.

:

Salesforce OmniStudio Guide # Cloning vs. Versioning Integration Procedures

질문 # 103

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A Data Mapper Load saves the data. What error could cause this behavior?

Choose 2 answers

- **A. The Input JSON paths in the Data Mapper Load do not match the JSON sent from the OmniScript.**
- **B. The fields that are not updated are read-only in Salesforce.**
- C. ContextId is misspelled in the merge code that passes the RecordId to the Data Mapper.
- D. In the Data Mapper Load, in the preview tab, the RecordId is from the wrong record type.

정답: A,B

설명:

According to the Salesforce OmniStudio DataRaptor documentation, specifically under DataRaptor Load Best Practices and Common Issues:

* A. "The Input JSON paths in the Data Mapper Load do not match the JSON sent from the OmniScript." This is a common configuration issue. If the paths between the OmniScript's structure and the DataRaptor Load mapping are mismatched, fields may not map correctly, resulting in partial updates or no updates.

* B. "The fields that are not updated are read-only in Salesforce." If a field is Read-Only at the field-level security (FLS) or object schema, DataRaptor Load will not be able to write to it, which explains why only some data is updated.

Incorrect Options:

- * C. The RecordId from the wrong record type would typically cause a complete failure, not a partial update.
- * D. A misspelled ContextId could prevent data from being linked correctly, but this is less likely to cause partial field-level issues, and more likely to affect record association.

:

Salesforce OmniStudio Developer Guide # DataRaptor Load # Troubleshooting Salesforce Help Documentation: OmniStudio DataRaptor Best Practices

질문 # 104

Refer to the exhibit.



A developer creates an OmniScript display FirstName, LastName, and BirthDate of a contact using a Type Ahead Block. The DataRaptor used in the Type Ahead has been tested and fetches the correct data.

When previewing Omniscrypt, the developer enters a name in the Type Ahead and makes a selection of a contact from the list. However, the text fields FirstName, LastName, and BirthDate are not getting populated with the data.

What is the reason that the fields fail to display the fetched data?

- A. Lookup Mode is not selected in the properties of the Type A Head Block.
- **B. FirstName, LastName, and Birthdate are not placed inside the Type ahead Block.**
- C. The Typeahead key is not in the correct format
- D. Use Data JSON is not selected in the properties of the Type Ahead Block.

정답: B

설명:

The FirstName, LastName, and BirthDate fields should be placed inside the Type Ahead Block, so that they can receive the data from the selected record in the Type Ahead list. The Type Ahead Block has a Data JSON Path property that specifies the path to the data node that contains the record fields. For example, if the Data JSON Path is set to Contact, then the FirstName field should have a Value property set to {{Contact.FirstName}}.

FirstName}}.

질문 # 105

An Integration Procedure uses an HTTP action to make a REST API call. The response from the REST API must be converted into a specific XML structure before sending it as an input to another external web service.

How should the developer configure the Integration Procedure to meet this requirement?

- A. Use a Remote Action that calls the XMLStreamReader class.
- **B. Use a Remote Action that calls the XMLStreamWriter class.**
- C. Use a Data Mapper Transform to convert JSON to XML.
- D. Use a Data Mapper Extract and check the XML checkbox on the Output JSON Path.

정답: B

설명:

OmniStudio does not natively support direct JSON-to-XML transformation using DataRaptors. When a transformation to specific XML formats is needed for integration with external web services, it is recommended to use Remote Actions that invoke custom Apex classes.

* A. Use a Remote Action that calls the XMLStreamWriter class - Correct. The XMLStreamWriter Apex class provides precise control over XML structure and is the Salesforce-recommended way to programmatically generate XML from data within a Remote Action step in an Integration Procedure.

Incorrect Options:

* B. The XML checkbox in DataRaptor does not convert JSON to XML; it defines output data format for display or API serialization.

* C. XMLStreamReader is used for parsing XML, not for generating it.

* D. DataRaptor Transforms only manipulate JSON structure; they do not support converting JSON into XML format.


:

Salesforce Developer Guide # Apex XMLStreamWriter Class

OmniStudio Integration Procedures # Using Remote Actions with Custom Apex

질문 # 106

A developer is creating an OmniScript that provisions trail orgs to their customers. The following text block in the Omniscript uses a merge code to display the ID for the new trail org:



- A. To %Details: Customer|n: ID%
- B. To %/%sDetails: Customer|0: ID%%
- C. To %Details: Customer|1: ID%
- D. To %sDetails: Customer|0: ID\$

정답: C

설명:

The correct syntax for merge codes in OmniScript is %/%sNodeName%%, where NodeName is the name of the JSON node in the data source. The other options are either missing the s or using incorrect symbols.

질문 # 107

.....

많은 시간과 돈이 필요 없습니다. 30분이란 특별학습가이드로 여러분은Salesforce Plat-Dev-210인증시험을 한번에 통과할 수 있습니다, Itcertkr에서Salesforce Plat-Dev-210시험자료의 문제와 답이 실제시험의 문제와 답과 아주 비슷한 덤프만 제공합니다.

Plat-Dev-210최고품질 인증 시험덤프데모 : https://www.itcertkr.com/Plat-Dev-210_exam.html

여러분은 우리Itcertkr 사이트에서 제공하는Salesforce Plat-Dev-210관련자료의 일부분문제와답등 샘플을 무료로 다운받아 체험해볼 수 있습니다, Itcertkr의Salesforce인증 Plat-Dev-210덤프를 공부하시면 가능합니다, Itcertkr Plat-Dev-210최고품질 인증 시험덤프데모덤프자료가 여러분의 시험준비자료로 부족한 부분이 있는지는 구매사이트에서 무료 샘플을 다운로드하여 덤프의일부분 문제를 우선 체험해보시면 됩니다, 발달한 네트워크 시대에 인터넷에 검색 하면 수많은 Plat-Dev-210 덤프자료가 검색되어 어느 자료로 시험준비를 해야할지 많이 망설이게 될것입니다, Pass4Tes 가 제공하는 인증 시험덤프는 여러분을Salesforce인증Plat-Dev-210시험을 안전하게 통과는 물론 관련전업 지식장악에도 많은 도움이 되며 또한 우리는 일년무료 업뎃서비스를 제공합니다.

파라도에 도착한 레오는 빠르게 상황 파악부터 나섰다, 징검다리처럼 드문드문 놓인 돌 위에 발을 내디디며 걷는데 앞에 누군가의 발이 보였다, 여러분은 우리Itcertkr 사이트에서 제공하는Salesforce Plat-Dev-210관련자료의 일부분문제와답등 샘플을 무료로 다운받아 체험해볼 수 있습니다.

시험패스 가능한 Plat-Dev-210퍼펙트 덤프 최신 데모 최신버전 덤프샘플 문제

Itcertkr의Salesforce인증 Plat-Dev-210덤프를 공부하시면 가능합니다, Itcertkr덤프자료가 여러분의 시험준비자료로 부족한 부분이 있는지는 구매사이트에서 무료샘플을 다운로드하여 덤프의일부분 문제를 우선 체험해보시면 됩니다.

발달한 네트워크 시대에 인터넷에 검색하면 수많은 Plat-Dev-210 덤프자료가 검색되어 어느 자료로 시험준비를 해야할지 많이 망설이게 될것입니다, Pass4Tes 가 제공하는 인증시험덤프는 여러분을Salesforce인증Plat-Dev-210시험을 안전하게 통과하는 물론 관련전업지식장악에도 많은 도움이 되며 또한 우리는 일년무료 업뎃서비스를 제공합니다.

- [illegible]