

Free PDF Quiz Microsoft - PL-400 - Microsoft Power Platform Developer Unparalleled Exam Fee

Microsoft Power Platform Developer (PL-400) Certification Quiz 6 questions and answers

01. You plan to create a canvas app to manage large sets of records. Users will filter and sort the data. You must implement delegation in the canvas app to mitigate potential performance issues.

You need to recommend data sources for the app. Which two data sources should you recommend?

Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- a) SQL Serve
- b) Azure Data Factory
- c) Common Data Service
- d) Azure Table Storage - answer a) SQL Serve
- b) Azure Data Factory

02. You need to modify Microsoft flow to resolve CustomerC's issue. What should you do?

- a) Add a configure run that is set to Is successful.
- b) Add a timeout setting to the approval flow.
- c) Add a data operation that specifies the false conditions.
- d) Add b condition containing approval hierarchy. - answer b) Add a timeout setting to the approval flow.

03. A company plans to replicate a Dynamics 365 Sales database into an Azure SQL Database instance for reporting purposes. The data Export Service solution has been installed.

You need to configure the Data service. Which three actions should you perform?

2026 Latest FreePdfDump PL-400 PDF Dumps and PL-400 Exam Engine Free Share: <https://drive.google.com/open?id=1Vdytk383LLvxpbduuHoLacNsbjJzdu5L>

FreePdfDump provides a high-quality Microsoft Power Platform Developer PL-400 practice exam. The best feature of the Microsoft PL-400 exam dumps is that they are available in PDF and a web-based test format. They both distinguish Microsoft from competing products. Visit Microsoft and purchase your Microsoft PL-400 and Supply exam product to start studying for the PL-400 exam.

Microsoft PL-400 Exam Syllabus Topics:

Section	Weight	Objectives
Topic 1: Extend the platform	20%	- Custom connectors and APIs • 1. Authentication and configuration • 2. REST API integration - Plugins and client-side scripting • 1. Power Platform SDK • 2. JavaScript extensions

Topic 2: Develop Power Automate solutions	20%	- Business process automation • 1. Error handling and monitoring • 2. Integration with Dataverse - Cloud flows • 1. Triggers and actions • 2. Approvals and automation patterns
Topic 3: Implement security and integrations	20%	- Authentication and governance • 1. Entra ID integration • 2. Environment strategy - Azure integration • 1. Service Bus and eventing • 2. Azure Functions and Logic Apps
Topic 4: Configure Dataverse	20%	- Security and data management • 1. Data import and export • 2. Security roles and permissions - Create and manage tables • 1. Columns and relationships • 2. Business rules and logic
Topic 5: Create and configure Power Apps	20%	- Create canvas apps • 1. Data sources and connectors • 2. App formulas and expressions - Create model-driven apps • 1. App navigation and components • 2. Forms, views, and dashboards

>> **PL-400 Exam Fee** <<

PL-400 Latest Study Questions - Pdf PL-400 Files

There is no shortcut to Microsoft PL-400 exam questions success except hard work. You cannot expect your dream of earning the Microsoft Power Platform Developer CERTIFICATION EXAM come true without using updated study material Microsoft Power Platform Developer (PL-400) exam questions. Success in the PL-400 exam adds more value to your resume and helps you land the best jobs in the industry.

Microsoft Power Platform Developer Sample Questions (Q190-Q195):

NEW QUESTION # 190

You have a model-driven app that uses the Common Data Service (CDS). You create three custom entities that are in many-to-one parental relationships with the Account entity.

You run a real-time workflow that assigns an account you own to another user. You receive the error message as shown in the Error Message exhibit. (Click the Error Message tab.)

Statements	Yes	No
Changing the Append To privilege on the Account entity to Organization prevents the error from recurring.	☐	☐
Adding the Environment Maker role to the user prevents the error from recurring.	☐	☐
Adding the System Customizer role to the user prevents the error from recurring.	☐	☐
Setting all the privileges for the Building entity to User prevents the error from recurring.	☐	☐

Answer:

Explanation:

Statements	Yes	No
Changing the Append To privilege on the Account entity to Organization prevents the error from recurring.	☐	☒
Adding the Environment Maker role to the user prevents the error from recurring.	☐	☒
Adding the System Customizer role to the user prevents the error from recurring.	☒	☐
Setting all the privileges for the Building entity to User prevents the error from recurring.	☒	☐

NEW QUESTION # 191

A company delivers packages to businesses and consumers. A custom entity named Package captures the package details.

You need to add the following sets of fields to the entity and leverage the built-in operations of the platform:

A set of fields to represent the package length, width, depth, and weight. The maximum value for any dimension is 100 centimeters.

A set of fields for time-sensitive attributes to calculate the efficiency of a delivery based on when the delivery is entered in the system and the existing custom fields: Pickup time and Delivery time.

Which constructs should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Construct
Calculate the efficiency of the delivery.	☐ DIFFINMINUTES(Created On, Modified On) ☐ DIFFINMINUTES(Created On, Delivery Time) ☐ DIFFINHOURS(Created On, Modified On) ☐ DIFFINHOURS(Created On, Delivery Time)
Select the data type for delivery that has additional transformations applied before the data is displayed.	☐ Autonumber ☐ Phone number ☐ Customer ☐ Currency ☐ Duration

Answer:

Explanation:

Requirement



Microsoft

Construct

Calculate the efficiency of the delivery.

▼
DIFFINMINUTES(Created On, Modified On)
DIFFINMINUTES(Created On, Delivery Time)
DIFFINHOURS(Created On, Modified On)
DIFFINHOURS(Created On, Delivery Time)

Select the data type for delivery that has additional transformations applied before the data is displayed.

▼
Autonumber
Phone number
Customer
Currency
Duration

Explanation

Requirement



Microsoft

Construct

Calculate the efficiency of the delivery.

▼
DIFFINMINUTES(Created On, Modified On)
DIFFINMINUTES(Created On, Delivery Time)
DIFFINHOURS(Created On, Modified On)
DIFFINHOURS(Created On, Delivery Time)

Select the data type for delivery that has additional transformations applied before the data is displayed.

▼
Autonumber
Phone number
Customer
Currency
Duration

Box 1: DIFFINMINUTES(Created on, Delivery Time)

DIFFINMINUTES (date and time, date and time) returns the difference in minutes between two Date and Time columns.

Box 2: Duration

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/define-calculated-fields>

NEW QUESTION # 192

You are examining code written by another developer that is not functioning correctly. There are no other JavaScript or business rules in use on the form.

This code is properly registered to the OnChange event of the telephone1 field on an account entity form. The main operation is to update the primary contact's phone number when the account phone number changes. The primary contact field is a lookup. (Line numbers are included for reference only.)

```

01 function UpdatePrimaryContact(executionContext) {
02   var formContext = executionContext.getFormContext();
03   var formType = formContext.ui.getFormType();
04   if (formType !== 2) {
05     return;
06   }
07   var data =
08   {
09     "telephone1": formContext.getAttribute("telephone1").getValue()
10   }
11   var primaryContact = formContext.getAttribute("primarycontactid").getValue();
12   Xrm.WebApi.updateRecord("contact", primaryContact[0].id, data).then(
13     function success() {
14       ...
15       Xrm.Navigation.openAlertDialog({ text: "Updated" });
16     },
17     function fail() {
18       Xrm.Navigation.openErrorDialog({ message: "Error" });
19     }
20   );
21   Xrm.Navigation.openAlertDialog({ text: "Done" });
22 }

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Updating the primary contact record will only happen when the form is in update mode.	☐	☐
If the primary contact field on the account does not have a value, the error dialog on line 18 is displayed.	☐	☐
The alert dialog on line 21 will always be shown after the update completes and the alert dialog on line 15 is shown.	☐	☐

Answer:

Explanation:

Statements	Yes	No
Updating the primary contact record will only happen when the form is in update mode.	☒	☐
If the primary contact field on the account does not have a value, the error dialog on line 18 is displayed.	☒	☐
The alert dialog on line 21 will always be shown after the update completes and the alert dialog on line 15 is shown.	☐	☒

Explanation

Graphical user interface, text, application Description automatically generated

Statements	Yes	No
Updating the primary contact record will only happen when the form is in update mode.	☐	☐
If the primary contact field on the account does not have a value, the error dialog on line 18 is displayed.	☐	☐
The alert dialog on line 21 will always be shown after the update completes and the alert dialog on line 15 is shown.	☐	☐

Box 1: Yes

getFormType gets the form type for the record.

Form type 2 is Update.

Note: Syntax: formContext.ui.getFormType();

Return Value

Type: Number

Description: Form type. Returns one of the following values

RETURN VALUE

Value Form type

0 Undefined

1 Create

2 Update

3 Read Only

4 Disabled

6 Bulk Edit

Box 2: Yes

Xrm.WebApi.updateRecord Return Value: On success, returns a promise object containing the values specified earlier in the description of the successCallback parameter.

Note:

Syntax: Xrm.WebApi.updateRecord(entityLogicalName, id, data).then(successCallback, errorCallback); Where errorCallback: A function to call when the operation fails. An object with the following properties will be passed:

errorCode: Number. The error code.

message: String. An error message describing the issue.

Box 3: No

It will displayed even if the update fails.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/formcontext-ui/get>

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-webapi/updates>

NEW QUESTION # 193

You have the following code registered on the OnChange event of the parentcustomerid column on a contact table form. The parentcustomerid field is a lookup which can be an account or a contact record.

Line numbering is provided for information only.

```

01 function UpdateTelephone1(executionContext) {
02     var formContext = executionContext.getFormContext();
03
04     var parent = formContext.getAttribute('parentcustomerid').getValue()
05     if (parent[0] !== null) {
06         Xrm.WebApi.online.retrieveRecord(parent[0].name, parent[0].id, "?$select=telephone1").then(
07             function success(result) {
08                 var telephone1 = result["telephone1"];
09                 formContext.getAttribute("telephone1").setValue(telephone1);
10             },
11             function (error) {
12                 Xrm.Navigation.openErrorDialog({ message: error.message });
13             }
14         );
15     }
16     else {
17         formContext.getAttribute("telephone1").setValue(null);
18     }
19 }

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statement	Yes	No
	Would the value of the telephone1 column on the contact form be null if the parentcustomerid column is null?	☐	☐
	Would the code return a parentcustomerid record if it is an account or a contact?	☐	☐
	Would the value of the telephone1 column be null if the value of the telephone1 column from the parentcustomerid record is null?	☐	☐

Answer:

Explanation:

Answer Area	Statement	Yes	No
	Would the value of the telephone1 column on the contact form be null if the parentcustomerid column is null?	☒	☐
	Would the code return a parentcustomerid record if it is an account or a contact?	☐	☒
	Would the value of the telephone1 column be null if the value of the telephone1 column from the parentcustomerid record is null?	☐	☒

Explanation:

Answer Area	Statement	Yes	No
	Would the value of the telephone1 column on the contact form be null if the parentcustomerid column is null?	☒	☐
	Would the code return a parentcustomerid record if it is an account or a contact?	☐	☒
	Would the value of the telephone1 column be null if the value of the telephone1 column from the parentcustomerid record is null?	☐	☒

NEW QUESTION # 194

You create the following Fetch XML query to determine the number of interviews where there are no recommendations for an

applicant.

```
<fetch aggregate='true'>
  <entity name='pro_interview'>
    <attribute name='pro_interviewid' alias='recommend_count' aggregate='count' />
    <filter>
      <condition attribute='pro_recommend' operator='eq' value='1' />
    </filter>
    <link-entity name='pro_application' from='pro_applicationid' to='pro_applicationid' link-type='inner' >
      <link-entity name='contact' from='contactid' to='pro_contactid' >
        <filter>
          <condition attribute='contactid' operator='eq' value='1b315d5d-b436-eb11-a813-000d3a8b6647' />
        </filter>
      </link-entity>
    </link-entity>
  </entity>
</fetch>
```

For each of the following statements, select yes if the statements is true, Otherwise select No.

NOTE: Each correct selectin is worth one pint.

answer Area

Statements

Yes

No

The query meets the requirements for retrieving the count of interviews without recommendations.

☐☐

You can modify the query to return counts of interviews with and without recommendations.

☐☐

The query allows scheduled interviews for job applications when there are no recommendations for the job applicant.

☐☐

Answer:

Explanation:

Answer Area

Statements

Yes

No

The query meets the requirements for retrieving the count of interviews without recommendations.

☐☒

You can modify the query to return counts of interviews with and without recommendations.

☐☒

The query allows scheduled interviews for job applications when there are no recommendations for the job applicant.

☐☒

Explanation

Answer Area

Statements

Yes

No

The query meets the requirements for retrieving the count of interviews without recommendations.

☐☒

You can modify the query to return counts of interviews with and without recommendations.

☐☒

The query allows scheduled interviews for job applications when there are no recommendations for the job applicant.

☐☒

NEW QUESTION # 195

.....

In order to solve customers' problem in the shortest time, our Microsoft Power Platform Developer guide torrent provides the twenty four hours online service for all people. Maybe you have some questions about our PL-400 test torrent when you use our

products; it is your right to ask us in anytime and anywhere. You just need to send us an email, our online workers are willing to reply you an email to solve your problem in the shortest time. During the process of using our PL-400 study torrent, we can promise you will have the right to enjoy the twenty four hours online service provided by our online workers. At the same time, we warmly welcome that you tell us your suggestion about our PL-400 study torrent, because we believe it will be very useful for us to utilize our PL-400 test torrent.

PL-400 Latest Study Questions: <https://www.freepdfdump.top/PL-400-valid-torrent.html>

- [illegible]

P.S. Free 2026 Microsoft PL-400 dumps are available on Google Drive shared by FreePdfDump: <https://drive.google.com/open?id=1Vdytk383LLvxpbduuHoLacNsbjJzdu5L>