

Huawei - H35-211_V2.5 - Trustable HCIP-Access V2.5 Actual Tests



BTW, DOWNLOAD part of ValidExam H35-211_V2.5 dumps from Cloud Storage: <https://drive.google.com/open?id=1uGSz6k9hGQWY7fyNh8It0yPM4wBliKEd>

ValidExam is famous for our company made these H35-211_V2.5 Exam Questions with accountability. We understand you can have more chances getting higher salary or acceptance instead of preparing for the H35-211_V2.5 exam. Our H35-211_V2.5 practice materials are made by our responsible company which means you can gain many other benefits as well. We are reliable and trustable in this career for more than ten years. So we have advantages not only on the content but also on the displays.

The Huawei H35-211_V2.5 exam format for Huawei H35-211_V2.5: HCIP-Access V2.5 is objective type, consisting of multiple-choice, multiple responses, and drag-and-drop questions. H35-211_V2.5 exam duration is two hours, and the passing score is 60%. Huawei recommends that candidates should have at least three years of experience in the access network field before taking H35-211_V2.5 exam.

Huawei H35-211_V2.5 (HCIP-Access V2.5) Exam is a certification test for IT professionals who want to specialize in the field of network access. It is a comprehensive exam that measures a candidate's knowledge and skills in access network technologies and solutions. Passing H35-211_V2.5 exam is a prerequisite for obtaining the Huawei Certified ICT Professional - Access certification.

>> H35-211_V2.5 Actual Tests <<

Free PDF Unparalleled H35-211_V2.5 - HCIP-Access V2.5 Actual Tests

In order to make every customer to get the most suitable method to review H35-211_V2.5 exam, we provide three versions of the H35-211_V2.5 exam materials: PDF, online version, and test software. We believe that there is always a kind of method to best help your exam preparation. Each version has a free demo for you to try, and each version has the latest and most comprehensive H35-211_V2.5 Exam Materials.

Huawei HCIP-Access V2.5 Sample Questions (Q40-Q45):

NEW QUESTION # 40

(Radio) follow the multicast IP address 227. The correct multicast MAC address corresponding to 120.1.32 is

- A. 01-00-5e-78-01-20
- B. 01-00-5e-78-01-32
- C. 01-00-5e-14-01-32
- D. 01-00-5e-14-01-20

Answer: A

NEW QUESTION # 41

On the U2000 network management, the oLT PON port LED is not green, indicating that the PON port is faulty.

- A. wrong
- B. Right

Answer: A

NEW QUESTION # 42

(Radio) When deploying GPON Type C single-attribution protection, the following description is correct.

- A. The two OLT-side protected ports cannot send and receive user traffic simultaneously
- B. When the OLT uplink fails, a protection switchover is always triggered
- C. When a distribution (branch) fiber breaks, the OLT's work port state becomes standby
- D. The ONU access-service configuration is completely identical to the configuration before protection

Answer: A

Explanation:

In Type C single-attribution protection, two PON ports form a protection pair to one ONU/ODN, but only one path is active at a time.

B - Correct: Protection groups operate in active/standby mode; only one OLT-side PON port forwards user traffic at any moment.

A - Not necessarily correct: A branch fiber break local to one path can trigger switchover, but describing it as "the OLT work port becomes standby" is imprecise; the group performs role inversion based on configured triggers and signaling, not solely by OLT port state wording.

C - Not always: Uplink failure triggers switchover only if the protection group is explicitly configured to track the uplink Ethernet port; it is not an unconditional behavior.

D - Misleading: While service entries for the ONU remain consistent from a user perspective, additional protection-group configuration is required on the OLT; thus it is not "completely identical" to a non-protected setup.

(Reference: HCIP-Access V2.5 - Type C single-homing protection architecture, active/standby forwarding, and optional uplink-tracking triggers.)

NEW QUESTION # 43

Which of the following VLAN planning methods can be used in POL networking?

- A. VLAN range division by logical zone
- B. VLAN range division by organization
- C. VLAN range division by geographic area
- D. VLAN range division by service function

Answer: D

NEW QUESTION # 44

(Multi-select) VLAN planning principles need to be considered

- A. Type and type of business
- B. Uplink networking mode

- Answer: A,B,C,D,E**

• • • • •

BTW, DOWNLOAD part of ValidExam H35-211_V2.5 dumps from Cloud Storage: <https://drive.google.com/open?id=1uGSz6k9hGOWY7fNvH8It0vPM4wBliKEd>