

# New 1z0-1104-25 Test Discount - 1z0-1104-25 Sample Questions Answers



P.S. Free 2026 Oracle 1z0-1104-25 dumps are available on Google Drive shared by ActualCollection:  
[https://drive.google.com/open?id=1A85b1\\_Te8xVujmNmRg6y5b3HFcbPjS\\_R](https://drive.google.com/open?id=1A85b1_Te8xVujmNmRg6y5b3HFcbPjS_R)

The contents of 1z0-1104-25 exam torrent was all compiled by experts through the refined off textbooks. Hundreds of experts simplified the contents of the textbooks, making the lengthy and complex contents easier and more understandable. With 1z0-1104-25 study tool, you only need 20-30 hours of study before the exam. 1z0-1104-25 guide torrent provides you with a brand-new learning method. In the course of doing questions, you can memorize knowledge points. You no longer need to look at the complicated expressions in the textbook. Especially for those students who are headaches when reading a book, 1z0-1104-25 Study Tool is their gospel. Because doing exercises will make it easier for one person to concentrate, and at the same time, in the process of conducting a mock examination to test yourself, seeing the improvement of yourself will makes you feel very fulfilled and have a stronger interest in learning. 1z0-1104-25 guide torrent makes your learning process not boring at all.

You can also trust on ActualCollection Oracle 1z0-1104-25 exam dumps and start 1z0-1104-25 exam preparation with confidence. The ActualCollection Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) practice questions are designed and verified by experienced and qualified Oracle exam trainers. They utilize their expertise, experience, and knowledge and ensure the top standard of ActualCollection 1z0-1104-25 Exam Dumps. So you can trust ActualCollection Oracle 1z0-1104-25 exam questions with complete peace of mind and satisfaction.

>> New 1z0-1104-25 Test Discount <<

## High-quality New 1z0-1104-25 Test Discount offer you accurate Sample Questions Answers | Oracle Cloud Infrastructure 2025 Security Professional

If you want to constantly improve yourself and realize your value, if you are not satisfied with your current state of work, if you still spend a lot of time studying and waiting for 1z0-1104-25 qualification examination, then you need our 1z0-1104-25 material, which can help solve all of the above problems. I can guarantee that our study materials will be your best choice. Our 1z0-1104-25 Study Materials have three different versions, including the PDF version, the software version and the online version.

## Oracle 1z0-1104-25 Exam Syllabus Topics:

| Topic   | Details   |
|---------|---|
| Topic 1 | <ul style="list-style-type: none"> <li>OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.</li> </ul>   |
| Topic 2 | <ul style="list-style-type: none"> <li>Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.</li> </ul>                   |
| Topic 3 | <ul style="list-style-type: none"> <li>Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.</li> </ul> |

## Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q13-Q18):


### NEW QUESTION # 13

#### Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 4: Create a Public Subnet

Create a public subnet named IAD-SP-PBT-PUBSNET-01, within the VCN IAD-SP-PBT-VCN-01 use a CIDR block of 10.0.1.0/24 and configure the subnet to use the internet Gateway See the solution below in Explanation.

**Answer:**

**Explanation:**

To create a public subnet named IAD-SP-PBT-PUBSNET-01 within the VCN IAD-SP-PBT-VCN-01 using a CIDR block of 10.0.1.0/24 and configure it to use the Internet Gateway, follow these steps based on the Oracle Cloud Infrastructure (OCI) Networking documentation.

Step-by-Step Solution for Task 4: Create a Public Subnet

- \* Log in to the OCI Console:
- \* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).
- \* Ensure you have access to the assigned compartment.
- \* Navigate to Virtual Cloud Networks:
- \* From the OCI Console, click the navigation menu (hamburger icon) on the top left.
- \* Under Networking, select Virtual Cloud Networks.
- \* Select the VCN:
- \* Locate and click on the VCN named IAD-SP-PBT-VCN-01 created in Task 3.
- \* Under Resources, select Subnets.
- \* Create a New Subnet:
- \* Click the Create Subnet button.
- \* Configure the Subnet Details:
- \* Name: Enter IAD-SP-PBT-PUBSNET-01.
- \* Compartment: Ensure it is set to the assigned compartment.
- \* Subnet Type: Select Public Subnet.
- \* CIDR Block: Enter 10.0.1.0/24.
- \* Route Table: Select the default route table associated with the VCN (ensure it includes a route to the Internet Gateway with destination 0.0.0.0/0).
- \* Subnet Access: Select Public Subnet and ensure the Internet Gateway is associated.
- \* DHCP Options: Leave as default or customize if required.
- \* Security List: Use the default security list or create a new one with appropriate ingress/egress rules (e.g., allow TCP port 22 for SSH and all egress traffic).
- \* Associate the Internet Gateway:
- \* Verify that the subnet is configured to route traffic through the Internet Gateway. This is automatically handled if you selected the public subnet option and the VCN's route table is correctly set (as configured in Task 3).
- \* If needed, edit the route table for the subnet to ensure a rule exists:
- \* Destination CIDR Block: 0.0.0.0/0
- \* Target Type: Internet Gateway
- \* Target: Select the Internet Gateway associated with IAD-SP-PBT-VCN-01.
- \* Create the Subnet:
- \* Click Create to provision the subnet.
- \* Once created, the subnet will be listed under the VCN's subnets.
- \* Verify the Configuration:
- \* Go to the subnet details page for IAD-SP-PBT-PUBSNET-01.
- \* Confirm the CIDR block is 10.0.1.0/24 and that it is a public subnet with Internet Gateway access.

**Notes**

- \* Ensure the CIDR block 10.0.1.0/24 does not overlap with existing subnets in the VCN (10.0.0.0/16, including 10.0.10.0/24 from Task 3).
- \* The Internet Gateway association relies on the route table configuration from Task 3. If it's missing, update the route table as described in Step 6.


**NEW QUESTION # 14**

**Challenge 2 - Task 1**

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 1: Create a Custom Security Zone Recipe

Create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in the public subnet.

Enter the OCID of the created custom security zone recipe in the text box below.

**Answer:**

Explanation:

See the solution below in Explanation.

Explanation:

To create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in a public subnet, we will follow the steps outlined in the Oracle Cloud Infrastructure (OCI) Security Zones documentation. These steps are based on verified procedures from the OCI Security Zone Guide and related resources.

Step-by-Step Solution for Task 1: Create a Custom Security Zone Recipe

\* Log in to the OCI Console:

\* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

\* Ensure you have access to the assigned compartment provided in the tenancy.

\* Navigate to Security Zones:

\* From the OCI Console, go to the navigation menu (hamburger icon) on the top left.

\* Under Governance and Administration, select Security Zones.

\* Create a New Security Zone Recipe:

\* In the Security Zones dashboard, click on the Recipe tab.

\* Click the Create Recipe button.

\* Configure the Recipe Details:

\* Name: Enter IAD-SP-PBT-CSP-01.

\* Description: (Optional) Add a description, e.g., "Custom recipe to allow compute instances in public subnet."

\* Leave the Compartment as the assigned compartment provided.

\* Define the Security Zone Policy:

\* In the policy editor, start with a base policy. Since the Maximum Security Zone recipe restricts public subnet usage, you need to customize it.

\* Add the following policy statement to allow compute instances in a public subnet:

Allow service compute to use virtual-network-family in compartment <compartment-name> where ALL { target.resource.type =

'Instance', target.vcn.cidr\_block = '10.0.0.0/16', target.subnet.cidr\_block = '10.0.10.0/24'

}

\* Replace <compartment-name> with the name of your assigned compartment.

\* This policy allows the Compute service to provision instances in the public subnet (10.0.10.0/24) within the VCN (10.0.0.0/16).

\* Adjust Restrictions:

\* Ensure the recipe does not inherit the Maximum Security Zone recipe's default restrictions that block public subnet usage.

Explicitly allow the public subnet by including the subnet CIDR block (10.0.10.0/24) in the policy.

\* Remove or modify any conflicting default rules that prohibit public subnet usage (e.g., rules blocking internet access or public IP assignment).

\* Save the Recipe:

\* Click Create to save the custom security zone recipe.

\* Once created, note the OCID of the recipe from the recipe details page. The OCID will be a unique identifier starting with ocid1.securityzonerecipe.

\* Verify the Recipe:

\* Go to the Recipes tab and locate IAD-SP-PBT-CSP-01.

\* Ensure the policy reflects the allowance for compute instances in the public subnet by reviewing the policy statement.

OCID of the Created Custom Security Zone Recipe

\* The exact OCID will be generated upon creation (e.g., ocid1.securityzonerecipe.oc1..unique\_string).

Please enter the OCID displayed in the OCI Console after completing Step 7.

Notes

\* Ensure IAM policies are correctly configured to grant you permissions to create and manage security zone recipes in the compartment.

\* The policy assumes the public subnet CIDR (10.0.10.0/24) matches the diagram. Adjust if the actual subnet CIDR differs.

\* Test the recipe by associating it with a security zone and attempting to launch a compute instance to confirm compliance.

## NEW QUESTION # 15

When trying to encrypt plaintext using Command Line Interface (CLI), the developer gets a Service Error.

This is the command the developer tried to run:

```
oci kms crypto encrypt --key-id ocid1.key.oc1.iad.bbpfrf5aseuk.abuwclj32arg6daiwgluvc52lncn4623a4nfejfk1bb46nkav3ahara --plaintext foobar --endpoint https://bbpfrf5aseuk-management.kms.us-ashburn-1.oraclecloud.com
```

What is the reason for this error?

- A. The developer forgot to specify the region.
- B. The plaintext needs to be in JSON form.
- C. The user should pass the key version OCID instead of the key OCID.
- D. The developer has the wrong endpoint.

**Answer: C**

## NEW QUESTION # 16

During your investigation of a load balancer issue, you discovered that all back-end servers associated with one of the affected listeners were reported as unhealthy. However, when you checked the back-end servers, they seemed to be working just fine.

What might be causing this issue?

- A. Incorrect subnet configuration
- B. Misconfigured health check
- C. Misconfigured security rule
- D. Overloaded back-end servers
- E. Incorrect DNS configuration

**Answer: B**

## NEW QUESTION # 17

Which Oracle Data Safe feature enables the Internal test, development, and analytics teams to operate effectively while minimizing their exposure to sensitive data?

- A. Data auditing
- B. Security assessment

- Answer: D**

• • • • •

**1z0-1104-25 Sample Questions Answers:** <https://www.actualcollection.com/1z0-1104-25-exam-questions.html>

- P.S. Free & New 1z0-1104-25 dumps are available on Google Drive shared by ActualCollection: [https://drive.google.com/open?id=1A85b1\\_Te8xVujmNmRg6y5b3HFcbPiS\\_R](https://drive.google.com/open?id=1A85b1_Te8xVujmNmRg6y5b3HFcbPiS_R)