

Exam JN0-637 Collection | Reliable JN0-637 Exam Answers



2025 Latest ITCertMagic JN0-637 PDF Dumps and JN0-637 Exam Engine Free Share: <https://drive.google.com/open?id=1RqmnVDXTbjBvRzZX5ZUL0sSKtzF5CXmv>

Today, in an era of fierce competition, how can we occupy a place in a market where talent is saturated? The answer is a certificate. What the certificate main? All kinds of the test JN0-637 certification, prove you through all kinds of qualification certificate, it is not

hard to find, more and more people are willing to invest time and effort on the JN0-637 Exam Guide, because get the test JN0-637 certification is not an easy thing, so, a lot of people are looking for an efficient learning method. Our JN0-637 exam questions are the right tool for you to pass the JN0-637 exam.

Not only our JN0-637 study guide has the advantage of high-quality, but also has reasonable prices that are accessible for every one of you. So it is incumbent upon us to support you. On the other side, we know the consumers are vulnerable for many exam candidates are susceptible to ads that boost about JN0-637 skills their practice with low quality which may confuse exam candidates like you, so we are trying hard to promote our high quality JN0-637 study guide to more people.

>> Exam JN0-637 Collection <<

Juniper JN0-637 Actual Exam Dumps Materials are the best simulate product - ITCertMagic

The ITCertMagic is a leading platform that is committed to offering to make the Juniper Exam Questions preparation simple, smart, and successful. To achieve this objective ITCertMagic has got the services of experienced and qualified Security, Professional (JNCIP-SEC) (JN0-637) exam trainers. They work together and put all their efforts and ensure the top standard of ITCertMagic Security, Professional (JNCIP-SEC) (JN0-637) exam dumps all the time.

Juniper Security, Professional (JNCIP-SEC) Sample Questions (Q124-Q129):

NEW QUESTION # 124

you must create a secure fabric in your company's network
In this Scenario, which three statements are correct? (Choose Three)

- A. MX Series device associated with tenants can belong to only one site
- B. A switch must be assigned to the site to enforce an infected host policy within the network
- C. SRX Series devices can belong to multiple sites
- D. SRX Series devices can belong to only one site
- E. Switches and connectors cannot be added to the same site

Answer: A,B,D

Explanation:

To create a secure fabric in your company's network, you need to know the following facts:

A secure fabric is a collection of sites that contain network devices (switches, routers, firewalls, and other security devices) that are used in policy enforcement groups. A site is a grouping of network devices that contribute to threat prevention. When threat prevention policies are applied to policy enforcement groups, the system automatically discovers to which sites those groups belong. This is how threat prevention is aggregated across your secure fabric¹.

MX Series devices associated with tenants can belong to multiple sites. Tenants are logical partitions of the network that can have their own security policies and enforcement points. Sites that are associated with tenants do not need switches as enforcement points, because MX Series devices can perform tenant-based policy enforcement¹.

SRX Series devices can belong to only one site. SRX Series devices are firewalls that can act as perimeter enforcement points for the secure fabric. They can send potentially malicious objects and files to the Juniper ATP Cloud for analysis and receive threat intelligence from the Juniper ATP Cloud to block malicious traffic. SRX Series devices cannot belong to multiple sites, because they do not support tenant-based policy enforcement¹.

A switch must be assigned to the site to enforce an infected host policy within the network. An infected host policy is a policy that blocks or quarantines hosts that are identified as infected by the Juniper ATP Cloud. A switch can act as an internal enforcement point for the secure fabric by applying the infected host policy to the hosts that are connected to it. A switch must be assigned to the site where the infected hosts are located, because SRX Series devices cannot enforce infected host policies¹.

Switches and connectors cannot be added to the same site. Connectors are software agents that can be installed on Windows or Linux servers to enable them to act as enforcement points for the secure fabric.

Connectors can apply infected host policies to the hosts that are connected to them. However, connectors cannot coexist with switches in the same site, because they use different methods of policy enforcement. Switches use VLANs and ACLs, while connectors use IPtables and WFP¹. Therefore, the correct answer is B, D, and E. The other options are incorrect because:

A) MX Series devices associated with tenants can belong to multiple sites, not only one site¹.

C) SRX Series devices can belong to only one site, not multiple sites¹.

Reference: Secure Fabric Overview

NEW QUESTION # 125

Exhibit:

```
[edit class-of-service]
user@srx# show
classifiers {
    dscp ba-classifier {
        import default;
        forwarding-class best-effort {
            loss-priority high code-points 000000;
        }
        forwarding-class ef-class {
            loss-priority high code-points 000001;
        }
        forwarding-class af-class {
            loss-priority high code-points 001010;
        }
        forwarding-class network-control {
            loss-priority high code-points 000011;
        }
        forwarding-class res-class {
            loss-priority high code-points 000100;
        }
        forwarding-class web-data {
            loss-priority high code-points 000101;
        }
        forwarding-class control-data {
            loss-priority high code-points 000111;
        }
        forwarding-class voip-data {
            loss-priority high code-points 000110;
        }
    }
}
```

JUNIPER
NETWORKS

You have configured a CoS-based VPN that is not functioning correctly.

Referring to the exhibit, which action will solve the problem?

- A. You must change the code point for the DB-data forwarding class to 10000.
- **B. You must delete one forwarding class.**
- C. You must change the loss priorities of the forwarding classes to low.
- D. You must use inet precedence instead of DSCP.

Answer: B

Explanation:

In the exhibit, the CoS-based VPN configuration is not functioning correctly due to an issue with the number of forwarding classes. The maximum number of forwarding classes supported for CoS-based VPNs with multiple SAs (security associations) is typically four forwarding classes. In this case, more than four forwarding classes are defined.

To solve the issue, one forwarding class must be deleted to ensure that the total number of forwarding classes is reduced to four or fewer.

NEW QUESTION # 126

You are asked to configure tenant systems.

Which two statements are true in this scenario? (Choose two.)

- A. A tenant system can have only one administrator.
- **B. You can commit multiple tenant systems at a time.**

- C. Tenant systems have their own configuration database.
- D. After successful configuration, the changes are merged into the primary database for each tenant system.

Answer: B,C

Explanation:

Each tenant system maintains its own configuration database, isolating configurations from others, enhancing security and operational efficiency. Junos OS supports multiple concurrent commit operations across tenant systems. Further details are covered in the Juniper Tenant System Guide.

When configuring tenant systems on an SRX device, the following principles apply:

* Tenant Systems Have Their Own Configuration Database (Answer C): Each tenant system has its own isolated configuration database, ensuring that changes made in one tenant system do not affect others. This allows for multi-tenant environments where different tenants can have independent configurations.

* Commit Multiple Tenant Systems Simultaneously (Answer D): The system allows for multiple tenant systems to be committed at the same time, simplifying management when working with multiple tenants. This is particularly useful in large environments where multiple logical systems or tenants need updates simultaneously.

NEW QUESTION # 127

You have deployed automated threat mitigation using Security Director with Policy Enforcer, Juniper ATP Cloud, SRX Series devices, Forescout, and third-party switches. In this scenario, which device is responsible for communicating directly to the third-party switches when infected hosts need to be blocked?

- A. Policy Enforcer
- B. Forescout
- C. Juniper ATP Cloud
- D. SRX Series device

Answer: A

Explanation:

Policy Enforcer receives these policies and translates them into device-specific commands. It then communicates with the third-party switches (using protocols like SNMP, RADIUS, or vendor-specific APIs) to enforce those commands, such as blocking the infected hosts' MAC addresses or port access.

Centralized Enforcement: Policy Enforcer acts as the central point of enforcement for Security Director policies, ensuring consistent security across the network. Multi-Vendor Support: It can interact with a wide range of network devices, including switches from different vendors.

Automation: Policy Enforcer automates the policy enforcement process, enabling rapid response to threats.

NEW QUESTION # 128

Click the Exhibit button.

```

user@srx> show ethernet-switching global-information
Global Configuration:
MAC aging interval      : 300
MAC learning            : Enabled
MAC statistics          : Disabled
MAC limit Count         : 65536
MAC limit hit           : Disabled
MAC packet action drop  : Disabled
MAC+IP aging interval  : IPv4 - 1200 seconds
                        : IPv6 - 1200 seconds
MAC+IP limit Count      : 65536
MAC+IP limit reached    : No
LE aging time           : 1200
LE VLAN aging time      : 1200
Global Mode              : Transparent bridge
RE state                 : Master

```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. You cannot secure intra-VLAN traffic with a security policy on this device.
- B. The device can pass Layer 2 and Layer 3 traffic at the same time.
- C. You can secure inter-VLAN traffic with a security policy on this device.
- D. The device cannot pass Layer 2 and Layer 3 traffic at the same time.

Answer: A,D

Explanation:

Comprehensive Detailed Step-by-Step Explanation with All Juniper Security References Understanding the Exhibit:

* The SRX device is operating in Transparent Mode, as indicated by:

* Global Mode : Transparent bridge

Transparent Mode on SRX Devices:

* Transparent Mode (Layer 2 Mode):

* The SRX device acts as a Layer 2 switch.

* Does not perform routing functions.

* Security policies can be applied to inter-VLAN (Layer 2) traffic but not intra-VLAN traffic.

* Cannot handle Layer 3 traffic simultaneously.

* Option A: You cannot secure intra-VLAN traffic with a security policy on this device.

* True.

* In Transparent Mode, intra-VLAN traffic is switched within the VLAN and does not pass through the SRX firewall processing engine.

* Therefore, security policies cannot be applied to intra-VLAN traffic.

* Option B: You can secure inter-VLAN traffic with a security policy on this device.

* False.

* In Transparent Mode, all interfaces are in the same VLAN (unless VLAN tagging is configured).

* Inter-VLAN routing is not possible as the device does not perform Layer 3 functions.

* Option C: The device can pass Layer 2 and Layer 3 traffic at the same time.

* False.

* In Transparent Mode, the SRX device operates exclusively at Layer 2.

* It cannot process Layer 3 traffic simultaneously.

* Option D: The device cannot pass Layer 2 and Layer 3 traffic at the same time.

* True.

* The SRX device in Transparent Mode cannot handle both Layer 2 and Layer 3 traffic concurrently.

Key Points:

* Intra-VLAN Traffic:

- * Traffic within the same VLAN.
- * In Transparent Mode, this traffic is switched and does not go through the firewall's security policies.
- * Inter-VLAN Traffic:
- * Traffic between different VLANs.
- * Requires routing capabilities (Layer 3).
- * In Transparent Mode, the SRX cannot perform routing functions.

Juniper Security References:

- * Juniper Networks Documentation:
- * "In transparent mode, the SRX Series device acts like a Layer 2 switch or bridge. Security policies cannot control intra-VLAN traffic because such traffic does not pass through the firewall."

- * Source: Understanding Transparent Mode
- * "The device cannot perform both Layer 2 switching and Layer 3 routing simultaneously in transparent mode."
- * Source: Transparent Mode Limitations

Conclusion:

- * Option A is correct because intra-VLAN traffic cannot be secured with security policies in Transparent Mode.
- * Option D is correct because the device cannot pass both Layer 2 and Layer 3 traffic at the same time when operating in Transparent Mode.

NEW QUESTION # 129

.....

To help candidate breeze through their exam easily, ITCertMagic develop Juniper JN0-637 Exam Questions based on real exam syllabus for your ease. While preparing for the JN0-637 exam candidates suffer a lot in the search for the preparation material. If you prepare with Juniper JN0-637 Exam study material you do not need to prepare anything else. Our experts have prepared Juniper JN0-637 dumps questions that cancel out your chances of exam failure.

Reliable JN0-637 Exam Answers: <https://www.itcertmagic.com/Juniper/real-JN0-637-exam-prep-dumps.html>

Juniper Exam JN0-637 Collection The population in the world is growing constantly, so the competition is more radical for anyone who wants to be successful in their career, With Juniper Reliable JN0-637 Exam Answers Reliable JN0-637 Exam Answers - Security, Professional (JNCIP-SEC) test camp pdf, to be someone different with those talkers, what's more important, to chase and achieve what you want bravely, Our website provides you the latest JN0-637 practice test with best quality that will lead you to success in obtaining the certification exam.

This sharp discontinuity is why swapping cripples JN0-637 performance, Synthesizer synth = MidiSystem.getSynthesizer(Open the synthesizer, Thepopulation in the world is growing constantly, Exam JN0-637 Collection so the competition is more radical for anyone who wants to be successful in their career.

Juniper JN0-637 Questions and Start Preparation Today [2026]

With Juniper Security, Professional (JNCIP-SEC) test camp pdf, to be someone Reliable JN0-637 Exam Answers different with those talkers, what's more important, to chase and achieve what you want bravely, Our website provides you the latest JN0-637 Practice Test with best quality that will lead you to success in obtaining the certification exam.

So when an interesting and interactive Juniper JN0-637 study dumps is shown for you, you will be so excited and regain your confidence, To stay updated and competitive you have to learn these technological changes.

- Pass Guaranteed Newest JN0-637 - Exam Security, Professional (JNCIP-SEC) Collection ☐ Easily obtain free download of ➡ JN0-637 ☐ by searching on ☐ www.prep4sures.top ☐ ☐ Customized JN0-637 Lab Simulation
- JN0-637 Reliable Braindumps Ppt ☐ JN0-637 Reasonable Exam Price ☐ JN0-637 Latest Exam Preparation ☐ 【 www.pdfvce.com 】 is best website to obtain ☐ JN0-637 ☐ for free download ☐ JN0-637 New Dumps Ppt
- JN0-637 Valid Braindumps Questions ☐ Exam JN0-637 Flashcards ☐ Key JN0-637 Concepts ◀ Search for ➡ JN0-637 ☐ and download it for free on ☐ www.pdfdumps.com ☐ website ☐ JN0-637 Test Dumps Demo
- Pass Guaranteed Newest JN0-637 - Exam Security, Professional (JNCIP-SEC) Collection ☐ Open ☐ www.pdfvce.com ☐ enter 《 JN0-637 》 and obtain a free download ☐ Customized JN0-637 Lab Simulation
- JN0-637 Valid Braindumps Questions ☐ Vce JN0-637 Torrent ☐ JN0-637 Latest Test Fee ☐ Search for [JN0-637] and download exam materials for free through ☐ www.verifiedumps.com ☐ ☐ Standard JN0-637 Answers
- 2026 Exam JN0-637 Collection | Perfect Security, Professional (JNCIP-SEC) 100% Free Reliable Exam Answers ☐ Go to website ☐ www.pdfvce.com ☐ open and search for 《 JN0-637 》 to download for free ☐ JN0-637 Exam Cram

Questions

- Valid JN0-637 Real Practice Materials - JN0-637 Actual Exam Dumps - www.vce4dumps.com Enter www.vce4dumps.com and search for JN0-637 to download for free Standard JN0-637 Answers
- Exam Dumps JN0-637 Provider Online JN0-637 Training Materials JN0-637 Dumps Free Open website www.pdfvce.com and search for 「 JN0-637 」 for free download JN0-637 Test Dumps Demo
- Valid JN0-637 Real Practice Materials - JN0-637 Actual Exam Dumps - www.validtorrent.com Easily obtain free download of JN0-637 by searching on (www.validtorrent.com) JN0-637 Valid Exam Papers
- Online JN0-637 Training Materials Customized JN0-637 Lab Simulation JN0-637 Latest Exam Preparation Open website www.pdfvce.com and search for JN0-637 for free download Exam Dumps JN0-637 Provider
- JN0-637 exam braindumps - JN0-637 guide torrent Immediately open www.prepawayexam.com and search for JN0-637 to obtain a free download Exam JN0-637 Flashcards
- shortcourses.russellcollege.edu.au, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, shortcourses.russellcollege.edu.au, www.stes.tyc.edu.tw, daotao.wisebusiness.edu.vn, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

DOWNLOAD the newest ITCertMagic JN0-637 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1RqmnVDXTbjBvRzZX5ZUL0sSKtzF5CXmv>