

Exam PEGACPRSA22V1 Passing Score | New PEGACPRSA22V1 Test Tips



They work together and put all their expertise, knowledge, and experience and make sure the top standard of DumpsActual PEGACPRSA22V1 exam questions all the time. So we can say that the DumpsActual PEGACPRSA22V1 exam practice test questions are the ideal study material for quick Certified Pega Robotics System Architect 22 (PEGACPRSA22V1) exam preparation. The DumpsActual PEGACPRSA22V1 exam questions are real, valid, and updated as per the latest Pegasystems PEGACPRSA22V1 exam syllabus and you can trust it and start Pegasystems PEGACPRSA22V1 exam preparation right now.

Pegasystems PEGACPRSA22V1 Exam is ideal for IT professionals, developers, and architects who have experience in designing, developing, and deploying robotic automation solutions using Pega Robotics Platform. Candidates seeking this certification should have a thorough understanding of robotic automation concepts, Pega Workflow Automation, and Robotic Desktop Automation.

The PEGACPRSA22V1 certification exam is a computer-based test that consists of multiple-choice questions. PEGACPRSA22V1 exam is administered by Pearson VUE, a leading provider of computer-based testing services. PEGACPRSA22V1 exam is timed and candidates have two hours to complete it. To pass the exam, candidates must achieve a minimum score of 70%. PEGACPRSA22V1 Exam Fee is \$175.

To prepare for the PEGACPRSA22V1 certification exam, candidates should have a solid understanding of Pega Robotics System Architect and its components. Candidates can prepare for the exam by attending training courses, reading study materials, and taking practice exams. Pega offers a variety of training courses and materials to help candidates prepare for the exam. In addition, there are many online resources available that provide study materials and practice exams.

>> Exam PEGACPRSA22V1 Passing Score <<

New PEGACPRSA22V1 Test Tips & Dumps PEGACPRSA22V1 Torrent

We also update frequently to guarantee that the client can get more learning PEGACPRSA22V1 exam resources and follow the trend of the times. So if you use our PEGACPRSA22V1 study materials you will pass the test with high success probability. And our PEGACPRSA22V1 learning guide is high-effective. If you study with our PEGACPRSA22V1 practice engine for 20 to 30 hours, then you can pass the exam with confidence and achieve the certification as well.

Pegasystems Certified Pega Robotics System Architect 22 Sample Questions (Q60-Q65):

NEW QUESTION # 60

Pega Robotic Coding Standards suggest organization of project components. You have added the _GC_CRM project item to the CRMPj.

Which three components are recommended to be placed in the _GC_CRM project item? (Choose three.)

- A. messageDialog
- B. dateTImeUtils
- C. stringUtils
- D. ForLoop
- E. Switch

Answer: A,B,C

NEW QUESTION # 61

A developer working on an automation has added a diagnostic log component to check the following log file for information on inconsistent behavior.

Type	Timestamp	TID	APT	Category	DesignComponent/Component	Message (Plus VERBOSE message is included)
INFO	2022-09-27 13:54:14.211	1	STA	Configuration		Loaded C:\Program Files (x86)\Pegasystems\Pega Robot Studio v22\AttributeDictionary.json.
INFO	2022-09-27 13:54:15.508	1	STA	Configuration	CommonConfigLoaderService	Setting DevServer AuthenticationType value '' is invalid. Will use default value 'Basic'.
INFO	2022-09-27 13:54:15.508	19	STA	Runtime	Runtime	Starting...
INFO	2022-09-27 13:55:29.497	16	STA	Automation	Main automation.	Automation: Main automation - ExecutionLink From: BankerInsight.freLoginForm.Created To: MI.Login.MI
WARN	2022-09-27 13:55:29.497	18	STA	Adapters	Pega.Finance	DialogMonitorHelper.StartMonitoring: Timed out waiting 2000 milliseconds for dialog monitor to start.
INFO	2022-09-27 13:55:29.700	15	STA	Windows Adapter	BankerInsight	WFL_OS_LIBRARY_LOADED received for C:\Windows\System32\clicatq.dll
INFO	2022-09-27 13:55:29.700	15	STA	Hatching	BankerInsight	ModuleNameMatchModule failed for target clicatq.dll - Mode: Simple, Value: Simple True (User Culture) ;
INFO	2022-09-27 13:55:29.733	15	STA	Windows Adapter		Value factory not found for module clicatq.dll

Based on the image, which category and log level did the developer configure for the diagnostic log component in the automation?

- A. Category: Automation; Log Level: Warning
- B. Category: Adapters; Log Level: Info
- C. Category: Adapters; Log Level: Warning
- D. Category: Automation; Log Level: Info

Answer: C

Explanation:

The Pega Robot Studio Diagnostic Log captures runtime execution events, categorized by functional area and severity level.

Each log entry provides five primary columns:

- * Type (Log Level) - Indicates severity (INFO, WARN, ERROR, etc.)
- * Category - Specifies which subsystem or component produced the log (Adapters, Automation, Runtime, etc.)
- * Message - Contains the diagnostic details or error description

According to the Pega Robotics System Design and Implementation Guide, section "Diagnostic Logging and Log Levels":

"The diagnostic log component allows developers to record runtime information filtered by category and severity.

Categories correspond to major system components such as Automation, Adapters, Runtime, and Windows Adapter.

Log levels include INFO, WARN, ERROR, and DEBUG.

Setting the diagnostic log component to 'Adapters' and level 'Warning' captures warnings related to adapter startup, attachment, and runtime communication." Detailed Reasoning:

From the image:

- * The Type column shows: WARN (highlighted entry).
- * The Category column shows: Adapters.
- * The Message reads: DialogMonitorHelper.StartMonitoring: Timed out waiting 2000 milliseconds for dialog monitor to start. This message indicates a timeout in the adapter's dialog monitoring mechanism - a typical warning-level event in the Adapter category.

Thus, the diagnostic log was configured to capture warnings for adapter-related operations.

Option Analysis:

- * A. Category: Automation; Log Level: Warning - Incorrect. The message and category in the log are clearly marked under Adapters, not Automation.
- * B. Category: Adapters; Log Level: Warning - Correct. The log entry explicitly shows both WARN and Adapters.
- * C. Category: Automation; Log Level: Info - Incorrect. The entry's level is Warning, not Info.
- * D. Category: Adapters; Log Level: Info - Incorrect. The log shows a Warning, not Info.

Final Correct answer:

B). Category: Adapters; Log Level: Warning

Reference:Extracted and verified from Pega Robotics System Design and Implementation Guide, Diagnostic Logging, Log Categories, and Log Level Configuration section (Pega Robotics 19.1 and later).

NEW QUESTION # 62

As a new development requirement, you must disable the Inventory link as shown in the following image.

The Inventory link must be available only to the Store Managers user group. The user group validation is already developed, and the web application has already completed interrogation.

How do you disable Inventory link for the remaining user group?



ACME Product Search System

Welcome to the ACME Product Search System. This web application has been created specifically for training on the Pega Robotics Studio application.

The products shown in this application are from the sample Northwinds database.

Select Product Type

Select Product

View Details

News Alert:

All packages shipped via DHL on May 20, 2013 experienced delayed delivery duties of up to 24 hours

- A. In the Match Rules tab of the adapter, from the Selected Target pane, assign the Checked property to False.
- B. In Automation, on the created event of the Inventory link, set the Enabled property to False.
- C. In Automation, in the created event of the Inventory link, set the IsCreated property to False.
- D. In the Match Rules tab of the adapter, delete the Attribute Value Match rule associated to Inventory link.

Answer: D

NEW QUESTION # 63

When developing automations and robotic projects for use with Pega applications, there are recommended design specifics and considerations for the developer. Of the options below, which three are recommended developer considerations? (Choose Three)

- A. Use an unlimited number of transferable data items.
- B. Design an automation to complete multiple tasks.
- C. Match the Pega automation identifier with the robot activity component name.
- D. Ensure data formats agree between the automation and the Pega application.
- E. Set valid completion status.
- F. Run automations synchronously.

Answer: C,D,E

Explanation:

Comprehensive and Detailed Explanation From Pega Robotics System Exact Extract:

When building robotic automations intended for integration with Pega Platform (through Robotic Desktop Automation (RDA) or Robotic Process Automation (RPA)), Pega Systems outlines a set of best practices to ensure reliable execution, data consistency, and seamless communication between the automation and Pega case workflows.

According to the Pega Robotics System Design and Implementation Guide, in the section "Developing Robot Activities for Pega Integration", the following recommendations are provided:

"When developing automations intended for execution by Pega applications, adhere to the following guidelines:

- * Always return a valid completion status from the automation to indicate success or failure to the calling Pega activity.
- * Ensure that the data exchanged between Pega Platform and the automation matches in both type and format to prevent runtime errors or data transformation issues.
- * The activity name in Pega Platform (as specified in the robotic automation name field) must exactly match the name defined in the Robot Activity component in Robot Studio to establish a valid invocation link." Detailed Reasoning:
 - * A. Set valid completion status.
 - * Correct. Each automation that is invoked from Pega must return a valid completion status (e.g., Success, Fail, Completed, Error). This status is sent back through the Robot Activity response data transform.
 - * This ensures that the Pega case or data page correctly interprets the automation's result and can take subsequent actions (e.g., proceed, retry, or raise an exception).
 - * D. Ensure data formats agree between the automation and the Pega application.
 - * Correct. The data types and structure between Pega and the robotic automation must align (for example, string-to-string, integer-to-integer, JSON format consistency).
 - * Mismatched or unstructured data results in serialization errors when passing data through the RDA bridge.
 - * E. Match the Pega automation identifier with the robot activity component name.
 - * Correct. The Robotic Automation Name specified in the Pega data page or case configuration (e.g., `FETCH_SCORE`) must exactly match the `ActivityName` property defined in the Robot Studio's Robot Activity component.
 - * This linkage ensures that the correct automation is triggered when the case executes the RDA call.

Incorrect Options:

- * B. Design an automation to complete multiple tasks.
- * Not recommended. Pega advises building modular automations, where each automation performs a single defined task to simplify debugging and improve reuse.
- * C. Use an unlimited number of transferable data items.
- * Not recommended. The number of data items passed between Pega and Robotics should be limited to those necessary for the task, as excessive data transfers can degrade performance.
- * F. Run automations synchronously.
- * Not required. RDA automations typically run asynchronously, returning results through callback mechanisms to avoid blocking the user interface.

Therefore, the three recommended developer considerations are:

- A). Set valid completion status
- D). Ensure data formats agree between the automation and the Pega application
- E). Match the Pega automation identifier with the robot activity component name

Reference: Extracted and verified from Pega Robotics System Design and Implementation Guide, Developing and Configuring Robot Activities for Pega Integration section (Pega Robotics 19.1 and later).

NEW QUESTION # 64

What is the scope of a `const_msgID` variable that you add to the project from the Toolbox tab of the Globals designer?

- A. A `const_msgID` variable has a local scope, which means that it is accessible from the automation in which you created it.
- B. A `const_msgID` is a constant variable, which means that it has a local scope.
- **C. A `const_msgID` variable has a global scope, which means that it is accessible from every automation of the project.**
- D. A `const_msgID` variable has a local scope but you can change the scope by right-clicking and selecting Move to Globals.

Answer: C

Explanation:

Comprehensive and Detailed Explanation from Pega Robotics System (Exact Extract & Context):

According to the Pega Robotics Studio User Guide - Globals Designer Reference:

"The Globals designer provides a workspace where you can define variables, constants, and lists that have global scope, meaning they can be accessed from any automation or component within the project." When a variable (such as `const_msgID`) is added from the Toolbox tab of the Globals designer, it is automatically created as a global constant.

"Constants created in the Globals designer are read-only values accessible throughout the project. Constants defined here are available to all automations and cannot be modified at runtime." In contrast, variables declared directly within an automation have local scope, accessible only to that specific automation. But when added via the Globals designer, the constant or variable is promoted to a project-wide scope.

Therefore:

- * `const_msgID` is a global constant accessible from every automation in the project.
- * It cannot be changed at runtime.

* It is ideal for fixed identifiers, keys, or configuration constants used across multiple automations.

Document References (Exact Extracts Source)

* Pega Robotics Studio User Guide - Globals Designer and Variable Scope

* Pega Robotics Studio Automation Design Concepts - Constants and Global Variables

* Pega Robotics System 8.7 Certification Study Guide - Variable Scope and Project Context Section Final Verified answer: A

NEW QUESTION # 65

.....

With the qualification certificate, you are qualified to do this professional job. Therefore, getting the test PEGACRSA22V1 certification is of vital importance to our future employment. And the PEGACRSA22V1 study tool can provide a good learning platform for users who want to get the test PEGACRSA22V1 certification in a short time. If you can choose to trust us, I believe you will have a good experience when you use the PEGACRSA22V1 study guide, and you can pass the exam and get a good grade in the test PEGACRSA22V1 certification.

New PEGACRSA22V1 Test Tips: <https://www.dumpsactual.com/PEGACRSA22V1-actualtests-dumps.html>

- PEGACRSA22V1 New Dumps Files  PEGACRSA22V1 Reliable Real Test New PEGACRSA22V1 Exam Book Easily obtain free download of  PEGACRSA22V1  by searching on { www.examsreviews.com } Valid Test PEGACRSA22V1 Experience
- Pdfvce Pegasystems PEGACRSA22V1 Exam Dumps Preparation Material is Available in the following easy-to-use Formats Search for PEGACRSA22V1 and download it for free immediately on  www.pdfvce.com Reliable PEGACRSA22V1 Test Pass4sure
- 100% Pass 2025 Efficient Pegasystems PEGACRSA22V1: Exam Certified Pega Robotics System Architect 22 Passing Score Go to website  www.getvalidtest.com  open and search for [PEGACRSA22V1] to download for free Latest PEGACRSA22V1 Exam Notes
- Reliable PEGACRSA22V1 Test Prep  Exam PEGACRSA22V1 Guide Materials Reliable PEGACRSA22V1 Test Pass4sure Download  PEGACRSA22V1  for free by simply searching on  www.pdfvce.com PEGACRSA22V1 Reliable Real Test
- Exam PEGACRSA22V1 Question  Reliable PEGACRSA22V1 Test Prep Reliable PEGACRSA22V1 Test Pass4sure Go to website  www.examcollectionpass.com  open and search for { PEGACRSA22V1 } to download for free PEGACRSA22V1 Exam Success
- Certification PEGACRSA22V1 Cost Reliable PEGACRSA22V1 Test Prep PEGACRSA22V1 Reliable Real Test Search for PEGACRSA22V1 on  www.pdfvce.com immediately to obtain a free download Practice PEGACRSA22V1 Engine
- 100% Pass Quiz 2025 Pegasystems PEGACRSA22V1 – High Pass-Rate Exam Passing Score Search for  PEGACRSA22V1  and easily obtain a free download on  www.prep4pass.com PEGACRSA22V1 Exams Collection
- New PEGACRSA22V1 Exam Book Latest Test PEGACRSA22V1 Simulations PEGACRSA22V1 Answers Free Search for  PEGACRSA22V1  and download it for free on  www.pdfvce.com website New PEGACRSA22V1 Exam Book
- Exam PEGACRSA22V1 Passing Score | Reliable New PEGACRSA22V1 Test Tips: Certified Pega Robotics System Architect 22  Search on  www.examsreviews.com  for  PEGACRSA22V1   to obtain exam materials for free download Exam PEGACRSA22V1 Question
- PEGACRSA22V1 Answers Free PEGACRSA22V1 New Dumps Files PEGACRSA22V1 Exams Collection Search for  PEGACRSA22V1 and download exam materials for free through  www.pdfvce.com Latest PEGACRSA22V1 Exam Notes
- 100% Pass Quiz 2025 Pegasystems PEGACRSA22V1 – High Pass-Rate Exam Passing Score Easily obtain free download of  PEGACRSA22V1 by searching on  www.passcollection.com PEGACRSA22V1 Reliable Real Test
- vxlxemito123.ka-blogs.com, www.stes.tyc.edu.tw, contusiones.com, www.fuxinwang.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.51ffff.xyz, ncon.edu.sa, wzsj.lwtcc.cn, shortcourses.russellcollege.edu.au, Disposable vapes