


一番優秀な2V0-16.25日本語独学書籍 &合格スムーズ 2V0-16.25認定テキスト |ハイパスレートの2V0-16.25資格問題集



さらに、It-Passports 2V0-16.25ダンプの一部が現在無料で提供されています: https://drive.google.com/open?id=19Hm0ctFo6MTTQjxC_-Kn4d2jilfZcnp9

現在の社会で人材があちこちいます。IT領域でも同じです。コンピュータの普及につれて、パソコンを使えない人がほとんどいなくなります。ですから、IT業界で勤めているあなたはプレッシャーを感じていませんか。学歴はどんなに高くてもあなたの実力を代表できません。学歴はただ踏み台だけで、あなたの地位を確保できる礎は実力です。IT職員としているあなたがどうやって自分自身の実力を養うのですか。IT認定試験を受験するのは一つの良い方法です。2V0-16.25試験を通して、あなたは新しいスキルをマスターすることができるだけでなく、2V0-16.25認証資格を取得して自分の高い能力を証明することもできます。最近、VMware 2V0-16.25試験の認証資格がとても人気があるようになりましたが、受験したいですか。

VMware 2V0-16.25 認定試験の出題範囲:

トピック	出題範囲
トピック 1	ITアーキテクチャ、テクノロジー、標準: このセクションでは、ITインフラストラクチャアーキテクトの理解度を測定し、アーキテクチャ、新興テクノロジー、業界標準の基礎概念を網羅します。試験目標は設定されていませんが、VMware関連環境を効果的に解釈・設計するために必要な基礎知識を確立します。
トピック 2	VMware vSphere Foundation (VVF) の導入、構成、運用: このセクションでは、データセンター管理者の専門知識を評価し、VMware vSphere Foundation 環境の導入と構成に関する実践的なスキルを重視します。受験者は、VVF 導入のコンポーネントを理解し、クラスター内でスーパーバイザーを構成し、ID、アクセス制御、ライセンス、証明書管理を管理する必要があります。また、vSphere Foundation 内のライフサイクル管理も目標に含まれています。さらに、ログの監視と分析、アラートの設定、ダッシュボードの管理、VMware Cloud Foundation (VCF) Operations との統合といった運用タスクについても学習します。さらに、コストと価格の設定、コンプライアンスの監視、セキュリティ強化の実践についてもテストされます。最後に、スーパーバイザーを使用したサービスの導入、Kubernetes ワークロードの実行、VM サービスの使用、そしてエンタープライズ自動化をサポートするための VCF Operations Orchestrator の統合を通して、自動化スキルが検証されます。

トピック 3	VMware vSphere Foundation Fundamentals: このセクションでは、仮想化エンジニアのスキルを評価し、仮想化テクノロジーの基本に焦点を当てます。仮想化の原則、ユースケース、そしてビジネスにもたらす価値について解説します。受験者は、vCenterやESXなどのVMwareコンピューティングコンポーネント、クラスタ構成、仮想マシンのライフサイクル管理に関する知識を実証することが求められます。また、安全なワークロード運用、暗号化、コンテンツライブラリを使用したリソース管理についても解説します。さらに、vSphereストレージの構成、VMware vSANクラスタの展開、ストレージポリシーの定義、データ可用性の確保といったストレージの基礎を検証します。ネットワークの基礎も取り上げ、VMware vSphereネットワークコンポーネントを区別する能力が求められます。
トピック 4	VMwareソリューションのトラブルシューティングと最適化: このセクションでは、システムエンジニアがVMwareベースの環境をトラブルシューティングおよび最適化する能力を評価します。明確な試験目標は設定されていませんが、受験者は問題解決スキルを駆使してVMwareソリューションを診断、解決、強化し、信頼性とパフォーマンスを向上させることが求められます。
トピック 5	VMware by Broadcom ソリューションの計画と設計: このセクションでは、VMware ソリューションアーキテクトのソリューション計画および設計能力を評価します。具体的な試験目標は設定されていませんが、組織の目標とベストプラクティスに沿った VMware ベースのソリューションを設計できるプロフェッショナルの育成に重点を置いています。

>> 2V0-16.25日本語独学書籍 <<

2V0-16.25認定テキスト、2V0-16.25資格問題集

成功の喜びは大きいです。我々は弊社のソフトを通してあなたにVMwareの2V0-16.25試験に合格する喜びを感じさせると希望しています。あなたの成功も我々It-Passportsの成功です。だから、我々は力を尽くしてあなたにVMwareの2V0-16.25試験に合格させます。我々はVMwareの2V0-16.25試験のソフトだけでなく、各方面のアフターサービスの上で尽力します。

VMware vSphere Foundation 9.0 Administrator 認定 2V0-16.25 試験問題 (Q28-Q33):

質問 # 28

An administrator is informed that a digital certificate used by vSphere has been revoked by the issuing Certificate Authority (CA) before the scheduled expiration date. The administrator checks the Certificate Revocation List (CRL) in VMware Cloud Foundation (VCF) Operations but the CRL tab is not activated.

What must the administrator do to view the CRL?

- A. Select the External Event Based Active Symptoms under Global Settings.
- B. The CRL tab is not available when VCF Operations is licensed under vSphere Foundation.
- C. Set the Threshold For Adapters Certificate Expiration Alert to 6 under Global Settings.
- D. Select the Activate Standard Certificate Validation under Global Settings.

正解: D

解説:

In VCF Operations, the Certificate Revocation List (CRL) tab is visible only when Standard Certificate Validation is activated in Global Settings.

* Once enabled, administrators can view the CRL tab and monitor revoked certificates.

Other options:

* A. External Event Based Active Symptoms# Related to alerting, not CRL.

* C. Threshold for Expiration Alert# Configures warnings, not CRL visibility.

* D. Not available under vSphere Foundation license# Incorrect; CRL is available if validation is enabled.

References:

VMware Cloud Foundation 9.0 -Certificate Validation Settings in Operations VMware Docs: Managing Certificates in vROps

質問 # 29

Which rule in a virtual machine (VM) storage policy is configured to ensure data redundancy in a VMware vSAN environment?

- A. Disk Stripes Per Object
- B. Stripe Width
- **C. Failures to Tolerate**
- D. Flash Read Cache Reservation

正解: C

解説:

The VM Storage Policy rule that controls data redundancy in vSAN is Failures to Tolerate (FTT).

* Defines the number of hardware failures (host, disk, network) that vSAN can tolerate while maintaining data availability.

* Configurations include RAID-1 (mirroring), RAID-5/6 (erasure coding).

Other options:

* B. Disk Stripes Per Object# Defines performance striping, not redundancy.

* C. Stripe Width# Same as above, not redundancy.

* D. Flash Read Cache Reservation# Relates to caching performance, not redundancy.

References:

VMware vSphere 9.0 -Storage Policy Rules in vSAN

VMware Docs: vSAN Failures to Tolerate

質問 # 30

An administrator has licensed vSphere components in Connected mode and then switched to Disconnected mode to meet the company security restrictions, which cannot be violated.

What must the administrator do to ensure the VMware vSphere Foundation license remains valid?

- A. Switch to Connected mode, validate that VCF Operations has downloaded a new license file from VCF Business Services console, and then switch to Disconnected mode at least once every 365 days.
- **B. Manually exchange a registration and license file between the VCF Operations instance and the VCF Business Services console at least once every 180 days.**
- C. Provide an internet connection to VCF Operations, then download a new license file from the VCF Business Services console at least once every 180 days.
- D. Nothing. The license is perpetual.

正解: B

解説:

For Disconnected mode licensing in vSphere Foundation:

* Administrators must manually export a registration file, upload it to the VCF Business Services console, and then import the license file back into VCF Operations.

* This process must be repeated every 180 days to maintain license validity.

Other options:

* A. Switch to Connected mode once every 365 days# Incorrect; 180-day requirement.

* C. License is perpetual# Not correct; subscription-based license requires refresh.

* D. Provide internet connection every 180 days# Violates security restriction (Disconnected mode is required).

References:

VMware Cloud Foundation 9.0 -Connected and Disconnected Licensing Modes VMware Docs: [vSphere Foundation Licensing with VCF Business Services]

質問 # 31

In VMware Cloud Foundation (VCF) Operations for Logs, which node type is responsible for coordinating the overall functioning of the cluster?

- A. Replica Node
- B. Data Node
- C. Worker Node

- **D. Primary Node**

正解: D

解説:

InVCF Operations for Logs(formerly vRealize Log Insight):

- * The Primary Node is responsible for coordinating the overall functioning of the cluster, including configuration management and directing traffic.

- * Worker/Data Nodes handle log ingestion and query execution.

- * Replica Node provides HA for the Primary Node but does not act as the main coordinator.

References:

VMware Cloud Foundation 9.0 -VCF Operations for Logs Node Roles

VMware Docs: Log Insight Cluster Architecture

質問 # 32

An administrator is tasked to implement a new iSCSI storage for a new cluster.

The following information was provided to the administrator:

- * iSCSI storage controller IPs are all in the same subnet.

- * Multipathing should be used.

- * Storage supports Asymmetric Logical Unit Access (ALUA).

- * Should be configured for high performance.

Which are the four required steps to configure this on an ESX host? (Choose four.)

- A. Configure 2 vSwitch with 1 Uplink.
- **B. Configure 1 vSwitch with 2 Uplinks.**
- C. Configure two unbound VMkernel ports.
- **D. Configure two bound VMkernel ports.**
- E. Set Path Selection Policy (PSP) to Most Recently Used (MRU).
- **F. Add iSCSI software adapter.**
- **G. Set Path Selection Policy (PSP) to Round Robin (RR).**
- H. Add NVMe over TCP software adapter.

正解: B、D、F、G

解説:

For iSCSI multipathing with ALUA and high performance in ESXi:

- * 1 vSwitch with 2 Uplinks# Standard design for redundancy and multipathing. (B)

- * Add iSCSI software adapter# Required to connect to storage. (E)

- * Configure two bound VMkernel ports# Ensures multipathing (one per uplink). (G)

- * Set PSP to Round Robin (RR)# Optimizes I/O balancing across multiple paths. (F) Other options:

- * A. 2 vSwitches with 1 Uplink each# Not recommended, complicates multipathing.

- * C. NVMe over TCP# Not relevant, storage is iSCSI.

- * D. MRU policy# Legacy, not high performance.

- * H. Unbound VMkernel ports# Used for software iSCSI port binding, but "bound" VMkernel ports are required for multipathing.

References:

VMware vSphere 9.0 -iSCSI Configuration with Multipathing

VMware KB 2038869 -Configuring Round Robin PSP with iSCSI

質問 # 33

.....

献身と熱意を持って2V0-16.25ガイド資料を段階的に学習する場合、VMware必死に試験に合格することを保証します。学習資料の権威あるプロバイダーとして、潜在顧客からより多くの注目を集めるために、常に同等のテストと比較して2V0-16.25模擬テストの高い合格率を追求しています。それ以外の場合、残念ながら、2V0-16.25学習教材で試験に合格しなかった場合、製品費用はすぐに全額返金されます。2V0-16.25研究トレンドは、高い合格率でより魅力的で素晴らしいものになります。

2V0-16.25認定テキスト: <https://www.it-passports.com/2V0-16.25.html>

- [illegible]

P.S.It-PassportsがGoogle Driveで共有している無料の2026 VMware 2V0-16.25ダンプ: https://drive.google.com/open?id=19Hm0ctFo6MTTQjxC_-Kn4d2jilfZcnp9