

Features of Oracle 1Z0-1067-25 Web-Based Practice Test Software



What's more, part of that DumpsReview 1Z0-1067-25 dumps now are free: <https://drive.google.com/open?id=1gF8cTlkMSpj0NQGGnEtZXEsI5xJ46GxU>

These latest Oracle Cloud Infrastructure 2025 Cloud Ops Professional (1Z0-1067-25) Questions were made by DumpsReview professionals after working day and night so that users can prepare for the Oracle 1Z0-1067-25 exam successfully. DumpsReview even guarantees you that you can pass the Oracle 1Z0-1067-25 Certification test on the first try with your untiring efforts.

Oracle 1Z0-1067-25 Exam Syllabus Topics:

Topic	Details
Topic 1	Implementing Observability: This section of the exam focuses on monitoring and maintaining cloud infrastructure. It covers implementing Metric Query Language (MQL) for analyzing performance data, setting up alarms and notifications for system events, and performing health checks to ensure the stability of cloud services.
Topic 2	Optimizing Cost and Performance: This section of the exam covers strategies for optimizing cost and performance in OCI. It includes implementing cost-saving measures, improving resource efficiency, and setting budgets and compartment quotas to manage cloud expenditures effectively.

Topic 3	Implementing Reliability and Business Continuity: This section of the exam focuses on ensuring system reliability and continuity. It covers implementing scalability and elasticity for handling workload demands, automating failover mechanisms for high availability, and applying data retention strategies for long-term storage and recovery.
Topic 4	Managing Identity and Security: This section of the exam focuses on securing cloud environments. It includes implementing security best practices for tenancy, managing encryption keys and secrets, and enforcing least-privilege access control policies to protect sensitive resources.

>> Valid Test 1Z0-1067-25 Experience <<

Valid Braindumps 1Z0-1067-25 Pdf & Real 1Z0-1067-25 Torrent

We can't forget the advantages and the conveniences that reliable 1Z0-1067-25 study materials compiled by our companies bring to us. First, by telling our customers what the key points of learning, and which learning 1Z0-1067-25 method is available, they may save our customers money and time. They guide our customers in finding suitable jobs and other information as well. Secondly, a wide range of practice types and different version of our 1Z0-1067-25 Study Materials receive technological support through our expert team.

Oracle Cloud Infrastructure 2025 Cloud Ops Professional Sample Questions (Q34-Q39):

NEW QUESTION # 34

You have created several block volumes in the us-phoenix-1 region in a specific compartment. The compartment can be identified by the following Oracle Cloud Infrastructure (OCI) unique identifier, or `ocid1.compartment.oc1.phx.exampleuniqueID`. Your manager has asked you to leverage the OCI monitoring service and write a metric query showing all read IOPS at a one-minute interval, filtered to this compartment and aggregated for the maximum. Which metric query will you create?

- A. `IopsRead[1m]{compartmentId='ocid1.compartment.oc1.phx.exampleuniqueID'}.grouping().mean()`
- B. `IopsRead[1m]{compartmentId='ocid1.compartment.oc1.phx.exampleuniqueID'}.max()`
- C. `Iop-sRead[1m]{compartmentId='ocid1.compartment.oc1.phx.exampleuniqueID'}.grouping().max()`
- D. `Iop-sWrite[1m]{compartmentId='ocid1.compartment.oc1.phx.exampleuniqueID'}.mean()`

Answer: C

NEW QUESTION # 35

You are running an old version of PostgreSQL on several compute instances and want to update to the latest version. Which tool must you use to update the PostgreSQL packages on the existing machines?

- A. OCI Package Manager
- B. Terraform
- C. OCI CLI
- D. Ansible

Answer: D

NEW QUESTION # 36

You are using the Oracle Cloud Infrastructure Command Line Interface to launch a Linux virtual machine. You enter the following command (with correct values for all parameters):

The command fails. Which is NOT a valid parameter in this command? (Choose the best answer.)

- A. `--image-id <image_id>`
- B. `--subnet-id <subnet_id>`
- C. `--shape <shape_name>`

- D. "-c <compartment_id>"
- E. "-t <tenancy_id>"

Answer: E

NEW QUESTION # 37

You are an admin of an OCI tenancy. To save cost, you want to restrict the amount of OCPUs that can be provisioned in each compartment. Which will allow this?

- A. Budgets
- B. Compartment quotas
- C. Resource Manager
- D. Service limits

Answer: B

NEW QUESTION # 38

SIMULATION

Scenario: 2 (Oracle Cloud-init and AutoScaling: Use cloud-init to Configure Apache on Instances in an Autoscaling Instance Pool)

Scenario Description: (Hands-On Performance Exam Certification) You're deploying an Apache-based web application on OCI that requires horizontal autoscaling.

To configure instances upon provisioning, write a cloud-init script for Oracle Linux 8 that installs and enables Apache (httpd), and opens the firewall for HTTP on TCP port 80. Create an instance configuration and include the cloud-init script in it. Use this instance configuration to create an instance pool and autoscaling configuration.

Pre-Configuration:

To fulfill this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

A VCN Cloud-Init Challenge VCN with an Internet gateway and a public subnet. The security list for the subnet allows ingress via TCP ports 22 and 80 (SSH and HTTP). The route table forwards all egress to the Internet gateway.

Access to the OCI Console

Required IAM policies

An SSH key pair for the compute instance

Public Key https://objectstorage.us-ashburn-1.oraclecloud.com/n/tenancyname/b/PBT_Storage/o/PublicKey.pub Private Key

https://objectstorage.us-ashburn-1.oraclecloud.com/n/tenancyname/b/PBT_Storage/o/PKey.key Note: Throughout your exam, ensure to use assigned Compartment , User Name , and Region.

Complete the following tasks in the provisioned OCI environment:

Task 1(a): Develop the cloud-init Script:

Task 1(b): Use cloud-init to Configure Apache on Instances in an Autoscaling Instance Pool:

Answer:

Explanation:

See the solution below with Step by Step Explanation

Explanation:

Task 1(a): Develop the cloud-init Script:

Create a compute instance pbt_cloud_init_vm_01 with the following properties:

Shape: VM.Standard.A1.Flex instance with 1 OCPU and 6 GB memory

Image: Oracle Linux 8

Placement: Use any of the availability domains

Network:

Place in the public subnet Cloud-Init Challenge SNT

Assign a public IPv4

Use the SSH public key

Add a cloud-init script and perform the following:

Use yum or dnf to install httpd.

Use systemctl to enable and start httpd

Open the firewall to http:

sudo firewall-offline-cmd --add-service=http

systemctl restart firewalld

Mark Complete

Task 1(b): Use cloud-init to Configure Apache on Instances in an Autoscaling Instance Pool:

You're deploying an Apache-based web application on OCI that requires horizontal autoscaling.

To configure instances upon provisioning, write a cloud-init script for Oracle Linux 8 that installs and enables Apache (httpd), and opens the firewall for HTTP on TCP port 80. Create an instance configuration and include the cloud-init script in it. Use this instance configuration to create an instance pool and autoscaling configuration.

Task 2: Create an Autoscaling Instance Pool Including the cloud-init Script:

Create an instance configuration named `pbt_cloud_init_config_01` with the following properties:

Shape: VM.Standard.A1.Flex instance with 1 OCPU and 6 GB memory

Image: Oracle Linux 8

Placement: Use any of the availability domains

Network:

Place in the public subnet Cloud-Init Challenge SNT

Assign a public IPv4

Use the SSH public key

Attach the cloud-init script created in Task 1

Create an instance pool named `pbt_cloud_init_pool_01` with one instance by using the instance configuration

`pbt_cloud_init_config_01` Create and attach an autoscaling configuration named `pbt_cloud_autoscaling_config_01` with the following settings:

Metric-based autoscaling

Cooldown: 300 second

Performance metric: CPU utilization

Scale-out rule:

Operator: Greater than (>)

Threshold: 75%

Number of instances to add: 1

Scale-in rule:

Operator: Less than (<)

Threshold: 25%

Number of instances to remove: 1

Scaling limits:

Minimum number of instances: 1

Maximum number of instances: 2

Initial number of instances: 1

Task 1: Develop the cloud-init script

In the main menu, go to Compute > Instances and click Create an Instance In the instance creation menu, enter the following details

a. Name: Provide name given in the instructions b. Compartment: Use the assigned compartment c. Placement: Use any of the availability domains d. Image: Oracle Linux 8 e. Shape: VM.Standard.A1.Flex instance with 1 OCPU and 6 GB memory f.

Network:

i. Place in the public subnet

ii. Assign a public IPv4

g. SSH keys: Upload or paste the provided SSH public key

h. Boot volume: Leave as default

i. Under advanced options, add the following cloud-init script:

```
#!/bin/shsudo dnf install httpd --assumeyes --quietsudo systemctl enable httpdsudo systemctl start httpdsudo firewall-offline-cmd --add-service=httpssystemctl restart firewalld j. Create the instance.
```

Task 2: Create an autoscaling instance pool including the cloud-init script

1. In the main menu, go to Compute > Instance Configurations. Click Create instance configuration.

a. In the instance configuration creation menu, enter the same details as before:

b. Name: Provide name given in the instruction/if not specified provide any name c. Compartment: Assigned compartment d.

Placement: Use any of the availability domains e. Image: Oracle Linux 8 f. Shape: VM.Standard.A1.Flex instance with 1 OCPU and 6 GB memory g. Network:

i. Place in the public subnet

ii. Assign a public IPv4

h. SSH keys: Upload or paste the provided SSH public key

i. Boot volume: Leave as default

j. Under advanced options, add the following cloud-init script:

```
#!/bin/shsudo dnf install httpd --assumeyes --quietsudo systemctl enable httpdsudo systemctl start httpdsudo firewall-offline-cmd --add-service=httpssystemctl restart firewalld k. Create the instance configuration.
```

Task 2: In the main menu, go to Compute > Instance Pools. Click Create instance pool.

Enter the following details:

a. Name: Provide name given in the instruction/if not specified provide any name b. Compartment: Assigned compartment c. Instance configuration: Created in last step d. Number of instances: 1 e. Select any availability domain f. Leave fault domain unselected g. Primary VNIC: Provided VCN in the instructions h. Subnet: Public subnet i. Do not attach a load balancer j. Create the instance pool

Task 3: In the main menu, go to Compute > Autoscaling Configurations. Click Create autoscaling configuration and enter the following details:

NEW QUESTION # 39

We aim to provide our candidates with real Oracle vce dumps and learning materials to help you pass real exam with less time and money. Our valid 1Z0-1067-25 top questions are written by our IT experts who are specialized in 1Z0-1067-25 Study Guide for many years and check the updating of 1Z0-1067-25 vce files everyday to make sure the best preparation material for you.

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, academy.ibba.com.tw,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, Disposable vapes

P.S. Free 2026 Oracle 1Z0-1067-25 dumps are available on Google Drive shared by DumpsReview:
<https://drive.google.com/open?id=1gF8cTlkMSpj0NQGGnEtZXEsI5xJ46GxU>