

H12-821_V1.0参考書 & H12-821_V1.0一発合格



P.S.JpshikenがGoogle Driveで共有している無料の2025 Huawei H12-821_V1.0ダンプ: https://drive.google.com/open?id=1SaM9_cEzjDDjkbjO_YnhFpQW4a93dVkO

多くの時間と労力がかかってHuaweiのH12-821_V1.0認定試験に合格するを冒険すると代わりJpshikenが提供した問題集を利用してわずか一度お金かかって合格するのは価値があるでしょう。今の社会の中で時間がそんなに重要で最も保障できるJpshikenを選びましょう。

Huawei H12-821_V1.0認定はIT業界で高く評価されており、試験に合格した候補者は多くのキャリアメリットを享受できます。この認定は、候補者がネットワークエンジニアリング、ネットワーク管理、およびその他のIT関連分野でキャリアを促進するのに役立ちます。また、トップのIT企業や組織に雇われる可能性を高めることができます。

>> H12-821_V1.0参考書 <<

H12-821_V1.0試験の準備方法 | 有難いH12-821_V1.0参考書試験 | 真実的なHCIP-Datacom-Core Technology V1.0一発合格

JpshikenのHuaweiのH12-821_V1.0試験トレーニング資料は豊富な経験を持っているIT専門家が研究したもので、問題と解答が緊密に結んでいるものです。それと比べるものはありません。専門的な団体と正確性の高いHuaweiのH12-821_V1.0問題集があるこそ、Jpshikenのサイトは世界的でH12-821_V1.0試験トレーニングによっての試験合格率が一番高いです。Jpshikenを選び、成功を選びます。

Huawei H12-821_V1.0認定試験は、複数選択肢問題とシナリオベースの問題に分かれた60問からなります。試験時間は90分で、合格点は1000点中600点です。この試験は英語と中国語の両方で利用可能であり、世界中のHuawei認定テストセンターで受験することができます。

Huawei H12-821_V1.0試験は、データ通信コアテクノロジーに関する候補者の知識をテストする中間レベルの認定です。これには、ネットワークアーキテクチャ、スイッチングとルーティング、TCP/IPプロトコル、MPLS VPN、ネットワークセキュリティなどのトピックが含まれます。この試験は60の複数選択の質問で構成されており、候補者はそれを完了するために90分かかります。

Huawei HCIP-Datcom-Core Technology V1.0 認定 H12-821_V1.0 試験問題 (Q1083-Q1088):

質問 # 1083

Which of the following descriptions about the introduction of external routes to 86P is correct? (Multiple choice)

- A. When the external route is imported, the default origin attribute is igp, and its attribute can be modified to incomplete through the Route-Policy tool
- B. When the external route is imported, its AsPath can be modified through the Route-Policy tool
- C. When importing an external route, you can directly define its ED value for the same type of route
- D. When importing external routes, the Preferred_Value defaults to 150

正解: B、C

質問 # 1084

Regarding the basic concept of link aggregation, which of the following description is wrong?

- A. Link aggregation follows the IEEE802.3ad protocol.
- B. Link aggregation is a method of bundling a group of physical interfaces together as a logical interface to increase bandwidth and reliability.
- C. The logical link formed by bundling several physical links together is called a link aggregation group (LAG or Trunk)
- D. Link aggregation only exists on active interfaces

正解: D

質問 # 1085

Which of the following descriptions about the default security zones Trust and Untrust of the firewall is correct? (Multiple choice)

- A. The direction of accessing the Untrust area from the Trust area is the Inbound direction
- B. The security level of Trust is 85
- C. The direction of accessing the Untrust zone from the Trust zone is the Outbound direction
- D. The security level of Untrust is 50

正解: B、C

質問 # 1086

Which of the following statement regarding the display ospf peer command output is true?

- A. Address: 10.1.1.1 Indicates that the local interface address is 10.1.1.1.
- B. Through negotiation during DD packet exchange, the local end becomes the slave.
- C. The DR address is 10.1.1.1
- D. Router ID indicates that the local router ID is 10.1.1.1.

正解: B

解説:

The command output indicates that the OSPF neighbor state is Full and that the neighbor relationship has been established. The statement confirms that the negotiation process during the exchange of DD (Database Description) packets has determined the role of the router, with the local device becoming the slave in the Master-Slave relationship, which is critical for LSA synchronization. The other options do not align with the output or OSPF principles

質問 # 1087

The route-policy defined by a router is as shown in the figure.

Which of the following descriptions of this configuration is correct?

- 正解: B**

• • • • •

[illegible]

P.S.JpshikenがGoogle Driveで共有している無料の2025 Huawei H12-821_V1.0ダンプ: https://drive.google.com/open?id=1SaM9_cEzjDDjkbjO_YnhFpQW4a93dVkO