

PECB ISO-45001-Lead-Auditor再テスト、ISO-45001-Lead-Auditor出題内容



P.S. JPNTesTがGoogle Driveで共有している無料かつ新しいISO-45001-Lead-Auditorダンプ: <https://drive.google.com/open?id=1w7RB4MLn0vTm3OLi2Sng2f6o9bQeR0M4>

各製品には試用版があり、当社の製品も例外ではありません。つまり、ISO-45001-Lead-Auditor準備ガイドのWebサイトを閲覧すると、ISO-45001-Lead-Auditorガイド急流が無料のデモを提供できることを意味します。お客様が事前に当社の製品について理解を深めることができます。さらに、スケジュールよりも前に進んでいる場合は、ISO-45001-Lead-Auditor試験トレントがあなたに適しているかどうかを検討できます。

高品質の製品に基づいて、当社のISO-45001-Lead-Auditorガイドトレントは、98%～100%を達成できるテスト合格率を保証する高品質です。ISO-45001-Lead-Auditor学習ツールは、経験豊富な専門家によってオンラインで更新され、ユーザーに送信されます。そのため、学習資料の更新に特別な注意を払う必要はありません。ISO-45001-Lead-Auditor試験トレントのデータは前向きであり、ユーザーが最新の知識を習得するのに役立つホットトピックを把握できます。和解しておらず、再度自分自身に挑戦したい場合は、特定の割引を提供します。

>> PECB ISO-45001-Lead-Auditor再テスト <<

完璧なISO-45001-Lead-Auditor再テスト & 合格スムーズ ISO-45001-Lead-Auditor出題内容 | 一生懸命にISO-45001-Lead-Auditor合格率

学習資料が時代に遅れないようにしながら、ISO-45001-Lead-Auditor学習の質問をより専門的にするために多数の専門家を選択しました。もちろん、必要な情報を取得するためにすべてを行っており、より迅速に進めることができます。また、ISO-45001-Lead-Auditor試験トレーニングプロフェッショナルからいつでもサポートを受けることができます。私たちは、ISO-45001-Lead-Auditorテストガイドの専門家の助けを借りて、確実に非常に良い経験を得ることを確信できます。優れた材料と方法は、より少ない労力でより多くの成果を上げるために役立ちます。ISO-45001-Lead-Auditorテストガイドを選択して、成功に近づけましょう！

PECB ISO-45001-Lead-Auditor認定試験の出題範囲:

トピック	出題範囲
トピック 1	<ul style="list-style-type: none"> Managing an ISO 45001 audit program: This section of the exam measures the skills of Audit Managers and covers the management of an ongoing ISO 45001 audit program. It focuses on scheduling audits, maintaining auditor competency, and ensuring continuous improvement within the auditing process. One skill to be measured is implementing strategies for effective audit program management.
トピック 2	<ul style="list-style-type: none"> ISO 45001 requirements for an OH&S MS – Clauses 4 to 10: This section of the exam measures the skills of Auditors related to specific requirements outlined in ISO 45001 about occupational health and safety management systems. It emphasizes understanding clauses that address context, leadership, planning, support, operation, performance evaluation, and improvement. A skill to be measured is applying ISO 45001 requirements to organizational practices.
トピック 3	<ul style="list-style-type: none"> Domain 4: Preparing for an ISO 45001 audit: This section of the exam measures the skills of Audit Consultants and covers the preparation process for conducting an ISO 45001 audit. It emphasizes planning, resource allocation, and establishing audit objectives to ensure a thorough evaluation.
トピック 4	<ul style="list-style-type: none"> Closing an ISO 45001 audit: This section of the exam measures the skills of Audit Consultants and covers the procedures for concluding an ISO 45001 audit. It emphasizes reporting results, discussing findings with stakeholders, and ensuring follow-up actions are planned.
トピック 5	<ul style="list-style-type: none"> Fundamental audit concepts and principles: This section of the exam measures the skills of Internal Auditors and covers the basic concepts and principles related to auditing an OHSMS. It focuses on understanding audit types, methodologies, and the role of audits in compliance and improvement. One skill to be measured is conducting effective audits to assess OHSMS performance.

PECB Certified ISO 45001 Lead Auditor Exam 認定 ISO-45001-Lead-Auditor 試験問題 (Q48-Q53):

質問 #48

Aitchandness inc, manufactures safety footwear and other items of personal protective equipment (PPE). The organisation applied for ISO 45001 certification, and after the initial certificate audit, the certificate body decided that the audit team leader should carry out a follow-up audit to determine whether the non-conformities could be closed out.

A major non-conformity was raised at Stage 2 because of inadequate storage and handling of chemical used in the production process. Minor non-conformities related to retaining documentation, staff safety training and inadequate testing of emergency procedures.

Select four of the actions which the auditor could take at the follow-up audit to determine the effectiveness of corrective action for the non-conformities.

- A. Interview the OH&S Manager to determine whether additional health and safety objectives have been established.
- B. Interview staff to see whether they have received training in the revised emergency response procedures.
- C. Ask to review the latest emergency response drill report to check whether the revised emergency response process is fit for purpose
- D. Inspect the relevant areas to check whether chemical were being stored and handled in a safe manner.
- E. Ask whether the organization's internal audit schedule was revised to included more audit associated with the storage and handling of chemicals.
- F. Check that the safety data sheets associated with the chemical being used where checked for completeness.
- G. Determine whether an updated risk assessment has been carried out on the revised chemical storage and handling processes.
- H. Check whether documented procedures for the revised processes have been signed off by the OH&S Manager.

正解: C、D、G、H

解説:

Follow-up audits verify that corrective actions have been implemented effectively and address the root cause of the nonconformities. Analysis of Options:

A. Review the latest emergency response drill report:

Correct. This verifies whether emergency response processes are functional and effective.

B . Check if the internal audit schedule was revised:

Incorrect. While beneficial, this is not directly related to closing out the nonconformity.

C . Check safety data sheets for completeness:

Incorrect. While this ensures compliance, it is not directly related to verifying corrective actions.

D . Check if revised procedures were signed off:

Correct. This confirms that changes were properly documented and approved.

E . Determine whether an updated risk assessment was carried out:

Correct. Risk assessments confirm the effectiveness of new controls.

F . Inspect areas for safe chemical storage and handling:

Correct. Direct observation ensures that corrective actions are implemented effectively.

G . Interview staff on revised emergency procedures:

Incorrect. While important, this does not directly address the effectiveness of corrective actions for chemical storage.

H . Interview the OH&S Manager about additional objectives:

Incorrect. This is unrelated to the specific nonconformities raised.

ISO Reference:

Clause 10.2.2: Verification of corrective actions.

Clause 8.1.2: Hazard identification and controls.

質問 # 49

What does ISO 45001 say are the hazards that have to be considered when planning a health and safety management system?

Select the ONE best answer.

- A. Work activities, workplace design, and human factors such as hours of work and bullying and harassment
- B. Work activities where there is the possibility of danger
- C. Work hazards and environmental factors such as bad weather
- D. Hot-work, working at height, enclosed space entry, and work on electrical equipment

正解： A

解説：

ISO 45001:2018 requires a holistic approach to occupational health and safety. This means considering all aspects that could impact worker well-being, not just obvious physical hazards. The correct answer encompasses work activities (the tasks themselves), workplace design (the physical environment), and human factors (psychological and social aspects like working hours and harassment). It's the most comprehensive and aligned with the standard's philosophy ISO 45001:2018, Clause 6.1.2, outlines requirements for hazard identification. Hazards to consider include work activities, workplace design, human factors, and social factors that may impact OH&S. These go beyond traditional physical risks and include psychosocial and organizational hazards.

Analysis of Options:

* A. Work activities, workplace design, and human factors such as hours of work and bullying and harassment:Correct. This comprehensively addresses hazard categories outlined in ISO 45001, Clause 6.1.2.

* B. Work activities where there is the possibility of danger:Too general. ISO 45001 includes broader categories of hazards, including those related to organizational and social factors.

* C. Hot-work, working at height, enclosed space entry, and work on electrical equipment:Too narrow. These are specific hazards but do not encompass the full range outlined in ISO 45001.

* D. Work hazards and environmental factors such as bad weather:Incomplete. While environmental factors are relevant, ISO 45001 also includes workplace design, human factors, and psychosocial hazards.

ISO References:

* Clause 6.1.2.1: Hazard identification.

* Annex A.6.1.2: Examples of hazard categories, including workplace design and human factors.

質問 # 50

You are the audit team leader of an ISO 45001 remote/space certification audit. Which two of the following topics would you need to discuss with the audit OHSMS legislation of the local authority, which has been

- A. OHS management system hazards identification and risks evaluation process
- B. Any practical obstacles to the audit
- C. OHS accidents occurred since Stage 1 audit
- D. Results of the last regulatory audit

- E. Access requirements for the virtual platform
- F. Trends in the OHS indicators and associated objectives

正解: B、E

質問 #51

An audit team leader is interviewing a member of top management in respect of the organisation's performance evaluation processes. It is clear to the audit team leader that there is some confusion as to difference between monitoring and measurement.

Which three of the following statements by the member of top management are correct?

- A. We use monitoring where we need to establish a precise value prior to releasing a product to the next stage.
- B. We use a measurement process when we need a visual indication that the output of a process is OK.
- C. Only measurement can be used as an input into identifying hazards, risks and opportunities.
- D. Our calibration equipment was purchased primarily to support the control of high risk hazards.
- E. We must keep records of our measurement activity, but whether we keep them of our monitoring activity is entirely up to us.
- F. Performance indicators are measures that we monitor for trends.
- G. We often use monitoring to conduct a visual check.
- H. Monitoring and measurement are used to determine the effectiveness of the OHSMS.

正解: F、H

質問 #52

Select the two options which describe a disadvantage of using a checklist.

- A. Ensuring relevant audit trails are followed
- B. Helping with sampling of evidence
- C. Using the same checklist for every audit without review
- D. Assisting with starting an interview
- E. Noting down evidence details
- F. Not varying from the checklist when necessary

正解: E、F

質問 #53

.....

ISO-45001-Lead-Auditor最新の試験トレントは、資格試験ごとに分類が異なるため、ユーザーはユーザーの実際のニーズに応じて独自の学習モードを選択できます。ISO-45001-Lead-Auditor試験の質問は、ユーザーが選択できるさまざまな学習モードを提供します。これは、コンピューターや携帯電話の複数のクライアントがオンラインで勉強したり、オフライン統合のためにデータを印刷したりするために使用できます。手頃な価格と実践を完璧にサポートする最新のISO-45001-Lead-Auditor試験のトレントは、ISO-45001-Lead-Auditor試験の質問のみを気に入っています。

ISO-45001-Lead-Auditor出題内容: <https://www.jpntest.com/shiken/ISO-45001-Lead-Auditor-mondaishu>

- ISO-45001-Lead-Auditor合格資料 ISO-45001-Lead-Auditor認証pdf資料 ISO-45001-Lead-Auditor資格認定 ISO-45001-Lead-Auditor の試験問題は www.xhs1991.com 無料配信中ISO-45001-Lead-Auditor最新試験情報
- 最高-実用的なISO-45001-Lead-Auditor再テスト試験-試験の準備方法ISO-45001-Lead-Auditor出題内容 ウェブサイト▶ www.goshiken.com◀を開き、 ISO-45001-Lead-Auditor を検索して無料でダウンロードしてくださいISO-45001-Lead-Auditor受験準備
- ISO-45001-Lead-Auditor PDF ISO-45001-Lead-Auditor復習対策 ISO-45001-Lead-Auditorトレーリングサンプル www.jpntestking.com◀に移動し、 ISO-45001-Lead-Auditor を検索して、無料でダウンロード可能な試験資料を探しますISO-45001-Lead-Auditor受験資料更新版
- 試験の準備方法-素晴らしいISO-45001-Lead-Auditor再テスト試験-効率的なISO-45001-Lead-Auditor出題内容 www.goshiken.com にて限定無料の▶ ISO-45001-Lead-Auditor 問題集をダウンロードせよISO-45001-Lead-Auditor試験勉強過去問

- 素晴らしいISO-45001-Lead-Auditor再テスト - 合格スムーズISO-45001-Lead-Auditor出題内容 | 真実的なISO-45001-Lead-Auditor合格率 □ ⇒ www.xhs1991.com サイトにて (ISO-45001-Lead-Auditor) 問題集を無料で使おうISO-45001-Lead-Auditor受験準備
- ISO-45001-Lead-Auditor試験の準備方法 | 有効的なISO-45001-Lead-Auditor再テスト試験 | 正確的なPECB Certified ISO 45001 Lead Auditor Exam出題内容 □ □ www.goshiken.com □で ⇒ ISO-45001-Lead-Auditor □を検索し、無料でダウンロードしてくださいISO-45001-Lead-Auditor模擬対策
- 最新の更新PECB ISO-45001-Lead-Auditor再テストは主要材料 - 人気のあるISO-45001-Lead-Auditor: PECB Certified ISO 45001 Lead Auditor Exam □ URL ➤ www.topexam.jp □をコピーして開き、▷ ISO-45001-Lead-Auditor ▲を検索して無料でダウンロードしてくださいISO-45001-Lead-Auditor認証pdf資料
- 実際的なPECB ISO-45001-Lead-Auditor再テスト - 合格スムーズISO-45001-Lead-Auditor出題内容 | 高品質なISO-45001-Lead-Auditor合格率 □ ⇒ www.goshiken.com □を入力して ⇒ ISO-45001-Lead-Auditor □を検索し、無料でダウンロードしてくださいISO-45001-Lead-Auditor復習対策
- ISO-45001-Lead-Auditorソフトウェア □ ISO-45001-Lead-Auditorソフトウェア □ ISO-45001-Lead-Auditor最新試験情報 □ 今すぐ { www.passtest.jp } で □ ISO-45001-Lead-Auditor □を検索し、無料でダウンロードしてくださいISO-45001-Lead-Auditor参考資料
- ISO-45001-Lead-Auditor認証pdf資料 □ ISO-45001-Lead-Auditor試験勉強過去問 □ ISO-45001-Lead-Auditor受験資料更新版 □ 「 ISO-45001-Lead-Auditor 」の試験問題は ⇒ www.goshiken.com □で無料配信中ISO-45001-Lead-Auditor対応内容
- ISO-45001-Lead-Auditor試験の準備方法 | 効果的なISO-45001-Lead-Auditor再テスト試験 | ハイパスレートのPECB Certified ISO 45001 Lead Auditor Exam出題内容 □ ⇒ www.goshiken.com □にて限定無料の「 ISO-45001-Lead-Auditor 」問題集をダウンロードせよ ISO-45001-Lead-Auditor合格資料
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.thingstogetme.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

無料でクラウドストレージから最新のJPNTesT ISO-45001-Lead-Auditor PDFダンプをダウンロードする: <https://drive.google.com/open?id=1w7RB4MLn0vTm30Li2Sng2f6o9bQeR0M4>