

SAP C-SEC-2405技術問題、C-SEC-2405資料勉強



無料でクラウドストレージから最新のJPNTTest C-SEC-2405 PDFダンプをダウンロードする：<https://drive.google.com/open?id=1op1dDwfWZgjGgZ7ms12K2YoFuPWZ9wni>

怠け者の罰は自分の失敗だけでなく、他人の成功でもあります。だから、あなたは自分自身をよりよくしたい場合、C-SEC-2405試験資料を買きましょう！C-SEC-2405認定試験資格証明書は権威的で、いい仕事を保障できます。C-SEC-2405試験資料を勉強し、簡単にC-SEC-2405試験に合格できます。

SAP C-SEC-2405 認定試験の出題範囲：

トピック	出題範囲
トピック 1	<ul style="list-style-type: none">承認とロールのメンテナンス: この試験セクションでは、SAP 管理者のスキルを測定し、SAP システム内のユーザー承認とロールの管理について扱います。安全なアクセスを確保するために、ロールの定義、維持、承認に関わるプロセスに重点が置かれます。評価される主要なスキルは、ロール承認を効果的に管理してアクセスリスクを軽減することです。
トピック 2	<ul style="list-style-type: none">SAP Fiori 権限と SAP S4HANA: この試験セクションでは、SAP 開発者のスキルを測定し、SAP S4HANA 内の SAP Fiori アプリケーションに固有の権限管理をカバーします。適切なアクセスレベルを確保するために、Fiori アプリの権限を構成することに重点が置かれています。評価される主要なスキルは、ユーザーエクスペリエンスを向上させる Fiori 権限の概念を理解することです。

トピック 3

- ユーザー管理: この試験セクションでは、SAP 管理者のスキルを測定し、SAP システム内のユーザー管理タスクをカバーします。これには、ユーザーアカウント、ロール、プロフィールの効率的な管理が含まれます。評価される重要なスキルは、セキュリティとコンプライアンスの取り組みをサポートするために正確なユーザーレコードを維持することです。

>> SAP C-SEC-2405技術問題 <<

効果的C-SEC-2405 | 高品質なC-SEC-2405技術問題試験 | 試験の準備方法SAP Certified Associate - Security Administrator資料勉強

初めて練習を選ぶことは、ギャンブルをすることに少し似ていると思うかもしれません。ただし、C-SEC-2405 学習クイズでは、参考になる無料のデモと、バックアップとしてのプロのエリートが用意されています。彼らは、C-SEC-2405 トレーニング資料で発生したエラーについて妥協しない検閲エリートの集まりです。そのため、彼らの正解率は信じられないほど高く、試験の受験者の98%以上が合格しました。あなたのように成功することに熱心な熱心な受験者に試験の知識を伝えることで、彼らはそれを助けを提供する責任として扱います。そのため、情報の特性に従って次のC-SEC-2405学習ガイドを入手できる場合は、目覚ましい進歩を遂げてください。

SAP Certified Associate - Security Administrator 認定 C-SEC-2405 試験問題 (Q57-Q62):

質問 # 57

Which user type in SAP S/4HANA Cloud Public Edition is used for API access, system integration, and scenarios where automated data exchange is required?

- A. SAP Communication User
- B. SAP Administrative User
- C. SAP Technical User
- D. SAP Support User

正解: A

解説:

In SAP S/4HANA Cloud Public Edition, the SAP Communication User type is used for:

- * API Access:
- * Facilitates secure communication between SAP systems and external applications.
- * System Integration:
- * Used in scenarios requiring automated data exchange, such as integrations with middleware or third-party systems.

SAP Security References:

- * SAP Help Portal: Communication User Setup and Use Cases
- * SAP API Management Documentation

質問 # 58

Which entities share data with Business Partners in the S/4HANA Business User Concept? Note: There are 2 correct answers to this question.

- A. Employee
- B. User
- C. Administrator
- D. Employer

正解: A、B

解説:

In the SAP S/4HANA Business User Concept, the entities that share data with Business Partners are User and Employee. The User

entity represents the technical user account in the system, defined in user master records, and is linked to Business Partners to associate system access with business roles and authorizations. The Employee entity represents the human resource data of an individual, such as their organizational assignment or job role, and is synchronized with Business Partners to ensure that user access aligns with their employment details. This integration ensures that Business Partners, which serve as a central entity for managing business relationships, have consistent data for access control and business processes. The Employer entity is not directly linked to Business Partners, as it represents the organization, not an individual.

Similarly, Administrator is a role or user type, not an entity sharing data with Business Partners. This data-sharing mechanism supports seamless identity and access management, enhancing security and operational alignment in SAP S/4HANA systems.

質問 # 59

In SAP S/4HANA Cloud Public Edition, what does the ID of an SAP-predefined Space refer to?

- A. The business roles it is to be assigned to
- B. The SAP Fiori applications it was defined for
- C. The business area it was designed for
- D. The software release it was created for

正解: C

解説:

* Context: SAP-predefined spaces in S/4HANA Cloud are aligned with specific business functions to streamline access and usability.

* Solution Explanation:

* The ID of an SAP-predefined Space corresponds to the business area it supports, ensuring alignment with functional requirements.

SAP Security References:

* SAP Fiori Launchpad Space Management Documentation

* SAP Help Portal for Space Configuration

質問 # 60

In S/4HANA on-premise, which of the following combinations is required to grant a business user access to data from a Core Data Services (CDS) view using the standard ABAP authorization concept and authorization object S_RS_AUTH?

- A. *A CDS role with access conditions based on authorization object S_RS_AUTH
*APFCG role containing the CDS role and access conditions based up authorization object S_RS_AUTH
*Assignment of the PFCG role to the business user. C.
- B. *A CDS role with access conditions based on authorization object S_RS_AUTH
*APFCG role containing the CDS role and access conditions based up authorization object S_RS_AUTH
*Assignment of the PFCG role and the CDS role to the business user.
- C. *A CDS role with access conditions based on authorization object S_RS_AUTH,
*APFCG role with authorization for object S_RS_AUTH and assignment of the PFCG role
*The CDS role to the business user.
- D. *ACDS role with access conditions based on authorization object S_RS_AUTH
*A PFCG role with authorization for object S_RS_AUTH
*Assignment of the PFCG role to the business user. D.

正解: B

質問 # 61

Which SAP Fiori deployment option requires the Cloud connector?

- A. SAP Business Technology Platform
- B. SAP Fiori for SAP S/4HANA standalone front-end server
- C. SAP S/4HANA embedded
- D. SAP S/4HANA Cloud Public Edition

正解: A

解説:

