


検証する300-715受験体験 & 保証するCisco 300-715信頼 できる試験の成功300-715日本語版トレーニング



P.S.JpexamがGoogle Driveで共有している無料の2026 Cisco 300-715ダンプ: <https://drive.google.com/open?id=16wUTgUiTgbUHfYBQoK7mIFjdMRnVKSH0>

Cisco学習教材には、JpexamPDFバージョン、ソフトバージョン、APPバージョンのさまざまなバージョンがあります。コンピューターで勉強するのが好きでも、紙の資料を読むのが好きでも、300-715学習資料はCiscoあなたのニーズを満たすことができます。ほとんどの時間、紙の学習資料を読むことに慣れている場合は、心配を解消できます。300-715試験クイズでは、この分野の顧客のニーズを完全に考慮します。300-715学習教材のバージョンは、お客様がImplementing and Configuring Cisco Identity Services Engine学習できるようになっているため、自由時間が十分に活用され、知識を統合できることがよくあります。

Cisco 300-715認定試験では、ネットワークアクセス制御、アイデンティティ管理、ポリシー執行、高度なセキュリティ機能など、Cisco ISEに関連する幅広いトピックをカバーしています。この試験では、Cisco TrustSec、BYOD、およびゲストアクセスソリューションに関する候補者の知識と、ISEの展開に関連する一般的な問題のトラブルシューティング能力もテストしています。

>> 300-715受験体験 <<

300-715日本語版トレーニング & 300-715最新対策問題

300-715試験はIT業界でのあなたにとって重要です。あなたは300-715試験に悩んでいますか？試験に合格できないことを心配していますか？我々の提供した一番新しくて全面的なCiscoの300-715問題集はあなたのすべての需要を満たすことができます。資格をもらうのはあなたの発展の第一歩で、我々の300-715日本語対策はあなたを助けて試験に合格して資格をもらうことができます。

Cisco 300-715認定試験は、Implementing and Configuring Cisco Identity Services Engineとも呼ばれ、Cisco Identity Services Engine (ISE) ソリューションを実装・設定したいITプロフェッショナルの知識とスキルをテストするためのプロ

フェッショナルレベルの試験です。この試験は60～70の多肢選択問題からなり、90分間の試験です。英語と日本語で受験可能です。

Cisco Implementing and Configuring Cisco Identity Services Engine 認定 300-715 試験問題 (Q234-Q239):

質問 # 234

An engineer must configure web redirection for guests to a portal where no authentication is required and an Acceptable Use Policy must be accepted by the guest before network access is allowed. Which type of guest portal must be configured in Cisco ISE to meet the requirement?

- A. Sponsored
- B. Hotspot
- C. Self Registered
- D. Custom

正解: B

質問 # 235

Refer to the exhibit. A network engineers configuring the switch to accept downloadable ACLs from a Cisco ISE server. Which two commands should be run to complete the configuration? (Choose two)

- A. dot1x system-auth-control
- B. radius server vsa send authentication
- C. aaa authorization auth-proxy default group radius
- D. ip device tracking
- E. radius-server attribute 8 include-in-access-req

正解: A、 D

解説:

radius server vsa send authentication is enabled by default on IOS 15.X and later versions.

To configure a switch to accept downloadable ACLs from a Cisco ISE server, the following two commands are required:

ip device tracking: This command enables the switch to track IP device information, which is needed for the ISE server to provide dynamic access policies based on a device's IP address.

dot1x system-auth-control: This command enables 802.1X authentication on the switch and allows the switch to forward authentication requests to the ISE server.

質問 # 236

Which term refers to an endpoint agent that tries to join an 802.1X-enabled network?

- A. EAP server
- B. authenticator
- C. supplicant
- D. client

正解: C

解説:

Section: Endpoint Compliance

質問 # 237

An engineer deploys Cisco ISE and must configure Active Directory to then use information from Active Directory in an authorization policy. Which two components must be configured, in addition to Active Directory groups, to achieve this goal? (Choose two)

- A. LDAP External Identity SourcesE Library Condition for Identity Group: User Identity Group

- 正解: B、C

- A. Create a new sponsor group and adjust the settings to limit the devices for each guest.
- B. Create an ISE identity group to add users to and limit the number of logins via the group configuration.
- C. Create an LDAP login for each guest and tag that in the guest portal for authentication.
- D. Create a new guest type and set the maximum number of devices sponsored guests can register

正解: A

.....

BONUS!!! Jpexam300-715ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=16wUTgUiTgbUHFyBQoK7mIFjdMRnVKSH0>

