


Valid FCSS_SDW_AR-7.6 Exam Answers - FCSS_SDW_AR-7.6 Interactive Testing Engine



It is a truth well-known to all around the world that no pains and no gains. There is another proverb that the more you plough the more you gain. When you pass the FCSS_SDW_AR-7.6 exam which is well recognized wherever you are in any field, then acquire the FCSS_SDW_AR-7.6 certificate, the door of your new career will be open for you and your future is bright and hopeful. Our FCSS_SDW_AR-7.6 Guide Torrent will be your best assistant to help you gain your certificate. We believe that you don't encounter failures anytime you want to learn our FCSS_SDW_AR-7.6 guide torrent.

As is known to us, getting the newest information is very important for all people to pass the exam and get the certification in the shortest time. In order to help all customers gain the newest information about the FCSS_SDW_AR-7.6 exam, the experts and professors from our company designed the best FCSS_SDW_AR-7.6 Study Materials. The IT experts will update the system every day. If there is new information about the exam, you will receive an email about the newest information about the FCSS_SDW_AR-7.6 study materials.

>> [Valid FCSS_SDW_AR-7.6 Exam Answers](#) <<

Pass Guaranteed Quiz Fortinet - Efficient Valid FCSS_SDW_AR-7.6 Exam Answers

PassTestking gives its customers an opportunity to try its FCSS_SDW_AR-7.6 product with a free demo. If you want to clear the FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) test, then you need to study well with real FCSS_SDW_AR-7.6 exam dumps of PassTestking. These FCSS_SDW_AR-7.6 Exam Dumps are trusted and updated. We guarantee that you can easily crack the FCSS_SDW_AR-7.6 test if use our actual Fortinet FCSS_SDW_AR-7.6 dumps.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q42-Q47):

NEW QUESTION # 42

An MSSP uses FortiManager to manage the FortiGate devices of its customers. The administrator grouped the devices for each customer in different ADOMs. For customer A, you configured one SD-WAN overlay template that applies to all devices in the ADOM. For customer B, you configured SD-WAN for DIA at the device level, with a different configuration for each FortiGate. You onboard customer C, a car manufacturer, who requests to have a single-hub SD-WAN topology for its retail points, and a dual-hub topology for the FortiGate devices installed in its factories. Which statement best describes how you should handle this request?

- A. You can place all the devices in the same ADOM, but you must use the SD-WAN overlay template to define only one topology.
- B. You can place all the devices in the same ADOM and you can create multiple SD-WAN templates, but you cannot use the SD-WAN overlay template.
- C. You can place all the devices in the same ADOM and define two topologies with the SD-WAN overlay template.
- D. You must assign the devices to different ADOMs to avoid conflicts between the single-hub and dual-hub SD-WAN topologies.

Answer: A

Explanation:

FortiManager uses SD-WAN overlay templates per ADOM to define the SD-WAN topology.

Within a single ADOM, you can only define one SD-WAN overlay template topology that applies to all devices in that ADOM. If different topologies are needed (e.g., single-hub for retail, dual-hub for factories), the devices cannot share multiple overlay topologies within the same ADOM.

Therefore, to handle multiple topologies, devices must be separated into different ADOMs or use separate device-level configurations outside the overlay template.

NEW QUESTION # 43

You have a FortiGate configuration with three user-defined SD-WAN zones and two members in each of these zones. One SD-WAN member is no longer in use in health-check and SD-WAN rules. You want to delete it.

What happens if you delete the SD-WAN member from the FortiGate GUI?

- A. FortiGate displays an error message. You must use the CLI to delete an SD-WAN member.
- B. FortiGate displays an error message. SD-WAN zones must contain at least two members
- C. FortiGate accepts the deletion and places the member in the default SD-WAN zone.
- D. **FodiGate accepts the deletion and removes routes as required.**

Answer: D

Explanation:

In FortiOS, you can remove an SD-WAN member from the GUI as long as it is not in use in any health-checks, SD-WAN rules, or policies.

When you delete it, FortiGate will automatically clean up related routes (static or dynamic SD-WAN routes referencing that member).

NEW QUESTION # 44

Refer to the exhibits. You connect to a device behind a branch FortiGate device and initiate a ping test. The device is part of the LAN subnet and its IP address is 10.0.1.101.

Based on the exhibits, which interface uses branch 1_fgt to steer the test traffic?

Diagnose output

```
branch_fgt # diagnose firewall proute list
list route policy info (vf=root):

id=1(0x1) dscp_tag=0xfc flags=0x0 tos=0x00 tos_mask=0x00 protocol=0
port=src(0->0):dst(0->0) iif=0(any)
path(1): oif=21(HUB1-VPN2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 10.1.0.7/255.255.255.255
hit_count=0 rule_last_used=2025-01-06 00:41:44

id=2130903041 (0x7f030001) vwl_service=1 (Critical-DIA) vwl_mbr_seq=1 2
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(2): oif=3(port1), oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Salesforce(16920,0) Microsoft.Portal (41469,0)
hit_count=13 rule_last_used=2025-01-06 01:55:12

id=2130903042 (0x7f030002) vwl_service=2 (Non-Critical-DIA) vwl_mbr_seq=2
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(1): oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(3): Facebook(15832, 0), LinkedIn(16331, 0), Game(0, 8)
hit_count=27 rule_last_used=2025-01-06 01:55:12

id=2130903043 (0x7f030003) vwl_service=3 (Corp) vwl_mbr_seq=4 5 6 7 8 9
dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(6): oif=20(HUB1-VPN1), oif=21(HUB1-VPN2), oif=22(HUB1-VPN3), oif=23
(HUB2-VPN1), oif=24(HUB2-VPN2), oif=25(HUB2-VPN3),
source(1): 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=0 rule_last_used=2025-01-06 00:41:49

id=2130903045 (0x7f030005) vwl_service=5 (Internet) vwl_mbr_seq=3 2
1dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst (0->0) iif=0(any)
path(3): oif=6(port4), oif=4(port2) path_last_used=2025-01-06 02:12:08,
oif=3(port1)
source(1): 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=27 rule_last_used=2025-01-06 02:12:08
```

Diagnose output

```
branch1_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:

Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=8

Facebook(15832 23): IP=157.240.19.35 6 443

Addicting.Games(30156 8): IP=172.64.80.1 6 443

Microsoft.Portal(41469 28): IP=184.27.181 201 6 443

LinkedIn(16331 23): IP=13.107.42.14 6 443

MSN.Game(16135 8): IP=13.107.246.35 6 443

Salesforce(16920 29): IP=32.222.17 73 6 443

Salesforce(16920 29): IP=32.222.17 76 6 443

Facebook(15832 23): IP=31.13.80.36 6 443
```

- A. port1
- B. port4
- C. port2
- D. HUB1-VPN1

Answer: C

Explanation:

The ping target IP 157.240.19.35 matches an App Control entry for Facebook (ID 15832).

According to the diagnose firewall route list output, this application is handled by vwl_service=2 (Non-Critical-DIA), which routes traffic via oif=4 (port2). Therefore, FortiGate steers the Facebook test traffic through port2.

NEW QUESTION # 45

Refer to the exhibit. What conclusions can you draw about the traffic received by FortiGate originating from the source LAN device 10.0.1.133 and destined for the company's SMTP mail server at 10.66.0.125?

FortiGate policy route

```
branch_fgt # diagnose firewall proute list
list route policy info(vf=root):

id=1(0x01) dscp_tag=0xfc flags=0x0 tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0): dst(0->0)
iif=7(port5)
path(1): oif=5(port3) gwy=10.0.1.255
source wildcard(1) : 10.0.1.128/255.255.255.128
destination wildcard(1): 0.0.0.0/0.0.0.0
hit_count=0 rule_last_used=2024-12-13 01:40:44

id=2131427329(0x7f0b0001) vwl_service=1(Critical-DIA), vwl_mbr_seq=2 1 dscp_tag=0xfc 0xfc flags=
0x0 tos=0x0
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(2): oif=4(port2), oif=3(port1)
source(1) : 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Salesforce(16920,0) SMTP_Signed.Email(28991,0)
hit_count=732 rule_last_used=2024-12-12 12:30:16

id=2131427329(0x7f070003) vwl_service=3(Corp), vwl_mbr_seq=4 5 6 dscp_tag=0xfc 0xfc flags=0x0
tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(3): oif=20(HUB1-VPN1), oif=21(HUB1-VPN2), oif=22(HUB1-VPN3)
source(1) : 10.0.1.0-10.0.1.255
destination (1): 10.0.0.0-10.255.255.255
hit_count=0 rule_last_used=2024-12-12 02:29:25

id=2131165188(0x7f070004) vwl_service=4(LAN-to-Corp2), vwl_mbr_seq=1 2 dscp_tag=0xfc 0xfc flags=
0x10 load-balance hash-mode=round-robin tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->
0) iif=0(any)
path(2): oif=3(port1) num_pass=1, oif=4(port2) num_pass=1
source(1) : 10.0.1.0-10.0.1.255
destination (1): 10.66.0.0-10.66.0.255
hit_count=0 rule_last_used=2024-12-13 01:43:31
```

- A. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through the SD-WAN member ID 4.
- B. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through port2.
- C. FortiGate steers the traffic from the LAN device 10.0.1.133 to the SMTP mail server 10.66.0.125 through the SD-WAN member ID 1 or 2.
- D. FortiGate steers the traffic from the LAN device 10.0.1.133 to the company SMTP mail server 10.66.0.125 through port3.

Answer: C

Explanation:

The policy-route output shows the matching SD-WAN service for destination 10.66.0.0/24 is vwl_service=4 (LAN-to-Corp2) with vwl_mbr_seq=1 2 and paths oif=3(port1) and oif=4(port2).

Therefore, traffic from 10.0.1.133 to 10.66.0.125 is steered via SD-WAN member ID 1 or 2.

NEW QUESTION # 46

Refer to the exhibit, which shows output of the command diagnose sys sdwan health-check status collected on a FortiGate device.

```
# diagnose sys sdwan health-check status

Health Check(Level3_DNS):
Seq(1 port1): state(alive), packet-loss(0.000%) latency(22.129), jitter(0.201), mos(4.393),
bandwidth-up(10235), bandwidth-dw(10235), bandwidth-bi(20470) sla_map=0x0
Seq(2 port2): state(alive), packet-loss(7.000%) latency(42.394), jitter(0.912), mos(4.378),
bandwidth-up(10236), bandwidth-dw(10237), bandwidth-bi(20473) sla_map=0x0
Health Check(VPN_PING):
Seq(5 T_MPLS): state(alive), packet-loss(0.000%) latency(131.336), jitter(0.0193), mos(4.380),
bandwidth-up(9999999), bandwidth-dw(9999999), bandwidth-bi(19999999) sla_map=0x2
Seq(4 T_INET_1): state(alive), packet-loss(11.000%) latency(1.465), jitter(0.226), mos(4.398),
bandwidth-up(10239), bandwidth-dw(10239), bandwidth-bi(20478) sla_map=0x1
Seq(3 T_INET_0): state(alive), packet-loss(0.000%) latency(1.440), jitter(0.245), mos(4.403),
bandwidth-up(10239), bandwidth-dw(10239), bandwidth-bi(20478) sla_map=0x3
```

Which two statements are correct about the health check status on this FortiGate device?
(Choose two.)

- A. The health-check VPN_PING orders the members according to the measured jitter.
- B. The interface T_INET_0 missed three SLA targets.
- C. There is no SLA criteria configured for the health-check Level3_DNS.
- D. The interface T_INET_1 missed one SLA target.

Answer: C,D

NEW QUESTION # 47

.....

Our Fortinet FCSS_SDW_AR-7.6 practice materials compiled by the most professional experts can offer you with high quality and accuracy FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 practice materials for your success. Up to now, we have more than tens of thousands of customers around the world supporting our Fortinet exam torrent.

FCSS_SDW_AR-7.6 Interactive Testing Engine: https://www.passtestking.com/Fortinet/FCSS_SDW_AR-7.6-practice-exam-dumps.html

Due to any reason, if you did not succeed in the final Fortinet FCSS_SDW_AR-7.6 exam despite using Fortinet FCSS_SDW_AR-7.6 pdf questions and practice tests, we will return your whole payment without any deduction. With FCSS_SDW_AR-7.6 study guide, you only need to spend 20 to 30 hours practicing to take the exam. Failure in the FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) test will lead to loss of confidence, time, and money.

Installing the theme and widgets library in your web FCSS_SDW_AR-7.6 pages, Insert a clip into the middle of another clip, Due to any reason, if you did not succeed in the final Fortinet FCSS_SDW_AR-7.6 exam despite using Fortinet FCSS_SDW_AR-7.6 pdf questions and practice tests, we will return your whole payment without any deduction.

Valid FCSS_SDW_AR-7.6 Exam Answers - Your Reliable Support to Pass FCSS - SD-WAN 7.6 Architect

With FCSS_SDW_AR-7.6 Study Guide, you only need to spend 20 to 30 hours practicing to take the exam. Failure in the FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) test will lead to loss of confidence, time, and money.

Just like all our exams, our FCSS_SDW_AR-7.6 exam VCE will help you clear exams; we guarantee 100% pass, No Hassle Money Back Guarantee if you fail exam unfortunately with our practice test VCE.

If you purchase our study materials, you will have the opportunity to get the newest information about the FCSS_SDW_AR-7.6 exam.

- Top Features of www.troytecdumps.com FCSS_SDW_AR-7.6 PDF Questions and Practice Test Software Search for (FCSS_SDW_AR-7.6) and easily obtain a free download on { www.troytecdumps.com } Reliable FCSS_SDW_AR-7.6 Exam Materials
- Exam Sample FCSS_SDW_AR-7.6 Questions FCSS_SDW_AR-7.6 Exams Dumps Reliable FCSS_SDW_AR-7.6 Exam Materials Download 「 FCSS_SDW_AR-7.6 」 for free by simply entering ► www.pdfvce.com ▲ website www.pdfvce.com FCSS_SDW_AR-7.6 Reliable Test Labs
- New FCSS_SDW_AR-7.6 Test Dumps Exam Sample FCSS_SDW_AR-7.6 Questions FCSS_SDW_AR-7.6 Test Papers Download ► FCSS_SDW_AR-7.6 for free by simply searching on www.practicevce.com www.practicevce.com FCSS_SDW_AR-7.6 Exams Dumps
- Top Features of Pdfvce FCSS_SDW_AR-7.6 PDF Questions and Practice Test Software Easily obtain “ FCSS_SDW_AR-7.6 ” for free download through www.pdfvce.com FCSS_SDW_AR-7.6 Valid Test Tips
- 2026 FCSS_SDW_AR-7.6 – 100% Free Valid Exam Answers | High Hit-Rate FCSS_SDW_AR-7.6 Interactive Testing Engine Easily obtain FCSS_SDW_AR-7.6 for free download through www.exam4labs.com Valid FCSS_SDW_AR-7.6 Exam Prep
- Study FCSS_SDW_AR-7.6 Material FCSS_SDW_AR-7.6 Free Pdf Guide Exam Sample FCSS_SDW_AR-7.6 Questions Simply search for [【 FCSS_SDW_AR-7.6 】](http://www.pdfvce.com) for free download on [www.pdfvce.com] Reliable Test FCSS_SDW_AR-7.6 Test
- Valid FCSS_SDW_AR-7.6 Exam Prep Reliable Test FCSS_SDW_AR-7.6 Test Reliable Test FCSS_SDW_AR-7.6 Test Easily obtain ► FCSS_SDW_AR-7.6 www.testkingpass.com

□FCSS_SDW_AR-7.6 Free Pdf Guide

- FCSS_SDW_AR-7.6 Exam Questions - FCSS - SD-WAN 7.6 Architect Test Questions - FCSS_SDW_AR-7.6 Test Guide □□ Download ▷ FCSS_SDW_AR-7.6 ↳ for free by simply searching on ➔ www.pdfvce.com □ © New FCSS_SDW_AR-7.6 Test Dumps
- Pass Guaranteed Trustable FCSS_SDW_AR-7.6 - Valid FCSS - SD-WAN 7.6 Architect Exam Answers □ Search for ➡ FCSS_SDW_AR-7.6 □□□ and obtain a free download on □ www.pdfdumps.com □ □Exam Sample FCSS_SDW_AR-7.6 Questions
- High Pass-Rate - How to Prepare for Fortinet FCSS_SDW_AR-7.6 Efficiently and Easily □ Search for ➡ FCSS_SDW_AR-7.6 □ and download exam materials for free through □ www.pdfvce.com □ □Related FCSS_SDW_AR-7.6 Certifications
- FCSS_SDW_AR-7.6 VCE Dumps □ Related FCSS_SDW_AR-7.6 Certifications ◊ Instant FCSS_SDW_AR-7.6 Access □ Copy URL □ www.exam4labs.com □ open and search for ➡ FCSS_SDW_AR-7.6 □ to download for free □FCSS_SDW_AR-7.6 Free Pdf Guide
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, lms.nextwp.site, nikitraders.com, www.stes.tyc.edu.tw, wjhsd.instructure.com, www.stes.tyc.edu.tw, Disposable vapes