

NCM-MCI Exam Bible, NCM-MCI New Braindumps Files



A lot of our new customers don't know how to buy our NCM-MCI exam questions. In fact, it is quite easy. You just need to add your favorite NCM-MCI exam guide into cart. When you finish shopping, you just need to go back to the shopping cart to pay money for our NCM-MCI Study Materials. The whole process is quickly. And you have to remember that we only accept payment by credit card. And you will find that you can receive the NCM-MCI learning prep in a few minutes.

Benefits Of The Nutanix Certified Expert

- Nutanix Certified Advanced Professional (NCAP) is an industry-recognized certification that validates a candidate's technical skills with the Nutanix Enterprise Cloud Platform. Achieving NCAP demonstrates proficiency in the design, implementation, operation and troubleshooting.
- Nutanix Certified Expert (NCA) is an industry-recognized certification that validates a candidate's technical skills with the Nutanix Enterprise Cloud Platform. Achieving NCA demonstrates proficiency in the design, implementation, operation and troubleshooting of Nutanix Enterprise Cloud solutions.
- NCA is intended for a candidate that has 3 to 6 months' hands-on experience with Nutanix software and is typically a system engineer or similar role.

>> NCM-MCI Exam Bible <<

NCM-MCI New Braindumps Files - NCM-MCI Reliable Exam Simulations

It is well known that even the best people fail sometimes, not to mention the ordinary people. In face of the NCM-MCI exam, everyone stands on the same starting line, and those who are not excellent enough must do more. Every year there are a large number of people who can't pass the NCM-MCI Exam smoothly. But we are professional in this career for over ten years. And our NCM-MCI study materials will help you pass the exam easily.

For more info visit:

What are the steps to follow for the registration of Microsoft Nutanix NCM-MCI Exam

- Review the Exam Day Checklist.
- Email npx@nutanix.com to request a unique invitation link to register for your exam.
- Review the Exam Preparation Guide and Candidate Handbook.
- Complete your exam at a mutually agreed upon time/date with your NCX/NPX Program Manager.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q12-Q17):

NEW QUESTION # 12

Refer to the exhibit.



Task1

A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container.

The cluster is in a healthy state.

Create a new session named Monitor SQL02 with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop.

Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to perf_group@ACME.org. Reports should not be retained. If any new objects need to be created, use monitorvm2 in the name.

Finally, correct the issue within "SQL02"

Notes:

Do not power on the VMs.

While you will be creating a session, you will need to examine the VM configurations to determine the issue.

Do not delete the VM to resolve the issue, any other destructive change is acceptable

Answer:

Explanation:

See the Explanation

Explanation:

This is a classic Nutanix performance troubleshooting scenario. The issue is almost certainly that the VM was created using the wrong Disk Bus Type (IDE or SATA instead of SCSI).

Here is the step-by-step solution to complete Task 1.

Part 1: Analysis and Reporting

Create the Session

Log in to Prism Central (or Prism Element, depending on the exam environment, but Analysis is usually a PC feature).

Navigate to Operations -> Analysis.

Click New Session.

Name: Monitor SQL02

Entity: Search for and select the VM named SQL02.

Metrics: Since the issue is storage performance, search for and add these specific metrics:

Hypervisor IOPS (or Controller IOPS)

Hypervisor IO Latency (or Controller IO Latency)

Hypervisor IO Bandwidth

Click Save.

Save Session Data (Task 1.txt)

Open the "Monitor SQL02" session you just created.

(Per instructions): Right-click anywhere on the chart/data area -> Click Select All.

Copy the selected text (Ctrl+C).

Open Notepad on the provided desktop.

Paste the data.

Save the file as Task 1.txt on the Desktop.

Create and Schedule the Report

While still in the Analysis session, click the Create Report (or "Add to Report") button.

Report Name: MonitorSQL02

Report Settings:

Format: PDF

Frequency: Daily

Email Recipient: perf_group@ACME.org

Retention: 0 (or "Do not retain", as requested).

Note: If the system forces you to create a new Report object and MonitorSQL02 is rejected, use monitorvm2 as the name per the instructions.

Save/Schedule the report.

Part 2: Diagnose and Fix the Issue

The Issue:

VM SQL02 was likely created with its data disks set to IDE or SATA.

Why this causes poor performance: IDE/SATA are emulated hardware with high CPU overhead and low queue depths (single-threaded).

The Standard: SQL01 (the healthy VM) is using SCSI, which is multithreaded and optimized for virtualization.

The Fix (Steps):

Navigate to the VM list in Prism.

Select SQL02 and click Update (or Edit).

Scroll down to the Disks section.

Identify the data disk(s). You will see the Bus Type listed as IDE or SATA.

Do not delete the VM. instead, perform a disk conversion (destructive change to the disk is allowed, but we want to keep the data).

Method to Convert (Clone to SCSI):

Hover over the IDE/SATA disk to see the path/filename of the vDisk (or write it down).

Click Add New Disk.

Operation: select Clone from ADSF file.

Path: Browse to the storage container and select the file associated with the current IDE disk.

Bus Type: Select SCSI (This is the critical fix).

Index: Ensure it doesn't conflict with existing disks (usually index 1 or higher for data).

Click Add.

Once the new SCSI disk is added, find the original IDE/SATA disk and click the X to remove it.

Click Save.

Note: You do not need to power on the VM to verify. The change from IDE to SCSI allows the VM to use the Nutanix VirtIO drivers for maximum storage performance.

NEW QUESTION # 13

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available
power on vm and verify if ping is working

NEW QUESTION # 14

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.



NEW QUESTION # 15

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment. Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps:

Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

.....

NEW QUESTION # 16

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt Replace any x in the file with the appropriate character or string Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxx --interfaces ethX,ethX update_uplinks
manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxx update_uplinks
```

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks
manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks
manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networkingovs-command-line-configuration.html>

NEW QUESTION # 17

.....

NCM-MCI New Braindumps Files: <https://www.exam4pdf.com/NCM-MCI-dumps-torrent.html>

- Types of Real Nutanix NCM-MCI Exam Questions ☐ ☐ www.prepawaypdf.com ☐ is best website to obtain [NCM-MCI] for free download ☐ NCM-MCI Reliable Exam Braindumps
- Pass-Sure NCM-MCI Exam Bible - Win Your Nutanix Certificate with Top Score ☐ Easily obtain ➔ NCM-MCI ☐ for free download through ➔ www.pdfvce.com ☐ ☐ ☐ ☐ NCM-MCI Related Exams
- NCM-MCI actual test, Test VCE dumps for Nutanix Certified Master - Multicloud Infrastructure v6.10 ☐ Open ➔ www.prepawaypdf.com ☐ enter ➔ NCM-MCI ☐ and obtain a free download ☐ NCM-MCI Latest Dumps Sheet
- 2026 NCM-MCI Exam Bible | Reliable 100% Free NCM-MCI New Braindumps Files ☐ Simply search for [NCM-

