

Certification FCSS_SDW_AR-7.4 Cost, FCSS_SDW_AR-7.4 Learning Materials



P.S. Free 2026 Fortinet FCSS_SDW_AR-7.4 dumps are available on Google Drive shared by Actual4test:
https://drive.google.com/open?id=1WeX8fKzIjg7u1X_s8gjcJb-DBWl34PgU

The Fortinet FCSS_SDW_AR-7.4 certification can play a crucial role in career advancement and increase your earning potential. By obtaining Fortinet FCSS_SDW_AR-7.4 certification, you can demonstrate to employers your expertise and knowledge. The Fortinet world is constantly changing its dynamics. With the Fortinet FCSS_SDW_AR-7.4 Certification Exam you can learn these changes and stay updated with the latest technologies and trends.

Fortinet FCSS_SDW_AR-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Configure Performances SLAs: Designed for network administrators, this part focuses on setting up performance Service Level Agreements (SLAs) within SD-WAN environments. Candidates must show proficiency in defining criteria to monitor and maintain network performance and reliability.
Topic 2	<ul style="list-style-type: none">SD-WAN Configuration: This section of the exam measures the skills of network engineers and covers configuring a basic SD-WAN setup. Candidates are expected to demonstrate their ability to define SD-WAN members and zones effectively, ensuring foundational network segmentation and management.
Topic 3	<ul style="list-style-type: none">Centralized Management: This domain evaluates network administrators' competence in deploying and managing SD-WAN configurations centrally using FortiManager. It includes tasks such as implementing branch configurations and utilizing overlay templates to streamline network management.

>> Certification FCSS_SDW_AR-7.4 Cost <<

Updated Certification FCSS_SDW_AR-7.4 Cost & Leader in Qualification

Exams & Newest FCSS_SDW_AR-7.4: FCSS - SD-WAN 7.4 Architect

Our FCSS_SDW_AR-7.4 study guide provides free trial services, so that you can gain some information about our study contents, topics and how to make full use of the software before purchasing. It's a good way for you to choose what kind of FCSS_SDW_AR-7.4 test prep is suitable and make the right choice to avoid unnecessary waste. Besides, if you have any trouble in the purchasing FCSS_SDW_AR-7.4 practice torrent or trial process, you can contact us immediately and we will provide professional experts to help you online on the FCSS_SDW_AR-7.4 learning materials.

Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q67-Q72):

NEW QUESTION # 67

Refer to the exhibit. The administrator analyzed the traffic between a branch FortiGate and the server located in the data center, and noticed the behavior shown in the diagram. When the LAN clients located behind FGT1 establish a session to a server behind DC-1, the administrator observes that, on DC-1, the reply traffic is routed over T2, even though T1 is the preferred member in the matching SD-WAN rule.

What can the administrator do to instruct DC-1 to route the reply traffic through the member with the best performance?



- A. Enable auxiliary-session under config system settings.
- B. Enable reply-session under config system sdwan.
- C. FortiGate route lookup for reply traffic only considers routes over the original ingress interface.
- D. Enable snat-route-change under config system global.

Answer: A

NEW QUESTION # 68

Refer to the exhibits.

Ping result

```
root@branch1-client-cli# ping facebook.com
PING facebook.com (157.240.19.35) 56(84) bytes of data.
64 bytes from edge-star-mini-shv-01-dfw5.facebook.com (157.240.19.35): icmp_seq=1 ttl=56 time=33.4 ms
64 bytes from edge-star-mini-shv-01-dfw5.facebook.com (157.240.19.35): icmp_seq=2 ttl=56 time=32.5 ms
64 bytes from edge-star-mini-shv-01-dfw5.facebook.com (157.240.19.35): icmp_seq=3 ttl=56 time=32.5 ms
64 bytes from edge-star-mini-shv-01-dfw5.facebook.com (157.240.19.35): icmp_seq=4 ttl=56 time=32.6 ms
```

Diagnose output

```
branch1_fgt # diagnose firewall proute list
list route policy info(vf=root):
id=1(0x01) dscp_tag=0xfc 0xfc flags=0x0 tos=0x0 tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(1): oif=21(HUB1-VPN2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 10.1.0.7/255.255.255.255
hit_count=0 rule_last_used=2025-01-06 00:41:44

id=2130903041(0x7f030001) vwl_service=1(Critical-DIA) vwl_mbr_seq=1 2 dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(2): oif=3(port1), oif=4(port2)
source(1): 10.0.1.0-10.0.1.255
destination wildcard(1): 0.0.0.0/0.0.0.0
application control(2): Salesforce(16920,0) Microsoft.Portal(41469,0)
hit_count=13 rule_last_used=2025-01-06 01:55:12

id=2130903043(0x7f030003) vwl_service=3(Corp) vwl_mbr_seq=4 5 6 7 8 9 dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(6): oif=20(HUB1-VPN1), oif=21(HUB1-VPN2), oif=22(HUB1-VPN3), oif=23(HUB2-VPN1), oif=24(HUB2-VPN2),
oif=25(HUB2-VPN3)
source(1): 10.0.1.0-10.0.1.255
destination(1): 10.0.0.0-10.255.255.255
hit_count=0 rule_last_used=2025-01-06 00:41:49

id=2130903045(0x7f030005) vwl_service=5(Internet) vwl_mbr_seq=3 2 1 dscp_tag=0xfc 0xfc flags=0x0 tos=0x00
tos_mask=0x00 protocol=0 port=src(0->0):dst(0->0) iif=0(any)
path(3): oif=6(port4), oif=4(port2) path_last_used=2025-01-06 02:12:08, oif=3(port1)
source(1): 10.0.1.0-10.0.1.255
destination(1): 0.0.0.0-255.255.255.255
hit_count=27 rule_last_used=2025-01-06 02:12:08
```

Diagnose output

```
branch1_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:
Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=8
Facebook(15832 23): IP=31.13.80.36 6 443
Fortinet®
Addicting.Games(30156 8): IP=172.64.80.1 6 443
Microsoft.Portal(41469 28): IP=184.27.181.201 6 443
LinkedIn(16331 23): IP=13.107.42.14 6 443
MSN.Game(16135 8): IP=13.107.246.35 6 443
Salesforce(16920 29): IP=23.222.17.73 6 443
Salesforce(16920 29): IP=23.222.17.76 6 443
Facebook(15832 23): IP=31.13.80.36 6 443
```

You connect to a device behind a branch FortiGate device and initiate a ping test. The device is part of the LAN subnet and its IP address is 10.0.1.101.

Based on the exhibits, which interface uses branch 1_fgt to steer the test traffic?

- A. port1
- B. HUB1-VPN1
- C. port2
- D. port4

Answer: A

NEW QUESTION # 69

Refer to the exhibits.

SD-WAN service details

```

branch1_fgt # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: cfg
  Shortcut priority: 2
  Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
  Members(2):
    1: Seq_num(1 port1 underlay), alive, selected
    2: Seq_num(2 port2 underlay), alive, selected
  Application Control(3): Microsoft.Portal(41469,0) Salesforce(16920,0) Collaboration(0,28)
  Src address(1):
  10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
  Tie break: cfg
  Shortcut priority: 2
  Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
  Members(1):
    1: Seq_num(2 port2 underlay), alive, selected
  Application Control(3): Facebook(15832,0) LinkedIn(16331,0) Game(0,8)
  Src address(1):
  10.0.1.0-10.0.1.255

branch1_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:

Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=6

Microsoft.Portal (41469 28): IP=184.27.181.201 6 443
MSN.Game (16135 8): IP=13.107.246.36 6 443
Salesforce(16920 29): IP=23.205.255.92 6 443
GoToMeeting (16354 28): IP=23.205.106.86 6 443
GoToMeeting (16354 28): IP=23.212.249.144 6 443
Facebook(15832 23): IP=31.13.80.36 6 443

branch1_fgt # get router info routing-table all
...

```

In FortiAnalyzer

Application	Security Event List	SD-WAN Rule Name	Destination Interface	Security
GoToMeeting	APP 2		port2	<div> APP Count 2 </div> <div> Level notice </div>
GoToMeeting	APP 2	Critical-DIA	port1	<div> General </div>
GoToMeeting	APP 2	Critical-DIA	port1	<div> Log ID 0000000013 </div>
GoToMeeting	APP 2	Critical-DIA	port1	<div> Session ID 769 </div>
GoToMeeting	APP 2	Critical-DIA	port1	<div> Tran Display snat </div>
GoToMeeting	APP 2	Critical-DIA	port1	<div> Virtual Domain root </div>
GoToMeeting	APP 2	Critical-DIA	port1	<div> Source </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Country Reserved </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Device ID FGVM01TM22000077 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Device Name branch1_fgt </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> IP 10.0.1.101 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Interface port5 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Interface Role undefined </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> NAT IP 192.2.0.9 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> NAT Port 51042 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Port 51042 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> Source 10.0.1.101 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> UEBA Endpoint ID 1025 </div>
GoToMeeting	APP 2	Critical-DIA	port2	<div> UEBA User ID 3 </div>
Destination				
<div> Country United States </div>				
<div> End User ID 3 </div>				
<div> Endpoint ID 101 </div>				
<div> Host Name www.gotomeeting.com </div>				
<div> IP 23.212.248.205 </div>				
<div> Interface port2 </div>				

An administrator is testing application steering in SD-WAN. Before generating test traffic, the administrator collected the information shown in the first exhibit. After generating GoToMeeting test traffic, the administrator examined the corresponding traffic log on FortiAnalyzer, which is shown in the second exhibit.

The administrator noticed that the traffic matched the implicit SD-WAN rule, but they expected the traffic to match rule ID 1. Which two reasons explain why some log messages show that the traffic matched the implicit SD-WAN rule? (Choose two.)

- A. Full SSL inspection is not enabled on the matching firewall policy.
- B. FortiGate could not refresh the routing information on the session after the application was detected.

- C. The session 3-tuple did not match any of the existing entries in the ISDB application cache.
- D. No configured SD-WAN rule matches the traffic related to the collaboration application GoToMeeting

Answer: B,C

NEW QUESTION # 70

Refer to the exhibit. Which action will FortiGate take if it detects SD-WAN members as dead?

```
config system sdwan
    set fail-detect enable
    set fail-alert-interfaces "port5"
    config health-check
        edit "Level3_DNS"
            set update-cascade-interface enable
            set members 1 2
        next
        edit "HQ"
            set update-cascade-interface enable
            set members 3
        next
    end
end
```

FORTINET

- A. FortiGate brings down port5 after it detects all SD-WAN members as dead.
- B. FortiGate fails over to the secondary device after it detects port5 as dead.
- C. FortiGate bounces port5 after it detects all SD-WAN members as dead.
- D. FortiGate sends alert messages through port5 when it detects all SD-WAN members as dead.

Answer: A

NEW QUESTION # 71

Refer to the exhibits.

SD-WAN template zones and rules configuration

ID	Interface	Gateway	Cost	Priority	Status	Installation Target
1	port1	\$(sdwan_port1_gw)	0	1	Enable	
2	port2	0.0.0.0	0	1	Enable	
3	port4	\$(sdwan_port4_gw)	0	1	Enable	1 Device in Total branch1_fgt [root]
4	HUB1-VPN1	0.0.0.0	0	1	Enable	
5	HUB1-VPN2	0.0.0.0	0	1	Enable	
6	HUB1-VPN3	0.0.0.0	0	1	Enable	

ID	Name	Source	Destination	Criteria	Members	Performance SLA	Port	Protocol	Status
1	Critical-DIA	LAN-1	Salesforce, Microsoft		port1, port2	any	any	Enable	
3	Corp	LAN-1, Corp-net			HUB1-VPN1, HUB1-VPN2, HUB1-VPN3	any	any	Enable	
	sd-wan	All	All	Source IP	All	any	any		

FortiManager error message

Task finished with errors.

Installation Preparation Total: 4/4, Success: 3, Warning: 0, Error: 1 Show Details 100%

Ready to Install

Only successfully validated device may be installed. Please confirm and click "Install" button to continue.

Device Name	Status	Action
branch1_fgt	Copy Failed	Log
branch2_fgt	Connection Up	
branch3_fgt	Connection Up	

View install log in FortiManager

```

Copy device global objects
Copy objects for vdom root
Commit failed:
error -999 - (from Template Group Corp-SOT_BRANCH) (in Template branches) Invalid ip - prop[gateway]: ip4class($(sdwan_port1_gw)) invalid ip address

```

You use FortiManager to configure SD-WAN on three branch devices.

When you install the device settings, FortiManager prompts you with the error "Copy Failed" for the device branch1_fgt. When you click the log button, FortiManager displays the message shown in the exhibit.

- A. Remove the installation target for the SD-WAN member port4. You cannot combine metadata variable and installation targets.
- B. Check the metadata variable definitions, and review the per-device mapping configuration.**
- C. Gateways for all members in a zone must be defined the same way. Specify the gateway of the SD-WAN member port without metadata variables.
- D. Check the connection between branch1_fgt and FortiManager
- E. Based on the exhibits, which statement best describes the issue and how you can resolve it?

Answer: B

NEW QUESTION # 72

It is really a tough work to getting FCSS_SDW_AR-7.4 certification in their spare time because preparing actual exam dumps needs plenty time and energy. As the one of certification exam dumps provider, Actual4test enjoys a high popularity for its profession of FCSS_SDW_AR-7.4 Exam Dumps and training materials. You will get high passing score in test with the help of our FCSS_SDW_AR-7.4 braindumps torrent.

FCSS_SDW_AR-7.4 Learning Materials: https://www.actual4test.com/FCSS_SDW_AR-7.4_examcollection.html

BONUS!!! Download part of Actual4test FCSS_SDW_AR-7.4 dumps for free: https://drive.google.com/open?id=1WeX8flKzIjg7u1X_s8gjcJb-DBWl34PgU