

トピック 2	<ul style="list-style-type: none"> • Configure Performances SLAs: Designed for network administrators, this part focuses on setting up performance Service Level Agreements (SLAs) within SD-WAN environments. Candidates must show proficiency in defining criteria to monitor and maintain network performance and reliability.
トピック 3	<ul style="list-style-type: none"> • Rules and Routing: Targeted at network engineers, this section assesses the ability to configure SD-WAN rules and routing policies. Candidates will be tested on managing traffic flow and prioritization across the SD-WAN infrastructure.
トピック 4	<ul style="list-style-type: none"> • Centralized Management: This domain evaluates network administrators' competence in deploying and managing SD-WAN configurations centrally using FortiManager. It includes tasks such as implementing branch configurations and utilizing overlay templates to streamline network management.

>> FCSS_SDW_AR-7.4復習攻略問題 <<

FCSS_SDW_AR-7.4 受験直前仕上げまでをバッチリサポート問題集

FortinetのFCSS_SDW_AR-7.4試験に合格するためにたくさんの方がいますが、我々Jpshikenの提供する方法は一番効果的なのです。我々IT専門かたちの作成するFortinetのFCSS_SDW_AR-7.4ソフトを利用しているとき、あなたは自分の能力の高めを明らかに感ずることが出来ます。FortinetのFCSS_SDW_AR-7.4試験は常に更新されていますから、あなたに一番新しい資料を提供するために、我々ご購入の後で一年間の無料更新サービスを提供してあなたに安心させます。

Fortinet FCSS - SD-WAN 7.4 Architect 認定 FCSS_SDW_AR-7.4 試験問題 (Q56-Q61):

質問 # 56

Refer to the exhibit. Which statement best describe the role of the ADVPN device in handling traffic?

```
ike V=root:0:HUB1-VPN1:0: received informational request
ike V=root:0:HUB1-VPN1:0: processing notify type SHORTCUT_QUERY
ike V=root:0:HUB1-VPN1: recv shortcut-query 16573251835242579210
cfff150ded109a548/0000000000000000 192.2.0.1 10.0.1.101:2048->
10.0.3.101:0 0 psk 64 ppk 0 ttl 31 nat 0 ver 2 mode 0 network-id 1
ike V=root:0:HUB1-VPN1: iif 20 10.0.1.101->10.0.3.101 0 route lookup
oif 7 port5 gw 0.0.0.0
ike V=root:0:HUB1-VPN1: shortcut-query received from 192.2.0.1:500,
local-nat=yes, peer-nat=no
ike V=root:0:HUB1-VPN1: NAT hole punching for peer at 192.2.0.1:4500
```

- A. This is a hub that has received a shortcut query from a spoke and has forwarded it to another spoke.
- B. This is a spoke that has received a shortcut query from a remote hub.
- C. This is a hub, and two spokes, 192.2.0.1 and 10.0.3.101, establish a shortcut.
- D. This is a spoke that has received a direct shortcut query from a remote spoke.

正解: A

解説:

Shortcut Debug—forward shortcut-query

- Hub output—hub receives shortcut query from spoke1 and forwards it to spoke2:

```
ike V=root:0:VPN1_0:13: received informational request
ike V=root:0:VPN1_0:13: processing notify type SHORTCUT_QUERY
ike V=root:0:VPN1_0:  recv shortcut-query 13079782794578682520 3457fd9837d92f61/0000000000000000 192.2.0.1
10.0.1.101:2048->10.0.2.101:0 0 psk 64 ppk 0 ttl 32 nat 0 ver 2 mode 0 network-id 1
ike V=root:0:VPN1: iif 20 10.0.1.101->10.0.2.101 0 route lookup oif 20 VPN1 gw 192.168.1.2
ike V=root:0: shared dev tunnel lookup, tun-id=192.168.1.2
ike V=root:0:VPN1_1: forward shortcut-query 13079782794578682520 3457fd9837d92f61/0000000000000000
192.2.0.1 10.0.1.101->10.0.2.101 0 psk 64 ppk 0 ttl 31 ver 2 mode 0, ext-mapping 192.2.0.1:0, network-id 1
```


The hub receives the shortcut query from spoke1 and forwards it to spoke2.

質問 #57

Refer to the exhibit.

SD-WAN Network Topology

FORTINET



Refer to the exhibit.

You want to configure SD-WAN on a network as shown in the exhibit.

The network contains many FortiGate devices. Some are used as NGFW, and some are installed with extensions such as FortiSwitch, FortiAP, or Forti Extender.

What should you consider when planning your deployment?

- A. You can build an SD-WAN topology that includes all devices. The hubs can be FortiGate devices with Forti Extender.
- B. You must use FortiManager to manage your SD-WAN topology.

- C. You must build multiple SD-WAN topologies. Each topology must contain only one type of extension.
- D. You can build an SD-WAN topology that includes all devices. The hubs must be devices without extensions.

正解: D

質問 # 58

Refer to the exhibit that shows a diagnose output on FortiGate.

```
pke_fgt # diagnose sys sdwan advpn-session
Session head(jfk-0-HUB1:1)
(1) Service ID(3), last access(4136110), remote health check info(3)
Selected path: local(HUB1-VPN1, port1) gw: 192.2.0.1 remote IP: 203.0.113.1
(192.168.1.2)
Remote information:
1: latency: 1.833133 jitter: 0.482600 pktloss: 0.000000 mos: 4.403007 sla: 0x1
cost: 0 remote gw: HUB1-VPN1 transport_group: 1 bandwidth up: 10239 down: 10239
bidirection: 2048 ipv4: 203.0.113.1(192.168.1.2) ipv6
::1bc2(20e6:7e0c:fe7f:0:1c:256d:487:1bc2)
2: latency: 1.725933 jitter: 0.469833 pktloss: 0.000000 mos: 4.403073 sla: 0x1
cost: 0 remote gw: HUB1-VPN2 transport_group: 1 bandwidth up: 10239 down: 10239
bidirection: 2048 ipv4: 203.0.113.9(192.168.1.66) ipv6
6465:7228:3229:2c20:6c6f:6361:6c20:636f(7374:2830:292c:2073:6563:7465:6400)
3: latency: 1.240333 jitter: 0.269700 pktloss: 0.000000 mos: 4.403513 sla: 0x1
cost: 0 remote gw: HUB1-VPN3 transport_group: 0 bandwidth up: 9999999 down:
9999999 bidirection: 19999998 ipv4: 172.16.0.9(192.168.1.130)
```

Based on the output shown in the exhibit, what can you say about the device role and how it handles health checks?

- A. The device is a spoke. It receives health-check measures for the tunnels of another spoke.
- B. The device is a hub. It receives health-check measures for the tunnels of a spoke.
- C. The device is a spoke. It provides embedded health-check measures for each tunnel to the hub.
- D. The device is a hub. It receives embedded health-check measures for each tunnel from the spoke.

正解: A

解説:

Monitor Remote Spoke WAN Link Information

- Diagnostic command available on the local spoke to view the remote spoke WAN link details received: `diagnose sys sdwan advpn-session`

```
branch1_fgt # diag sys sdwan advpn-session
Session head branch2_fgt-0-HUB1:1
(1) Service ID(3), last access(4136110), remote health check info(3)
Selected path: local(HUB1-VPN1, port1) gw: 192.2.0.1 remote IP: 203.0.113.1(192.168.1.2)
Remote information:
1: latency: 1.833133 jitter: 0.482600 pktloss: 0.000000 mos: 4.403007 0x1 cost: 0 remote
gw: HUB1-VPN1 transport_group: 1 bandwidth up: 10239 down: 10239
ipv4: 203.0.113.1(192.168.1.2) ipv6 ::lbc2(20e6:7e0c:fe7f:0:1c:25)
2: latency: 1.725933 jitter: 0.469833 pktloss: 0.000000 mos: 4.403073 sla: 0x1 cost: 0 remote
gw: HUB1-VPN2 transport_group: 1 bandwidth up: 10239 down: 10239 bidirection: 20478
ipv4: 203.0.113.9(192.168.1.66) ipv6
6465:7228:3229:2c20:6c6f:6361:6c20:636f(7374:2830:292c:2073:656c:6563:7465:6400)
3: latency: 1.240333 jitter: 0.269700 pktloss: 0.000000 mos: 4.403513 sla: 0x1 cost: 0 remote
gw: HUB1-VPN3 transport_group: 0 bandwidth up: 9999999 down: 9999999 bidirection: 19999998
ipv4: 172.16.0.9(192.168.1.130) ipv6 ::(::)
```

Remote spoke device name and name of the remote zone


Path selected for the shortcut

Link performance details received from the remote spoke, updated every 5 seconds

You can use the command `diagnose sys sdwan advpn-session` to view the WAN link information that the local spoke received from the remote spoke, as shown on this slide.

FortiGate refreshes the link performance details every 5 seconds with information received from its remote peer.

Note that this command provides no results for shortcuts that do not require SLA monitoring. FortiGate displays the output only for shortcuts associated with best quality or lowest cost (SLA) rules.



Refer to the exhibit, which shows an SD-WAN zone configuration on the FortiGate GUI. What can you conclude about the zone and member configuration on this device?


- A. You can delete the virtual-wan-link zones.
- **B. The overlay-factories zone contains no member.**
- C. The underlay zone contains three members.
- D. You can move HUB1-VPN3 from the HUB1 zone to the overlay-shops zone.

正解: B

質問 # 60

Refer to the exhibit. Two hub-and-spoke groups are connected through redundant site-to-site IPsec VPNs between Hub 1 and Hub 2.

Which two configuration settings are required for the spoke A1 to establish an ADVPN shortcut with the spoke B2? (Choose two.)



- A. On hubs, auto-discovery-receiver must be enabled on the IPsec VPNs to spokes.
- B. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to hubs.
- C. On hubs, auto-discovery-sender must be enabled on the IPsec VPNs to spokes
- D. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to spokes.

正解: B、C

質問 #61

.....

最も早い時間で気楽にFortinetのFCSS_SDW_AR-7.4認定試験に合格したいなら、Jpshikenを選んだ方が良いです。あなたはJpshikenの学習教材を購入した後、私たちは一年間で無料更新サービスを提供することができます。あなたは最新のFortinetのFCSS_SDW_AR-7.4試験トレーニング資料を手に入れることが保証します。もしうちの学習教材を購入した後、試験に不合格になる場合は、私たちが全額返金することを保証いたします。

FCSS_SDW_AR-7.4学習教材: https://www.jpshiken.com/FCSS_SDW_AR-7.4_shiken.html

- 試験の準備方法-最高のFCSS_SDW_AR-7.4復習攻略問題試験-ユニークなFCSS_SDW_AR-7.4学習教材 jp.fast2test.com は、“FCSS_SDW_AR-7.4”を無料でダウンロードするのに最適なサイトです
FCSS_SDW_AR-7.4資格関連題
- 更新する-高品質なFCSS_SDW_AR-7.4復習攻略問題試験-試験の準備方法FCSS_SDW_AR-7.4学習教材 www.goshiken.com サイトにて▷ FCSS_SDW_AR-7.4 ◁問題集を無料で使おうFCSS_SDW_AR-7.4復習攻略問題
- FCSS_SDW_AR-7.4認定資格試験 FCSS_SDW_AR-7.4参考書 FCSS_SDW_AR-7.4対策学習 Open Webサイト www.xhs1991.com 検索 FCSS_SDW_AR-7.4 無料ダウンロードFCSS_SDW_AR-7.4参考資料
- 選択式トレーニング FCSS_SDW_AR-7.4 問題集 Fortinet 合格基準点 時間限定無料で使える (FCSS_SDW_AR-7.4) の試験問題は { www.goshiken.com } サイトで検索FCSS_SDW_AR-7.4受験記対策
- ハイパスレートのFCSS_SDW_AR-7.4復習攻略問題一回合格-素晴らしいFCSS_SDW_AR-7.4学習教材 www.mogixam.com で▷ FCSS_SDW_AR-7.4 を検索して、無料でダウンロードしてください
FCSS_SDW_AR-7.4過去問無料
- 最高のFortinet FCSS_SDW_AR-7.4復習攻略問題 - 合格スムーズFCSS_SDW_AR-7.4学習教材 | 真実的なFCSS_SDW_AR-7.4関連問題資料 サイト▷ www.goshiken.com で⇒ FCSS_SDW_AR-7.4 ◁問題集をダウンロードFCSS_SDW_AR-7.4復習攻略問題
- 更新する-高品質なFCSS_SDW_AR-7.4復習攻略問題試験-試験の準備方法FCSS_SDW_AR-7.4学習教材 最新★ FCSS_SDW_AR-7.4 ★ 問題集ファイルは“www.passtest.jp”にて検索FCSS_SDW_AR-7.4試験解答
- FCSS_SDW_AR-7.4過去問無料 FCSS_SDW_AR-7.4試験解答 FCSS_SDW_AR-7.4合格率書籍 ⇒ www.goshiken.com ◁から【 FCSS_SDW_AR-7.4 】を検索して、試験資料を無料でダウンロードしてください
FCSS_SDW_AR-7.4参考書勉強
- FCSS_SDW_AR-7.4参考資料 FCSS_SDW_AR-7.4参考資料 FCSS_SDW_AR-7.4過去問無料 ◁ { www.mogixam.com } で使える無料オンライン版★ FCSS_SDW_AR-7.4 ★ の試験問題FCSS_SDW_AR-7.4資格問題対応
- FCSS_SDW_AR-7.4資格関連題 FCSS_SDW_AR-7.4資格関連題 FCSS_SDW_AR-7.4資格問題対応 サイト▷ www.goshiken.com で《 FCSS_SDW_AR-7.4 》問題集をダウンロードFCSS_SDW_AR-7.4試験解答

- ハイパスレートのFCSS_SDW_AR-7.4復習攻略問題一回合格-素晴らしいFCSS_SDW_AR-7.4学習教材 □
ウェブサイト▷ www.mogicexam.com ◁から □ FCSS_SDW_AR-7.4 □を開いて検索し、無料でダウンロードして
くださいFCSS_SDW_AR-7.4参考書
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, sepiacourses.online, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, elearning.eauqardho.edu.so,
www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

P.S.JpshikenがGoogle Driveで共有している無料の2026 Fortinet FCSS_SDW_AR-7.4ダン
プ: https://drive.google.com/open?id=11_PK4iS4r44K1ye5YNC1N7LU88ELrWMu