


Trustworthy Oracle 1Z1-947 Dumps - New 1Z1-947 Exam Labs



DOWNLOAD the newest DumpsTorrent 1Z1-947 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1F4r3Tk4nfP7I2U34wkYz8pr_96tSTCj

The 1Z1-947 exam practice test questions are designed and verified by experienced and qualified Oracle 1Z1-947 exam trainers. They check and verify all Oracle 1Z1-947 exam dumps one by one and offer the best possible answers to a particular Oracle 1Z1-947 Exam Questions. So you will find each Oracle 1Z1-947 exam questions and their respective answers correct and error-free and assist to complete the 1Z1-947 exam preparation quickly.

If you want to pass your 1Z1-947 exam and get the 1Z1-947 certification which is crucial for you successfully, I highly recommend that you should choose the 1Z1-947 certification preparation materials from our company so that you can get a good understanding of the 1Z1-947 Exam that you are going to prepare for. We believe that if you decide to buy the 1Z1-947 exam materials from our company, you will pass your exam and get the 1Z1-947 certification in a more relaxed way than other people.

>> **Trustworthy Oracle 1Z1-947 Dumps** <<

New 1Z1-947 Exam Labs | New 1Z1-947 Test Bootcamp

DumpsTorrent release the best exam preparation materials to help you exam at the first attempt. A good Oracle 1Z1-947 valid exam prep will make you half the work with doubt the results. To choose a Oracle 1Z1-947 Valid Exam Prep will be a nice option. Our Oracle 1Z1-947 test dumps pdf can help you clear exam and obtain exam at the first attempt.

Oracle GoldenGate 19c Implementation Professional Sample Questions (Q25-Q30):

NEW QUESTION # 25

Prerequisite steps should be followed to ensure a successful Initial Load was performed. One of the steps is to "prepare target tables." What does it mean to prepare target tables?

- A. The target database must exist, and an obey file must be used to create all tables for replication before Initial Load process at target site.
- B. The target database must exist, and all tables for replication must exist with data already loaded into tables.
- C. The target table must exist in the target database before Initial Load process at source site.
- **D. The target table must exist in the target database before Initial Load process at target site.**

Answer: D

Explanation:

Before performing an Initial Load in Oracle GoldenGate: The structure (tables) must already be created on the target database.

GoldenGate does not create target tables during Initial Load - it only copies the data. So, you must manually prepare the tables beforehand.

NEW QUESTION # 26

Which transactions are captured if you ADD EXTRACT with BEGIN NOW at 1:00 PM, but START EXTRACT at 2:00 PM?

- A. Only transactions that started at or after 2:00 PM
- B. Only transactions that started before 1:00 PM and committed after 1:00 PM
- C. Transactions that started at or after 1:00 PM
- D. Transactions that started before 1:00 PM and committed after 2:00 PM

Answer: C

Explanation:

When you run ADD EXTRACT ... BEGIN NOW at 1:00 PM, GoldenGate records the current CSN/SCN as the starting point. So even if you start the Extract later (e.g., at 2:00 PM), it will capture transactions that started at or after 1:00 PM, ensuring no changes are missed from the defined start point.

NEW QUESTION # 27

What Oracle GoldenGate microservices component is used to allow administrators to create and manage one or multiple Oracle GoldenGate deployments on a local host?

- A. Administration server
- B. Distribution server
- C. Service Manager
- D. Extract and Replicat server

Answer: C

Explanation:

The Service Manager in Oracle GoldenGate Microservices Architecture acts as a watchdog for other services and allows administrators to create and manage deployments on the local host. It maintains inventory and configuration information about deployments, enabling the management of multiple local deployments.

NEW QUESTION # 28

Which option is an invalid GLOBALS parameter?

- A. MGRSERVNAME
- B. GGSHEMA
- C. CHECKPOINTTABLE
- D. DISCARDFILE

Answer: D

Explanation:

The invalid GLOBALS parameter option is DISCARDFILE.

NEW QUESTION # 29

What is not a role used in a Microservices architecture deployment?

- A. Security
- B. Administrator
- C. Manager
- D. User

Answer: C

