

# FCP\_FCT\_AD-7.4 Reliable Mock Test, Exam FCP\_FCT\_AD-7.4 Vce Format



You will never know what kind of people you will be and what kind of future is waiting for you if you don't try your best to pursue. And our FCP\_FCT\_AD-7.4 learning prep can be one of your challenge. Also your potential will be fully realized with the guidance of our FCP\_FCT\_AD-7.4 Exam Questions. It is a good chance for you to improve yourself. We are looking forward that you can choose our FCP\_FCT\_AD-7.4 study materials. It is up to you. Time and tides wait for no man. Come to purchase our FCP\_FCT\_AD-7.4 practice braindumps.

Here, we provide you with the best FCP\_FCT\_AD-7.4 premium study files which will improve your study efficiency and give you right direction. The content of FCP\_FCT\_AD-7.4 study material is the updated and verified by IT experts. Professional experts are arranged to check and trace the Fortinet FCP\_FCT\_AD-7.4 update information every day. The FCP\_FCT\_AD-7.4 exam guide materials are really worthy of purchase. The high quality and accurate FCP\_FCT\_AD-7.4 questions & answers are the guarantee of your success.

>> FCP\_FCT\_AD-7.4 Reliable Mock Test <<


## Exam Fortinet FCP\_FCT\_AD-7.4 Vce Format - FCP\_FCT\_AD-7.4 Top Exam Dumps

Our company is glad to provide customers with authoritative study platform. Our FCP\_FCT\_AD-7.4 quiz torrent was designed by a lot of experts and professors in different area in the rapid development world. At the same time, if you have any question on our FCP\_FCT\_AD-7.4 exam braindump, we can be sure that your question will be answered by our professional personal in a short time. In a word, if you choose to buy our FCP\_FCT\_AD-7.4 Quiz prep, you will have the chance to enjoy the authoritative study platform provided by our company. We believe our latest FCP\_FCT\_AD-7.4 exam torrent will be the best choice for you. More importantly, you have the opportunity to get the demo of our latest FCP\_FCT\_AD-7.4 exam torrent for free.

## Fortinet FCP - FortiClient EMS 7.4 Administrator Sample Questions (Q55-Q60):

NEW QUESTION # 55

Refer to the exhibits.



Which show the Zero Trust Tag Monitor and the FortiClient GUI status.

Remote-Client is tagged as Remote-Users on the FortiClient EMS Zero Trust Tag Monitor.

What must an administrator do to show the tag on the FortiClient GUI?

- A. B. Change the FortiClient system settings to enable tag visibility
- B. Change the user identity settings to enable tag visibility
- C. Update tagging rule logic to enable tag visibility
- D. Change the endpoint control setting to enable tag visibility

**Answer: A**

Explanation:

Based on the exhibits provided:

\* The "Remote-Client" is tagged as "Remote-Users" in the FortiClient EMS Zero Trust Tag Monitor.

\* To ensure that the tag "Remote-Users" is visible in the FortiClient GUI, the system settings within FortiClient need to be updated to enable tag visibility.

\* The tag visibility feature is controlled by FortiClient system settings which manage how tags are displayed in the GUI.

Therefore, the administrator needs to change the FortiClient system settings to enable tag visibility.

References

\* FortiClient EMS 7.2 Study Guide, Zero Trust Tagging Section

\* FortiClient Documentation on Tag Management and Visibility Settings

**NEW QUESTION # 56**

A FortiClient EMS administrator is implementing additional security on FortiClient for compliance checks. Which tags can the administrator configure to detect endpoints based on vulnerability severity levels? (Choose one answer)

- A. Security posture tags
- B. Outbreak alert tags
- C. Fabric tags
- D. Classification tags

**Answer: A**

Explanation:

According to the FortiClient EMS 7.2/7.4 Administration Guide and the ZTNA Deployment Guide, the administrator can configure Security posture tags (also known as Zero Trust Network Access (ZTNA) tags in recent versions) to detect and group endpoints based on specific compliance criteria, including vulnerability severity levels.

1. How Security Posture Tags Work for Vulnerabilities:

\* Tagging Rules: Under the Security Posture Tags (or Zero Trust Tags) section in EMS, an administrator creates a new rule set and adds a rule.

\* Rule Type: The administrator selects the Vulnerable Devices rule type.

\* Severity Levels: Within this rule, the administrator can specify the Severity Level (such as Critical, High, Medium, or Low). EMS dynamically applies the tag to any endpoint where the vulnerability scan detects at least one vulnerability matching or exceeding that severity level.

\* Dynamic Grouping: These tags allow for dynamic grouping of endpoints, which can then be synchronized with a FortiGate to enforce access control based on the device's current security posture.

2. Why Other Options are Incorrect:

\* A. Outbreak alert tags: While FortiGuard Outbreak alerts can be used in tagging, they specifically target endpoints vulnerable to a particular "outbreak" or high-profile threat currently active in the wild, rather than providing a general mechanism for all vulnerability severity levels.

\* B. Classification tags: These tags are typically used for broader endpoint identification (like department or location) and sending information to FortiAnalyzer for reporting, rather than real-time security posture compliance based on vulnerability scans.

\* C. Fabric tags: "Fabric" usually refers to the integration between Fortinet devices (the Security Fabric).

While tags are shared across the Fabric, the specific tags configured within EMS for endpoint detection based on posture are categorized as Security Posture/Zero Trust tags.

3. Curriculum References:

\* FortiClient EMS Administration Guide (Zero Trust Tagging Rules section): Explicitly details the "Vulnerable Devices" rule type and its severity options.

\* EMS Study Guide (Compliance & Vulnerability): Describes using these tags to ensure endpoints meet minimum security standards before being granted access to the network.

## NEW QUESTION # 57


Refer to the exhibit.

### System Settings Profile

Name: Default

#### UI

Require Password to Disconnect From EMS: ☒

Password:  

Allow endpoint admin to uninstall without a password: ☐

Do Not Allow User to Back up Configuration: ☐

Allow User to Shutdown When Registered to EMS: ☒

Hide User Information: ☐

Hide System Tray Icon: ☐

Show Security Posture Tag on FortiClient GUI: ☐

Allow User to Shutdown When Registered to EMS Brave-Dumps.com: ☒

Hide User Information: ☐

Hide System Tray Icon: ☐

Show Security Posture Tag on FortiClient GUI: ☐

Language:

Default Tab:


#### Endpoint Control

Show Bubble Notifications: ☒

Log off When User Logs out of Windows: ☐

Disable Disconnect: ☒

Send Software Inventory: ☐

Invalid Certificate Action: 

Enable DNS Cache: ☐

Which behavior should you expect when FortiClient with an invalid certificate is connecting to FortiClient EMS? (Choose one answer)

- A. FortiClient EMS pushes a valid certificate to FortiClient.
- **B. FortiClient displays a warning message to the end user.**
- C. FortiClient requires an additional password to connect to FortiClient EMS.
- D. FortiClient is blocked from connecting to FortiClient EMS.

**Answer: B**

Explanation:

Based on the FortiClient EMS 7.2/7.4 Administration Guide and the provided exhibit of the System Settings Profile, the expected behavior for an invalid certificate connection is determined by the Invalid Certificate Action setting.

1. Analysis of the Exhibit

\* Location: The exhibit shows the System Settings Profile (specifically the "Default" profile).

\* Setting: At the bottom under the Endpoint Control section, the field Invalid Certificate Action is configured.

\* Selected Action: The dropdown for Invalid Certificate Action displays a warning icon (an orange triangle with an exclamation mark). In the FortiClient EMS GUI, this specific icon corresponds to the "Warn" action.

## 2. Verified Behavior (Option C)

According to the curriculum documents regarding Endpoint Communication Security:

- \* Warn Action Behavior: When the Invalid Certificate Action is set to Warn, FortiClient is instructed to display a warning message to the end user if the EMS server certificate is untrusted, expired, or has a hostname mismatch.
- \* User Prompt: The warning message explicitly asks the user whether they wish to proceed with the connection despite the security risk or terminate the attempt.
- \* Connection Logic: If the user manually accepts the warning, FortiClient will establish the Telemetry connection and "remember" the certificate for future sessions to avoid repeated prompts for that specific server.

## 3. Why Other Options are Incorrect

- \* A. FortiClient is blocked: This behavior only occurs if the administrator selects the "Deny" action in the profile.
- \* B. Additional password required: The password field shown at the top of the exhibit is for "Require Password to Disconnect From EMS", which prevents users from manually unregistering, but it does not bypass or resolve certificate errors.
- \* D. EMS pushes a valid certificate: EMS cannot "push" a valid identity certificate to resolve a failed TLS handshake; a valid certificate must be manually installed on the EMS server by the administrator.

## NEW QUESTION # 58

An administrator installs FortiClient on Windows Server.

What is the default behavior of real-time protection control?

- A. Real-time protection must update AV signature database
- B. Real-time protection sends malicious files to FortiSandbox when the file is not detected locally
- C. Real-time protection must update the signature database from FortiSandbox
- **D. Real-time protection is disabled**

**Answer: D**

Explanation:

When FortiClient is installed on a Windows Server, the default behavior for real-time protection control is:

- \* Real-time protection is disabled: By default, FortiClient does not enable real-time protection on server installations to avoid potential performance impacts and because servers typically have different security requirements compared to client endpoints. Thus, real-time protection is disabled by default on Windows Server installations.

References

- \* FortiClient EMS 7.2 Study Guide, Real-time Protection Section
- \* Fortinet Documentation on FortiClient Default Settings for Server Installations

## NEW QUESTION # 59

Refer to the exhibit.

The screenshot displays the FortiClient EMS GUI for an endpoint named 'br-pc-1'. The 'Configuration' tab is active, showing various settings. The 'ZTNA Serial Number' is highlighted in red and set to 'Disabled'. The 'Features' section on the right shows 'ZTNA installed'.

Device	br-pc-1
OS	Linux - Ubuntu 22.04.3 LTS
IP	10.1.0.10
MAC	02:09:0f:00:04:02
Public IP	35.230.181.150
Status	Online
Location	On-Fabric
Owner	Brave-Dumps.com
Organization	
Group Tag	
Security Posture	all registered clients
Tags	Brave-Dumps.com

Connection	Managed by EMS
Configuration	
Policy	Default
Installer	Not assigned
FortiClient Version	7.4.0.1636
FortiClient Serial Number	FCT8000082946488
FortiClient ID	C832EF1D7DBD4A2AA1A4B2487F68...
ZTNA Serial Number	Disabled
Classification Tags	Low

Status	Managed
Features	
Antivirus enabled	✓
Real-Time Protection enabled	✓
Anti-Ransomware not installed	✗
Cloud Based Malware Outbreak Det	✗
Sandbox not installed	✗
Sandbox Cloud not installed	✗
Web Filter enabled	✓
Application Firewall not installed	✗
Remote Access installed	✓
Vulnerability Scan enabled	✓
SSOMA not installed	✗
User Verification supported	✓
ZTNA installed	✓

The zero trust network access (ZTNA) serial number on endpoint br-pc-1 is in a disabled state.

What is causing the problem? (Choose one answer)



- A. The ZTNA feature is not installed on FortiClient.
- B. The ZTNA is disabled due to FortiClient disconnected from FortiClient EMS.
- C. The ZTNA certificate has been revoked by administrator.
- **D. The ZTNA destinations endpoint profile is disabled.**

**Answer: D**

Explanation:

Based on the FortiClient EMS 7.2/7.4 Study Guides and the visual evidence provided in the exhibit, here is the verified breakdown of why the ZTNA Serial Number is showing as Disabled:

#### 1. Analysis of the Exhibit

\* Operating System: The endpoint is running Linux (Ubuntu 22.04.3 LTS).

\* Connection Status: The endpoint status is Online and Managed by EMS. This immediately eliminates Option C, as the device is actively communicating with the EMS server.

\* Features List: At the bottom right of the "Features" column, it explicitly states "ZTNA installed". This eliminates Option A, confirming the software component is present on the endpoint.

\* ZTNA Serial Number Field: The field is highlighted in red and shows "Disabled".

#### 2. Identifying the Root Cause (Option B)

In the FortiClient EMS curriculum regarding ZTNA (Zero Trust Network Access), the ZTNA Serial Number (also known as the ZTNA Tagging or Client Certificate UID) is generated and activated based on the assigned Endpoint Profile.

\* Profile Dependency: For FortiClient to generate a ZTNA serial number/certificate and participate in ZTNA, the administrator must enable and configure the ZTNA Destinations (or ZTNA Connection) profile within the EMS.

\* Disabled State: If the ZTNA Destinations feature is disabled in the profile assigned to that specific endpoint (or if the endpoint is assigned the "Default" profile where ZTNA is not configured), the "ZTNA Serial Number" status on the EMS dashboard will reflect as Disabled.

\* Linux Specifics: In FortiClient for Linux, ZTNA support is available but requires the profile to be explicitly pushed and active. If the profile is toggled off in the EMS GUI under Endpoint Profiles > ZTNA Destinations, the serial number functionality is suspended.

#### 3. Why Other Options are Incorrect

\* A. The ZTNA feature is not installed: The exhibit clearly shows "ZTNA installed" under the Features list.

\* C. FortiClient disconnected from EMS: The exhibit shows the status as "Online" and "Managed by EMS" with a green checkmark.

\* D. The ZTNA certificate has been revoked: If a certificate is revoked, the status typically shows as "Revoked" or "Expired," or the serial number would still be present but marked as untrusted. A "Disabled" state indicates the feature itself is turned off at the policy/profile level.

## NEW QUESTION # 60

.....

Our FCP\_FCT\_AD-7.4 valid study guide is edited by our IT professional experts and focus on providing you with the most updated study material for all of you. You will pass your FCP\_FCT\_AD-7.4 actual test in your first attempt. With the help of Fortinet FCP\_FCT\_AD-7.4 Current Exam Content, you will be more confident and positive to face your coming test. After you get your FCP\_FCT\_AD-7.4 certification, you will be getting close to your dream.

**Exam FCP\_FCT\_AD-7.4 Vce Format:** [https://www.prepawayete.com/Fortinet/FCP\\_FCT\\_AD-7.4-practice-exam-dumps.html](https://www.prepawayete.com/Fortinet/FCP_FCT_AD-7.4-practice-exam-dumps.html)

Fortinet FCP\_FCT\_AD-7.4 Reliable Mock Test If any problem in this process, you can tell us the detailed information, our service staff will solve the problem for you. If you choose the PrepAwayETE product, it not only can 100% guarantee you to pass Fortinet certification FCP\_FCT\_AD-7.4 exam but also provide you with a year-long free update. Easy-to-Access All dumps are offered in Exam FCP\_FCT\_AD-7.4 Vce Format - FCP - FortiClient EMS 7.4 Administrator - Sales PDF format.

Identify the purpose, features, and functions of network components FCP\_FCT\_AD-7.4 Vce Free for the Network+ exam, Go to [jQuery.com/download](https://jquery.com/download) and download the latest jQuery library to that folder and name the file jquery.min.js.

## 2026 Fortinet FCP\_FCT\_AD-7.4: Professional FCP - FortiClient EMS 7.4 Administrator Reliable Mock Test

If any problem in this process, you can tell us FCP\_FCT\_AD-7.4 the detailed information, our service staff will solve the problem for you. If you choose the PrepAwayETE product, it not only can 100% guarantee you to pass Fortinet certification FCP\_FCT\_AD-7.4 exam but also provide you with a year-long free update.

Easy-to-Access All dumps are offered in FCP - FortiClient EMS 7.4 Administrator - Sales PDF format, The content of these

versions is the same, but the displays of our FCP\_FCT\_AD-7.4 learning questions are all different.

- [illegible]